Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



62.67

PRICE LIST


TREES, SHRUBS
EVERGREENS
HERBACEOUS PERENNIALS
ROSES



FALL, 1942 SPRING, 1943

HENRY KOHANKIE & SON

PAINESVILLE, OHIO
30 Miles East of Cleveland on Route 20
Telephone 4380



PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20

One Mile East of Painesville PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

Deciduous and Evergreen Trees, Shrubs and Vines
Herbaceous Material (including Rock and Alpine Plants)159-197
Fruit Garden Material198
Large Specimen Material208
Plants for Special Purposes208-210
Schedule of B&B Charges211
PLANT CLASSIFICATIONS
PLANT CLASSIFICATIONS Coniferous Evergreens199-200
Coniferous Evergreens199-200
Coniferous Evergreens
Coniferous Evergreens

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in italics following the common name, indicate the approximate height of the plant at maturity.

Abelia grandiflora. Glossy Abelia. 3' 12 to 15 in., 3 in. pots	.65 1.00 1.25 1.50	5-24 Each .55 .75 1.00 1.35	25 & up Each .50 .65 .90 1.25
12 to 15 in., 3 in. pots	.65 1.00 1.25 1.50	.75 1.00	.65 .90
15 to 18 in., 3 in. pots	1.00 1.25 1.50	.75 1.00	.65 .90
	1.25 1.50	1.00	.90
18 to 24 in., 4 in. pots	1.50		
		1.35	1.25
2 to 3 ft			
schumanni. 5'			
12 to 18 in., 4 in. pots	1.50	1.25	
Abies balsamea. Balsam Fir. 50'.			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ftB&B	10.00	7.50	6.00
7 ftB&B	12.50	10.00	
For larger sizes to 15 ft., add \$5.	00 per	foot.	
concolor. White Fir. 70'			
18 inB&B	2.50	2.00	1.50
2 ftB&B	3.50	2.50	2.00
3 ft	5.00	4.00	3.50
4 ftB&B	7.50	6.50	5.00
5 ftB&B	10.00	8.50	7.50
6 ft	12.50	10.00	8.50
7 ft	15.00	12.50	
8 ft	18.00	15.0 0	
9 ft	20.00	18.00	
10 ft	25.00	20.00	1

For larger sizes to 25 ft., add \$10.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Abies.	Edch	Eden	Lucii
concolor violacea. Purplecone White	Fir. 7	U"	
2 ft	5.00	4.50	4.00
3 ft	6.50	5.50	5.00
4 ft		7.50	
5 ft		10.00	
6 ft	15.00	12.50	
For larger sizes to 10 ft., add \$1	0.00 pc	er foot	
firma. Momi Fir. 50'			
3 ftB&B	5.50		
4 ftB&B	7.50		
fraseri. Fraser Fir. 50'			
3 ft	5.00	4.75	
4 ft	6.50	6.00	
5 ft	7.50	7.00	
6 ft	10.00	8.50	
7 ft		10.00	
For larger sizes to 12 ft., add \$5.	00 per	foot.	
homolepis. Nikko Fir. 60'			
3 ftB&B	6.00	5.00	4.50
4 ftB&B	7.50	6.50	6.00
5 ftB&B		8.00	7.50
6 ftB&B	12.50	10.00	9.00
nobilis glauca. Blueleaf Noble Fir.	20'		
18 inB&B	6.00		
2 ft	7.50		
nordmanniana. Nordmann Fir. 75'			*
3 ft	5.00		
4 ft	6.00		
5 ft	7.50		
pectinata. Silver Fir. 50'			
2 ft	4.00	3.50	
3 ft	5.00	4.50	
pectinata pyramidalis. Sentinel Fir.	10 '		
18 inB&B	4.00		
2 ftB&B	5.00		
3 ftB&B	7.50		
veitchi. Veitch Fir. 80'			
3 ft	5.00	4.50	3.50
4 ftB&B		5.50	5.00
5 ftB&B	10.00	8.50	
6 ftB&B			
For larger sizes to 12 ft., add \$5.0		foot.	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Acanthopanax pentaphyllum. Five-lean	1-4 Each	5-24 Each ia. 10'	25 & up Each
2 to 3 ft		.40	.35
3 to 4 ft			
		.50	.40
4 to 5 ft		.60	.50
5 to 6 ft	. 1.00	.75	.65
ricinifolium. Castor Aralia. 25'			
6 to 8 ft		6.00	
8 to 10 ft		7.50	
10 to 12 ft		9.00	
12 to 14 ft	. 15.00	12.50	
14 to 16 ft	. 20.00	15.00	
ricinifolium maximowiczi. 25'			
8 ft	. 15.00		
10 ft	. 20.00		
12 ft	. 25.00		
Acer buergerianum. Trident Maple. 40) '		
4 to 5 ft	. 3.00	2.50	
5 to 6 ft	. 3.50	3.00	
6 to 8 ft	. 5.00	4.00	
8 to 10 ft	. 7.50	5.00	
campestre. Hedge Maple. 25'			
3 to 4 ft	. 1.75	1.50	1.25
4 to 5 ft	. 2.00	1.75	1.50
5 to 6 ft	. 3.00	2.50	2.00
6 to 8 ft		3.50	3.00
8 to 10 ft		5.00	4.50
10 to 12 ft		8.50	
12 to 14 ft		12.50	
14 to 16 ft		15.00	
cappadocicum. Coliseum Maple. 40			
14 to 16 ft			
11 10 10 11 11 11 11 11 11 11 11 11 11 1	. 20.00		
dasycarpum Silver Maple. 75'			
8 to 10 ft		1.25	1.10
1½ to 1½ in	. 2.00	1.60	1.35
1½ to 1¾ in	. 2.50	1.90	1.65
1¾ to 2 in	. 3.00	2.25	2.00
2 to 2½ in	. 3.50	2.75	2.50
2½ to 3 in	. 4.50	3.50	3.00
3 to 3½ in	. 6.00	5.00	
3½ to 4 in	. 7.50	6.50	

Acon	1-4 Each	5-24 Each	25 & up Each
Acer dasycarpum pyramidale. Pyramidal	Silver	Maple.	75'
6 to 8 ft	1.50	1.25	
8 to 10 ft	2.00	1.60	
1¼ to 1½ in	2.50	1.90	
1½ to 1¾ in	2.75	2.25	
dasycarpum wieri. Wier Maple. 75'			
8 to 10 ft	2.00	1.60	
1¼ to 1½ in	2.50	1.90	
1½ to 1¾ in	3.00	2.25	
1 ³ / ₄ to 2 in	3.50	2.75	
2 to 2½ in	5.00	3.50	
ginnala. Amur Maple. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
griseum. Paperbark Maple. 25'			
6 to 8 ft	6.00	5.00	
8 to 10 ft	7.50	6.00	
10 to 12 ft	10.00	7.50	
12 to 14 ft	15.00	12.50	
japonicum aureum. Goldenmoon Ma		5'	
2 to 3 ftB&B	5.00		
3 to 4 ftB&B	7.50		
4 to 5 ftB&B	10.00		
5 to 6 ftB&B	15.00		
mandshuricum. Manchurian Maple.	<i>30</i> ′		
6 to 8 ft	3.00	2.75	
8 to 10 ft	4.50	4.00	
10 to 12 ft	7.50	6.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.00	8.00	
2 to $2\frac{1}{2}$ in	15.00	12.50)
negundo. Box Elder. 60'			
6 to 8 ft	1.00	.85	
8 to 10 ft	1.50	1.25	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	
1½ to 1¾ in	2.25		
1¾ to 2 in	3.00	2.50)
nigrum. Klack Maple. 80'			
8 to 10 ft	4.50	4.00)
nikoense. Nikko Maple. 40'	m = 0		
6 to 8 ft	7.50		

	1-4 Each	5-24 Each	25 & up Each
Acer	Eden	Eden	Eden
palmatum. Japanese Maple. 15'			
2 to 3 ft	2.25	1.75	1.50
3 to 4 ft	3.00	2.50	2.00
4 to 5 ft	3.50	3.00	2.50
5 to 6 ft	5.00	4.50	
6 to 8 ft	7.50	6.00	
8 to 10 ft	3 10.00	7.50	
palmatum atropurpureum. Bloodleaf	Japane	se Map	le. 10'
2 to 3 ft	3 4.50	4.00	3.50
3 to 4 ftB&E	6.00	5.50	5.00
4 to 5 ft	3 10.00	8.50	7.50
5 to 6 ft., heavyB&E		12.50	
6 to 8 ft., heavyB&E		15.00	
8 to 10 ft., heavy			
palmatum dissectum atropurpureun			
Purple Threadleaf Japanese	-		
18 to 24 in		7.50	
2 to 3 ft		8.50	
3 to 4 ft			
palmatum filicifolium. Fernleaf Mag			
2 to 3 ft		6.00	
3 to 4 ft		7.50	
4 to 5 ft			
5 to 6 ft			
6 to 8 ft			408
palmatum roseo-marginatum. Pinl 2 to 3 ft		apie.	10
3 to 4 ft			
4 to 5 ft		2.00	
5 to 6 ft		2.25	
6 to 8 ft		2.50	
platanoides. Norway Maple. 75'	. 0.00	2.00	
6 to 8 ft	. 2.00	1.85	1.75
8 to 10 ft		2.50	2.25
1½ to 1½ in		3.00	2.75
1½ to 1¾ in		3.50	
13/4 to 2 in		4.00	3.75
2 to 2½ in		5.00	4.50
2½ to 3 in		6.50	
3 to 3½ in		10.00	
3½ to 4 in		12.50	
4 to 5 in. spec			

	1-4	5-24 2	5 & up
	Each	Each	Each
Acer	36 7		
platanoides globosum. Globe Norway		•	
4 year, 6 ft. standards	10.00		
platanoides schwedleri. Schwedler M	aple.	50 '	
1½ to 1½ in	4.50	3.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.25	
1 ³ / ₄ to 2 in	6.00	5.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	17.50	15.00	
3½ to 4 in	25.00		
pseudoplatanus. Sycamore Maple. 60	,		
8 to 10 ft	3.00	2.50	
1½ to 1½ in	3.75	3.00	
1½ to 1¾ in	4.75	4.25	
13/4 to 2 in	6.50	5.50	
2 to 2½ in	7.50	6.50	
2½ to 3 in	10.00	8.50	
2 /2 • • • • • • • • • • • • • • • • • • •			
rubrum. Red Maple. 75'			
6 to 8 ft	2.50	2.00	1.75
ß to 10 ft	3.00	2.50	2.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.75	3.00	2.75
1½ to 1¾ in	5.00	4.00	3.50
13/4 to 2 in	6.50	5.50	5.00
2 to 2½ in	9.00	7.50 10.00	6.50 8.50
2½ to 3 in	12.50 15.00	12.50	10.00
3 to 3½ in	20.00	12.50	10.00
3½ to 4 in	20.00		
saccharum. Sugar Maple. 75'			
8 to 10 ft	3.00	2.50	2.25
1¼ to 1½ in	3.75	3.00	2.75
1½ to 1¾ in	4.00	3.50	3.25
1¾ to 2 in	5.00	4.50	3.75
2 to 2½ in	6.50	5.50	4.50
2½ to 3 in	9.00	7.50	6.00
3 to 3½ in	12.50	10.00	7.50
3½ to 4 in	15.00	12.50	
4 to 4½ in	25.00	20.00	
4½ to 5 in	35.00		
5 to 5½ in	45.00		

	1-4 Each	5-24 Each	25 & up Each
Acer			
spicatum. Mountain Maple. 20'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.75	1.25	
tataricum. Tatarian Maple. 20'			
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.25	1.75	1.50
8 to 10 ft	3.00	2.50	2.00
10 to 12 ft	5.00	4.50	
Actinidia arguta. Bower Actinidia. 20'			
2 year	.60	.45	.35
Aesculus carnea. Red Horsechestnut. 40'			
8 to 10 ft	15.00		
	60.00		
	75.00		
glabra. Ohio Buckeye. 25'	10.00		
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.00	
20 20 20 20 20 20 20 20 20 20 20 20 20 2	5.00	3.00	
1¼ to 1½ in			
1½ to 2 in	6.00		
2 to 2½ in	7.50		
2½ to 3 in	10.00		
3 to 3½ in	15.00		
3½ to 4 in	20.00		
hippocastanum. Horsechestnut. 70'			
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.50	3.00	2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	3.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	3.50
13/4 to 2 in	5.00	4.50	
2 to 2½ in	6.00	5.00	
2½ to 3 in	9.00	7.50	
3 to 3½ in	15.00	12.50	
3½ to 4 in	18.00		
4 to 5 in	25.00		
hippocastanum baumanni.			
Double White Horsechestnut.	50'		
5 to 6 ft	7.50		
6 to 8 ft	10.00		
8 to 10 ft	12.50		
2½ to 3 in	25.00		
3 to 3½ in	35.00		

	1-4 Each	5-24 Each	25 & up Each
Aesculus			
octandra. Yellow Buckeye. 60'			2.00
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	3.75	3.00	2.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	3.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.00	3.50
1¾ to 2 in	5.50	4.50	4.00
2 to 2½ in	7.50	6.00	5.00
$2\frac{1}{2}$ to 3 in	10.00	7.50	6.00
3 to $3\frac{1}{2}$ in	15.00	12.50	10.00
3½ to 4 in	18.00	15.00	
4 to 5 in	25.00	20.00	
parviflora. Dwf. Horsechestnut. 12'			
15 to 18 inB&B	2.50		
18 to 24 inB&B	3.75		
turbinata. Japanese Horsechestnut.	<i>30'</i>		
4 to 5 in			
5 to 6 in	35.00		
A 23	F 0.8		
Ailanthus glandulosa. Tree of Heaven.	50 ' 2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	$\frac{2.50}{2.75}$	2.23	2.00
10 to 12 ft	$\frac{2.75}{3.50}$	3.00	
1½ to 1¾ in		3.50	
1¾ to 2 in	4.00	4.50	
2 to $2\frac{1}{2}$ in	5.00	4.50	
sutchuenensis. Szechwan Ailanthus.			
2 to 2½ in	7.50		
2½ to 3 in	10.00		
vilmoriniana. 50'			
10 to 12 ft	2.25	2.00	
1½ to 1¾ in	2.75	2.50	
13/4 to 2 in	3.50	3.00	
2 to 2½ in	4.50	3.50	
2½ to 3 in	6.00	5.00	
3 to 3½ in	7.50		
Akebia lobata. Threeleaf Akebia. 15'			
2 year	.75	.60	.50
3 year from pots	1.00	.75	
	1.00	.10	.50
quinata. Fiveleaf Akebia. 15'	AF	.35	.25
2 year	.45 .55	.40	-
3 year	00	.40	.30

	1-4	5-24	25 & up
Albizzia julibrissin rosea. Silktree. 30'	Each	Each	Each
12 to 18 in. from 4 in. pots	1.50	1.25	
3 to 4 ft	5.00	1.20	
4 to 5 ft	6.00		
	0.00	,	
	2.50	2.00	
	$\frac{2.50}{3.50}$	2.00 3.00	
1½ to 1¾ in	5.00	4.00	
2½ to 3 in	7.50	6.00	
3 to 3½ in.	10.00	7.50	
glutinosa. European Alder. 60'	10.00	7.50	
6 to 8 ft	1.50	1.25	
8 to 10 ft	1.75	1.50	
1¼ to 1½ in	2.00	1.75	
1½ to 1¾ in	2.75	2.50	
1¾ to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
2½ to 3 in	7.50	6.00	
3 to 3½ in		7.50	
glutinosa laciniata. Cutleaf Alder.			
4 to 5 ft	5.00		
incana. Speckled Alder. 50'			
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	2.50	2.00	1.75
1½ to 1¾ in	3.00	2.50	2.00
1¾ to 2 in	3.75	3.50	3.00
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
3 to 3½ in	10.00	8.50	7.50
japonica. Japanese Alder. 50'			
6 to 8 ft	2.25	2.00	
pendula. 30'			
2 yr. 6 ft. stems	5.00		
rugosa. Hazel Alder. 10'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	4.00	3.00	
viridis. European Green Alder. 6'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Althea. (See Hibiscus)			

Amelanchier	alnifo	lia. Saskatoon. 7'	1-4 Each	5-24 Each	25 & up Each
3 to	4 ft		1.50		
4 to	5 ft		1.75		
5 to	6 ft		2.50		
asiatica.	35'				
3 to	4 ft		1.25		
4 to	5 ft		1.50		
5 to	6 ft		2.00		
6 to	8 ft		2.50		
canadens	is. D	owny Shadblow. 30'			
2 to	3 ft.		.60	.55	.50
3 to	4 ft.		.75	.65	.60
4 to	5 ft.		1.25	1.00	.75
5 to	6 ft.		1.75	1.50	1.25
6 to	8 ft.		3.00	2.50	
8 to	10 ft.		7.50	6.00	
10 to	12 ft.		12.50		
6 to	8 ft.	standards	3.50	3.00	
8 to		standards	5.00	4.00	
laevis.	Allegh	eny Serviceberry. 35'			
3 to	-		1.00	.75	.60
4 to	5 ft.		1.25	1.00	.75
5 to	6 ft.		1.75	1.50	1.25
6 to			3.00	2.50	2.00
8 to	10 ft.		4.00	3.50	3.00
6 to		standards	3.50	3.00	
		standards	5.00	4.00	
		standards	7.50		
laevis ro		35°			
3 to		standards	2.00	1.75	
4 to	5 ft.	"	2.50	2.00	
5 to	6 ft.	"	3.50	3.00	
6 to	8 ft.	"	5.00	4.00	
	10 ft.	46	7.50	6.50	
	12 ft.	66	10.00		
oblongif		Thicket Shadblow. 25'			
2 to	3 ft.		.60	.55	.50
3 to	4 ft.		.75	.65	.60
4 to	5 ft.		1.25	1.00	.75
5 to			1.75	1.50	1.25
6 to			3.00	2.50	2.00
8 to			4.00	3.50	3.00
6 to		clumpsB&B	12.50		
		clumpsB&B	15.00		
		clumpsB&B	20.00		

A service of the	1-4 Each	5-24 Each	25 & up Each
Amelanchier.	C1 . 11	7	0.51
rotundifolia, syn. vulgaris. European 2 to 3 ft	.60		
		.55	.50
	.75	.65	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft	4.00	3.50	3.00
6 to 8 ft. standards	3.50	3.00	
8 10 10 11.	5.00	4.00	
	15.00		
10 to 12 ft. "B&B	20.00		
sanguinea. Roundleaf Shadblow. 8'			
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.50	3.50	
stolonifera. Running Shadblow. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.00
	.10	.00	
Amorpha brachycarpa. 3'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	
canescens. Lead Plant. 2'			
15 to 18 in	.45	.35	.30
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
fruticosa. Indigobush. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
Ampelopsis aconitifolia. Monkshood Vine		0.0	0.5
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
henryana. Silvervein Creeper. 15'			
from 4-inch pots	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Ampelopsis.	Lucii	Lucii	Lucii
heterophylla. Porcelain Ampelopsis.	25 '		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
heterophylla amurensis. Amur Amp	elopsis	. 25'	
2 year	.75	.60	.50
3 year	1.00	.75	.60
heterophylla elegans, syn. sieboldi.	5'		
2 year	.40	.30	.25
3 year	.50	.40	.35
4 year	.60	.50	.45
quinquefolia. Virginia Creeper. 35'			
2 year	.35	.25	.18
3 year	.40	.30	.25
4 year	.50	.40	.35
quinquefolia englemanni. Englemann	Creepe	er. 35'	
2 year	.35	.25	.18
3 year	.40	.30	.25
4 year	.50	.40	.35
quinquefolia murorum. Wall Creeper			
2 year	1.00	.75	
quinquefolia saintpauli. St. Paul Cree	per.	<i>35</i> ′	
2 year	.35	.25	.20
3 year	.45	.35	.25
tricuspidata veitchi. Boston Ivy. 40'			
2 year	.40	.30	.25
3 year	.50	.40	.30
2 year from pots	.65	.55	.50
tricuspidata lowi. Geranium Ivy. 8'			
2 year from pots	.65	.60	.50
3 year from pots heavy	1.00	.90	.75
Amygdalus davidiana. Chinese Wild Peac	h. 25'		
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.25	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
davidiana alba. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	

	1-4 Each	5-24 Each	25 & up Each
Amygdalus			
nana georgica. Russian Almond. 6'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
persica. Double Flowering Peach. 10'			
3 to 4 ft	.60	.50	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50		
6 to 8 ft	2.25		
Alboplena—Double White.			
Clara Meyer—Double Pink.			
Rosea Plena—Double Pink.			
Rubroplena—Double Red.			
Andromeda. (See Pieris).			
Aralia japonica. Angelica Tree. 25'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
pentaphllum. (See Acanthopanax).			
spinosa. Devil's Walkingstick. 25'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	2.00	1.50	1.00
8 to 10 ft	2.75	2.25	2.00
10 to 12 ft	4.00	3.50	3.00
Arctostaphylos uva-ursi. Bearberry.	1.00	0.00	0.00
3½ in. pots	.60	.50	.45
Aristolochia sipho. Dutchman's Pipe. 30'			
2 year	1.25	1.00	.75
•	1.20	1.00	.10
	75	60	.50
2 year	.75	.60	.00
Aronia arbutifolia. Red Chokeberry. 8'			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
atropurpurea. Purple Chokeberry. 8'			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Aronia			
melanocarpa. Black Chokeberry. 6'			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
melanocarpa elata. Glossy Chokeberr			
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
Artemesia abrotanum. Southernwood. 5'			
3 to 4 ft	.35	.30	.25
4 to 5 ft	.45	.35	.30
5 to 6 ft	.60	,45	.40
Asimina triloba. Papaw. 30'			
2 to 3 ft	1.00	.75	
Azalea amoena. Amoena Azalea. 4'			
10 to 12 inB&B	1.50		
12 to 15 inB&B	2.00		
15 to 18 inB&B	2.50		
calendulacea. Flame Azalea. 6'			
2 to 3 ftB&B	3.75	3.00	2.75
canescens. Piedmont Azalea. 6'			
2 to 3 ftB&B	3.50	2.75	2.50
hinodegiri. Carmine Azalea. 3'			
10 to 12 inB&B	1.75		
12 to 15 inB&B	2.25		
kaempferi. Torch Azalea. 5'			
15 to 18 inB&B	2.75	2.50	
18 to 24 inB&B	3.75	3.50	3.00
24 to 30 inB&B	4.50	4.00	3.50
30 to 36 inB&B	6.00	5.00	
ledifolia. Snow Azalea. 6'			
15 to 18 inB&B	3.00	2.75	
18 to 24 inB&B	3.50		
lutea. 10'			
18 to 24 in	3.50	3.00	2.50
24 to 30 inB&B	4.00	3.50	3.00
3 to 4 ftB&B	5.00	4.50	4.00
mollis. Chinese Azalea. 6'			
15 to 18 in	2.50	2.25	2.00
18 to 24 in	3.75	2.75	2.50
24 to 30 in	4.50	3.50	

	1-4 Each	5-24 Each	25 & up Each
Azalea	Lucii	Eddii	Eden
mucronulatum. Dahurian Azalea. 6'			
2 to 3 ftB&B	5.00	4.00	
3 to 4 ftB&B	6.00	5.00	
4 to 5 ft	7.50		
nudiflora. Pinxterbloom. 4'			
2 to 3 ft	3.50	2.75	2.50
3 to 4 ft	4.00	3.50	
poukhanensis. Korean Azalea. 4'			
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	4.00	3.50	
viscosa. Swamp Azalea. 6'			
18 to 24 inB&B	2.75	2.50	
24 to 30 inB&B	3.50	2.75	2.50
yodogawa. Yodogawa Azalea. 4'			
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	4.00	3.50	
3 to 4 ftB&B	5.00		
Decelorie belimifelie	101		
Baccharis halimifolia. Groundselbush. 1 2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
3 to 0 1t	1.00	.10	.00
*Benzoin aestivale. Spice Bush. 12'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.85	
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.25	2.00
8 to 10 ft. clumpsB&B	15.00		
Berberis circumserrata. Cutleaf Barberry	. 5'		
18 to 24 in	2.50		
julianae. Wintergreen Barberry. 5'			
15 to 18 in	1.75	1.50	1.25
18 to 24 in	2.25	2.00	
24 to 30 in	2.75	2.50	
30 to 36 in	3.50	3.00	
koreana. Korean Barberry. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60

Parkeria	1-4 Each	5-24 Each	25 & up Each
Berberis sargentiana. Sargent Barberry. 5'			
sargentiana. Sargent Barberry. 5'	1.75	1.50	1.25
18 to 24 in	2.25	2.00	1.75
24 to 30 in	2.75	2.50	2.25
	2.13	2.30	2.23
thunbergi. Japanese Barberry. 4'		1.5	10
15 to 18 in	.20	.15	.12
18 to 24 in	.25	.20	.15
	.35	.25	.20
	.50	.35	.30
2 to 2½ ft. spec	.85	.75	
7	1.25	1.00	
	1.75	1.50	
thunbergi atropurpurea. Redleaf Jap			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.40	.35
30 to 36 in	.60	.50	.45
36 to 42 in	1.00	.75	.60
thunbergi minor. Box Barberry. 2'			
12 to 15 in	.35	.25	.20
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.40	.35
24 to 30 in	.60	.50	.45
thunbergi pluriflora. 5°			
18 to 24 in	.35	.25	.20
24 to 30 in	.45	.35	.25
30 to 36 in	.50	.40	.30
thunbergi pluriflora erecta. Truehedg	e Col	umnberi	ry.
12 to 15 in	.40	.30	.25
15 to 18 in	.50	.35	.30
18 to 24 in	.55	.40	.35
24 to 30 in	.60	.50	.40
triacanthophora. Threespine Barberry.	. 5'		
15 to 18 inB&B	1.35	1.25	1.00
18 to 24 inB&B	1.50	1.35	1.25
verruculosa. Warty Barberry. 3'			
8 to 10 in	1.50	1.25	
12 to 15 inB&B	1.75	1.50	
18 to 24 inB&B	2.50	2.25	
Danilanda manana 1			
Berchemia racemosa. Japanese Supplejach			46
15 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50

	1-4	F 34	25.6
	Each	5-24 Each	25 & up Ea ch
*Betula alba. European White Birch. 50	•		
6 to 5 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
13/4 to 2 in	3.50	3.25	3.00
2 to 2½ in	5.00	4.00	3.50
2½ to 3 in	6.00	5.00	
3 to 3½ in	10.00	7.50	
*alba fastigiata. Pyramidal White Bir	rch. 50	o '	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
10 to 12 ft	7.50	6.00	
*alba laciniata. Cutleaf Weeping Bir	ch. 35	,	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.00	2.75	
1¼ to 1½ in	3.75	3.50	
1½ to 1¾ in	4.50	4.00	
134 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
2½ to 3 in	10.00	7.50	
, -			
*lenta. Sweet Birch. '0'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	1.75
1¼ to 1½ in	3.00	2.75	2.25
1½ to 1¾ in	3.50	3.00	2.75
13/4 to 2 in	4.00	3.50	3.00
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
3 to 3½ in	10.00	7.50	
*lutea. Yellow Birch. 50'	• • • •	4.55	
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.25	
1½ to 1½ in	3.00	2.75	
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
2½ to 3 in	7.50	6.00	
3 to 3½ in	10.00	7.50	
3½ to 4 in	12.50	10.00)

Betula					1-4 Each	5-24 Each	25 & up Each
				16			
				Monarch Birch. 6	50°		
6	to	8	ft.	• • • • • • • • • • • • • • • • • • • •	2.75	2.50	
8	to	10	ft.	• • • • • • • • • • • • • • • • • • • •	3.50	3.00	
11/2	to	$1\frac{3}{4}$	in.	• • • • • • • • • • • • • • • • • • • •	4.50	4.00	
13/4	to	2	in.		6.00	5.00	
2	to	21/2	in.	• • • • • • • • • • • • • • • • • • • •	7.50	6.00	
*nigra.	R	iver .	Birc	h. 50'			
6	to	8	ft.		1.75	1.50	1.25
8	to	10	řt.		2.50	2.25	2.00
2	to	$2\frac{1}{2}$			6.00	5.00	
6	to			clumpsB&B	7.50	7.00	
8		10		clumpsB&B	10.00	9.00	
				•			
*papyri	fer	a. C	ano	e Birch. 40'			
6	to	8	ft.		2.00	1.75	1.50
8	to	10	f t.		2.50	2.25	2.00
11/4	to	1 1/2	in.		3.00	2.75	2.50
11/2	to	$1\frac{3}{4}$	in.		3.50	3.25	3.00
13/4	to	2	in.		4.00	3.75	3.25
2	to	21/2	in.		5.00	4.50	4.00
21/2	to	3			7.50	6.00	5.00
3	to	31/2	in.		10.00	7.50	
31/2		4			12.50	10.00	
6	to	8		clumpsB&B	7.50	7.00	
8		10		clumpsB&B	10.00	9.00	
· ·	•	10	10.	crampsbacb	10.00	5.00	
*papyri	fer	a cor	dif	olia. 40'			
11/2	to	13/4	in.		5.00		
2	to	21/2	in.		7.50		
*nonuli	fa11		α	Dinak 101			
*populi:	to	a. 8		y Birch. 40'	1 77	1 50	1.05
_		-			1.75	1.50	1.25
8	_	10		• • • • • • • • • • • • • • • • • • • •	2.50	2.25	2.00
11/4	-			• • • • • • • • • • • • • • • • • • • •	3.00	2.75	2.50
11/2				• • • • • • • • • • • • • • • • • • • •	3.50	3.00	2.75
13/4		2		• • • • • • • • • • • • • • • • • • • •	4.00	3.50	3.00
2	to			• • • • • • • • • • • • • • • • • • • •	5.00	4.50	4.00
21/2		3		• • • • • • • • • • • • • • •	7.50	6.00	5.00
3	to	$3\frac{1}{2}$	in.		10.00	7.50	6.50
4	to	$4\frac{1}{2}$			15.00	12.50	
6	to	8	ft.	$clumps.\ \dots.\ B\&B$	7.50	7.00	
8	to	10	ft.	clumpsB&B	10.00	9.00	

Bignonia grandiflora. Chinese Trumpetere	1-4 Each eper.	5-24 Each <i>20</i> '	25 & up Each
2 year	.60	.50	.40
3 year	.75	.60	.50
4 year	1.00	.75	.60
grandiflora Mad. Gallen. 20'			
2 year	1.00	.75	.60
radicans. Trumpetcreeper. 30'			
2 year	.30	.25	.18
3 year	.40	.30	.22
speciosa. Painted Trumpetcreeper. 3	0'		
2 year	.75	.60	.50
3 year	1.00	.75	
Bischoffia trifoliata. 12'			
3 to 4 ft	2.50	2.25	
Broussonetia papyrifera. Paper Mulberry	y. 40'		
5 to 6 ft	3.00	2.50	
Bruckenthalia spiculifolia. Spikeheath.	1'		
6 in., 3 inch pots	1.50	1.25	1.00
Buddleia alternifolia. 12'			
2 to 3 ft	.40	.35	
3 to 4 ft	.50	.45	
Charming. Pink Butterfly Bush. 5'			
2 to 3 ft	.50	.40	.30
davidi. Orange-eye Butterfly Bush.	5 ′		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.22
davidi superba. 5'			
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.22
4 to 5 ft	.50	.35	.30
davidi veitchi. Veitch Butterfly Bus	h. 5'		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.22
4 to 5 ft	.50	.35	.30
Dubonnet. 5'			
2 to 3 ft	.50	.40	
farquhari. 5'			
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	
4 to 5 ft	.50	.35	
5 to 6 ft	.60	.50	.40

Way 131-2	1-4 Each	5-24 Each	25 & up Each
Buddleia			
He de France. 4'	40	20	00
2 to 3 ft	.40	.30	.20
3 to 4 ft	.50	.40	.30
intermedia. Wisteria Butterfly Bush.	5 '		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.25
	5 '		
2 to 3 ft	.30	.25	.18
3 to 4 ft	.40	.30	.25
paniculata.			
3 to 4 ft	.40	.35	.25
4 to 5 ft	.50	.40	.35
Buxus microphylla.			,,,,
12 to 15 in	1.00	.75	.60
15 to 18 in	1.25	1.00	.75
18 to 24 in	1.50	1.25	1.00
microphylla koreana.			2.00
6 to 8 in	.65	.55	.50
12 to 15 in	1.00	.75	.60
15 to 18 in	1.25	1.00	.75
sempervirens handsworthi.			
8 to 10 in	1.00	.75	.60
10 to 12 in	1.25	1.00	.75
sempervirens suffruticosa. Dwarf Bo	rrenord	4'	
12 to 15 in	1.25	1.00	.75
15 to 18 in	1.50	1.25	1.00
Callicarpa americana. American Beauty		6'	2.00
2 to 3 ft	.75	.65	
	.10	.00	
giraldiana. 6' 2 to 3 ft		0.5	00
	.75	.65	.60
giraldiana subincanescens. 6'			
3 to 3½ ft	1.50		
japonica. Japanese Beautyberry. 4'			
18 to 24 in	.40	.30	.20
2 to 3 ft	.45	.35	.25
purpurea. Chinese Beautyberry, 4'			
18 to 24 in	.40	.30	.22
2 to 3 ft	.45	.35	.28

	1-4 Each	5-24 Each	25 & up Each
Calluna vulgaris. Heather. 2'	20011	20011	
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris alba. White Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris alporti. Alport Heather. 2'			
4 inch pots	.75	.60	
vulgaris aurea. 2'			
6 to 8 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
vulgaris carnea. Flesh Heather. 2'			
6 to 8 in., 4 inch pots	.75	.60	
vulgaris searlei. 2'	-		50
12 to 15 in., 4 inch pots	.75	.60	.50
12 to 15 in., F. G	1.25	1.00	
Calycanthus floridus. Sweet Shrub. 5'	25	20	0.5
18 to 24 in	.35	.30	.25 .35
	.50 .60	.40 .50	.45
3 to 4 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
	2'	.00	.10
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
	1.00 15'	1.20	
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
boisi. 6'			***
2 to 3 ft	1.00	.75	
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
frutex. Russian Pea-shrub. 10'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
lorbergi 4'			
2 to 3 ft	1.50	1.25	
sophoraefolia. Sophoraleaf Peashrub.	<i>10</i> ′		
2 to 3 ft	1.50		

	1-4		& up
The state of the s	Each	Each	Each
Carpinus betulus. European Hornbeam. 66	5.00	4.50	4.00
3 to 4 ft	6.00	5.50	5.00
4 to 5 ft	9.00	8.00	7.50
70 TO 1	2.00	11.00	10.00
6 to 8 ft		13.00	12.00
10 to 12 ft	20.00	18.00	15.00
Sheared plants, 4 to 10 ft. quoted on re	guest.		20.00
betulus fastigiata. Pyramid Hornbee			
2 to 3 ftB&B	7.50		
	*		
DAD.	2.00	1.75	1.50
202	2.50	2.25	2.00
77.0.77	3.50	3.25	3.00
70.0	5.00	4.50	4.00
TO 0 TO	7.50	6.00	5.50
6 to 8 ft		8.00	7.50
10 to 12 ft	18.00	15.00	12.50
Sheared plants, 4 to 10 ft., quoted on	reque		
	201		
cordata. 40' 4 to 5 ft	5.00		
4 to 5 it	6.50		
5 to 6 ftB&B	0.50		
japonica. 40'	4.00	3.50	3.00
3 to 4 ft. bushyB&B	5.00	4.50	4.00
4 to 5 ft., bushyB&B	6.50	5.50	4.00
5 to 6 ftB&B		7.50	
6 to 8 ft	10.00	1.50	
yedoensis. 25' 3 to 4 ft	4.00	3.50	3.00
4 to 5 ft	6.00	5.00	4.50
5 to 6 ft	7.50	6.50	6.00
6 to 8 ft		8.00	
	20.00		
Caryopteris incana. Bluebeard. 4'	.45	.35	.30
15 to 18 in	.45 .55		.40
18 to 24 in	.55	.40	.40
tangutica. 6'	1.00	.80	.75
10 to 12 in., 4 inch pots	1.00	.00	
Catalpa bignonioides nana syn. bungei. Umbrella Catalpa. 12'			
2 yr. heads,			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25		

	1-4 Each	5-24 Each	25 & up Each
Catalpa	Lucii	Eden	Eden
kaempferi. Japanese Catalpa. 20'			
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.25	2.00	
1½ to 1¾ in	3.00	2.50	
13/4 to 2 in	4.00	3.50	
speciosa. Western Catalpa. 30'			
8 to 10 ft	1.50	1.25	1.00
1½ to 1¾ in	1.75	1.50	1.25
13/4 to 2 in	2.00	1.75	1.50
Ceanothus americanus. Jersey Tea. 3'			
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
	.00	.10	.10
Cedrela sinensis. Chinese Cedrela. 50'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
Cedrus deodara Deodar. 50'			
2 ft	3.50	3.00	
3 ft	5.00	4.50	
libani. Cedar of Lebanon. 50'	0.00		
2 ft	3.50	3.00	
3 ft	5.00	4.50	
		1.00	
Celastrus gemmata. Chinese Bittersweet.	20'		
2 year	1.00	.75	
orbiculatus. Oriental Bittersweet. 20			0.5
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.40
scandens. Native Bittersweet. 25'			
2 year	.40	.30	.25
3 year	.45	.35	.30
4 year	.60	.50	.40
Celtis occidentalis. Hackberry. 50'			
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.25	2.00	
8 to 10 ft	2.75	2.50	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.00	2.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	
2½ to 3 in	7.50	5.00	
3 to 3½ in	10.00	7.50	

	1-4 Each	5-24 Each	25 & up Each
Celtis	Lucii	Lucii	
sinensis. Chinese Hackberry. 30'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
Cephalanthus occidentalis. Button Bush.	6 '		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
Cercidiphyllum japonicum. Katsura Tree.	30 '		
4 to 5 ftB&B	3.00	2.75	2.50
5 to 6 ft	4.50	4.00	3.75
6 to 8 ft	6.00	5.00	4.50
8 to 10 ft	8.50	7.50	6.50
10 to 12 ft	12.50	10.00	9.00
0 to 10 1tt speet	15.00		-
10 to 12 ft. specB&B			
12 to 14 ft. specB&B			
14 to 16 ft. specB&B			
japonicum sinense. Chinese Katsura	Tree.	<i>50'</i>	
3 to 4 ft	5.00		
4 to 5 ft	7.50		
*Cercis canadensis. American Redbud.	15 '		
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.90
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft	2.25	2.00	1.75
8 to 10 ft	3.00	2.75	2.50
6 to 8 ft. spec	7.50		
8 to 10 ft. spec	10.00		
10 to 12 ft. spec	15.00		
canadensis alba. Whitebud. 15'			
3 to 4 ft	5.00	4.50	4.00
4 to 5 ftB&B	6.00	5.00	
5 to 6 ftB&B	7.50	6.00	
*chinensis. Chinese Redbud. 10'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
4 to 5 ft	3.00	2.50	
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	6.00	
8 to 10 ft	10.00	7.50)
Cercocarpus parvifolius. Valley Mahogang	y. 6'		
2 to 3 ftB&B	5.00		

							1-4 Each	5-24 Each	25 & y p Each
Cha	maecy	pari	s laws	oniana.	Laws	on Cyp	ress. 1	'00 '	
	2	ft.				B&B	3.00	2.50	
	3	ft.			· · · · · · · ·	B&B	4.00	3.50	
	4	ft.				B&B	6.00	5.00	
1	5	ft.				B&B	9.00	7.50	
	6	ft.				B&B	12.50	10.00	
	For la	rger	sizes '	to 12 ft	., add \$5	.00 pe	er foot.		
	lawson	nian	a alum	i. Sca	rab Cypi	ress.	40°		
							5.00		
	3	ft.				B&B	6.00		
	lawson	nian	a glauc	ea. Bla	ie Lawso	n Cun	ress. hi	? '	
	7	ft.							
	8	ft.				B&B	25.00		
				_	e Bosko	_	<i>40</i> ′		
	_						6.00	5.00	4.00
	5	ft.					9.00	7.50	
	6	ft.	• • • • •	• • • • • •		B&B	12.00		
	nootka	aten	sis. N	ootka C	ypress.	75'			
	2	ft.			.	B&B	3.00	2.50	2.25
	3	ft.				B&B	4.00	3.00	2.75
	4	ft.				B&B	5.00	4.50	
	5	ft.				B&B	7.50	6.00	
	6	ft.			 .	B&B	9.00	7.50	
	nootk	aten	sis ner	idula.	Weepin	a Noo	tka Cur	ress.	15 '
	3						7.50	6.00	
	4	ft.					10.00	8.00	
	5	ft.							
	6	ft.							
								. 10'	Ą
	obtus:		mpacta		$mpact\ H$		3.00	$\frac{10}{2.50}$	2.25
	3						4.00	3.50	
	3 4						5.50	5.00	
	5						7.50	6.00	
	ა 6							7.50	
	7							10.00	
	1	16.				מאטר.	14.00	10.00	
	obtus	a cri	ippsi.	Yellow	Hinoki	Cypre			
	3	ft.					5.00		
	4	ft.				.B&B	6.00		

		1-4 Each	5-24 Each	25 & up Each
Chamaecyp	aris	Eddi		
ohtusa	gracilis. Slender Hinoki Cyp	ress. 18	5'	
			3.50	
2 :			5.00	
	tB&F itB&F	3 7.50	6.00	
_	TO 0 T	3 10.00	7.50	
-	itB&F itB&F	3 12.50	10.00	
_	ftB&I	3 15.00	12.50	
•	ftB&I			
ohtusa	nana. Dwarf Hinoki Cypress			
			3.50	3.00
15	T) 0 T	3 6.00	5.00	
18	TO 0.1	3 8.00		
24	inB&	B 10.00		
	Halla Colligation.	в 5.00	4.50	1
	in	B 7.50		
18	in	1.00	0.00	
pisifer	a. Sawara Cypress. 30'			
2	ftB&:	B = 2.50		
	ftB&	B 3.75		
4	ftB&	B 5.00		
	ftB&	B 6.50		
6	ft. spec	B 9.00		
7	ft. spec	B 12.50	10.00	
	ft. spec	B 10.00	12.50 15.00	
9	ft. spec	B 20.00	18.00	
				,
For la	rger sizes to 18 ft., add \$5.00	per foo	t.	
p. aur	a. Golden Sawara Cypress.	30 '		
2.	ftB&	B 3.00	2.50	2.00
	ft		3.00	2.50
4	ftB&		4.00	3.50
5	ftB&	B 6.00		0
6	ft. spec	B 10.00)	
7	ft. specB&	B 12.50)	
8	ft. spec	B 15.00) .	
9	ft. spec	B 17.50)	
10	ft. spec	B 20.00)	

	1-4 Each	5-24 Each	25 & up Each			
Chamaecyparis	Lucii	Lucii	2001			
p. filifera. Thread-branched Japanese Cypress. 15'						
2 ft		3.00	2.50			
3 ft	4.00	3.50	3.00			
4 ftB&B		5.00	4.00			
4 ft. specB&B	12.00	10.00				
5 ft. specB&B	15.00	12.50				
6 ft. specB&B		15.00				
7 ft. spec		18.00				
8 ft. specB&B		22.50				
9 ft. specB&B	35.00					
p. filifera aurea.						
Golden Thread-branched Jap	anese (Cypress.	10'			
18 in. spdB&B	3.50	2.75				
24 in. spdB&B	4.50	3.75				
30 in. spdB&B	6.00	5.00				
36x36 in. specB&B	10.00					
48x48 in. specB&B						
54 x 5 4 in. specB&B						
60x60 in. specB&B	25.00					
p. filifera aurea nova.						
Variegated Thread-branched Ja	panese	Cypres	s. 10'			
18 to 24 in. spdB&B	3.00					
24 to 30 in. spdB&B						
30 to 36 in. spdB&B	5.00					
36 to 42 in. spdB&B	7.50					
42 to 48 in. spdB&B	10.00					
48 to 54 in. spdB&B	15.00					
p. plumosa. Plume Cypress. 30'						
2 ft. shearedB&B	2.50	2.00	1.75			
3 ft. shearedB&B	3.75	3.00	2.50			
4 ft. shearedB&B	5.00	4.00	3.75			
5 ft. shearedB&B	6.00	5.00	4.50			
6 ft. shearedB&B	8.00	7.00	6.50			
7 ft. shearedB&B		9.00	8.00			
8 ft. shearedB&B		12.50				
9 ft. shearedB&B		15.00				
10 ft. shearedB&B	20.00	18.00				

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST,

For larger sizes to 18 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis p. plumosa			
3 ft. high x 4 ft. spread ex. specB&B	7.50		
4 ft. high x 5 ft. spread ex.	1.50		
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa aurea. Goldenplume Cypr	ess. 25	5'	
2 ft. shearedB&B	2.50	2.00	1.75
3 ft. shearedB&B	3.75	3.00	2.50
4 ft. shearedB&B	5.00	4.00	3.75
5 ft. shearedB&B	6.00	5.00	4.50
6 ft. shearedB&B	8.00	7.00	6.00
7 ft. shearedB&B	10.00	8.50	7.50
8 ft. shearedB&B	15.00	12.50	10.00
9 ft. shearedB&B	18.00	15.00	
10 ft. shearedB&B	20.00	18.00	
For larger sizes to 20 ft, add \$5.00 pc	er foot	**	
2 ft. high x 3 ft. spread ex. specB&B	5.00		
3 ft. high x 4 ft. spread ex.	0.00		
specB&B	7.50		
4 ft. high x 5 ft. spread ex.			
specB&B	12.50		
5 ft. high x 6 ft. spread ex.			
specB&B	15.00		
p. plumosa lutescens. (Globe form).	. 5'		
18 inB&B	2.50	2.00	
24 inB&B	3.00	2.50	
p. plumosa sulphurea. Sulphurplume	Cypre	88. 25'	,
4 ftB&B	5.00	4.50	
5 ft		5.50	
6 ftB&B		7.00	
7 ft		8.50	
8 ft		12.50	
U 10			

.....B&B 18.00 15.00

9 ft.

	1-4 Each	5-24 Each	25 & up Each
Chamaecyparis			
p. squarrosa. Moss Retinospora. 30'			
2 ft. shearedB&B		2.50	2.00
3 ft. shearedB&B	4.00	3.50	3.00
4 ft. shearedB&B	5.50	4.50	4.00
5 ft. shearedB&B	6.50	5.50	5.00
6 ft. shearedB&B	8.50	7.00	6.00
7 ft . shearedB&B	10.00	9.00	
8 ft. shearedB&B	15.00	12.50	
For larger sizes to 15 ft., add \$5.00 p	er foot	•	
Chamaedaphne calyculata. Leatherleaf.	3'		
15 to 18 inB&B	3.00	2.50	
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	5.00	4.00	
Chionanthus retusa. 20'			
18 to 24 inB&B	3.50		
virginica. White Fringe. 25'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.50	1.25	1.15
5 to 6 ft	2.25	1.75	1.50
6 to 8 ft	3.00	2.25	2.00
8 to 10 ft	4.00	3.00	
5 to 6 ft. specB&B	7.50	6.00	
6 to 8 ft. specB&B	10.00	7.50	
8 to 10 ft. specB&B	12.50		
Cladrastis lutea. Yellow Wood. 30'			
6 to 8 ftB&B	7.50	6.50	
8 to 10 ftB&B	10.00	9.00	
10 to 12 ftB&B	17.50	15.00	12.50
2 to 2½ inB&B	20.00	17.50	
2½ to 3 inB&B	25.00	20.00	
Clematis apiifolia. October Clematis. 25'			
2 year	.50	.40	.30
chrysocoma sericea.			
2 year	1.00	.75	.60
coccinea. (See texensis).			
crispa. Curly Clematis.			
2 year	1.00	.75	

	ı-4 Each	5-24 2 Each	25 & up Each
Clematis	Lucii	Lucii	Lucii
fargesi.			
2 year, 3 in. pots	1.00	.75	
flammula. Plume Clematis. 15' 2 year	1.00	.75	
hybrids. Large Flowering Clematis. 2 year Jackmanni, Mad. Ed. Andre, Henry Duchess of Edinburg.	. 75 i,	.60	
ligusticifolia. Western Virgins-bower.	15 '		
2 year	.75	.60	.50
montana rubens. 3 inch pots	1.00	.75	.65
montana undulata. 3½ inch pots	1.00		
montana wilsoni.	1.00	.75	
3 inch pots	_,,,,	.13	
paniculata. Sweet Autumn Clematis.	<i>25'</i> .35	.30	.25
2 year	.45	.35	.30
	.10	.00	
serratifolia. Korean Clematis. 2 year	1.00	.75	.60
	2100	,,,	,,,,
tangutica. Golden Clematis. 12'	.60	.50	.40
texensis syn. coccinea. Scarlet Cleme			, 20
2 year	.60	.50	.40
veitchi. 10'			
3 inch pots	1.00	.75	
viorna. Leatherflower			
2 year	1.00	.75	
virginiana. Virgins-bower. 25'			
2 year	.35	.25	.20
3 year	.45	.35	.25
vitalba. Travelers-joy. 25'			
2 year	.60	.50	.40
viticella. Italian Clematis. 10'			
2 year	.75	.60	
Clerodendron trichotomum. Hartequin Gl	orubor	ver. 6'	
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	1.50

	1-4 Each	5-24 Each	25 & up Each
Clethra alnifolia. Sweet Pepper Bush. 5'			
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.45	.40
2½ to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
barbinervis. Tree Clethra. 5'			
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	
paniculata. 5'			
18 to 24 in	1.00	.75	.60
2 to 3 ft	1.25	1.00	.75
Colutea arborescens. Bladder Senna. 10'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
media. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
Comptonia asplenifolia. Sweetfern. 3'			
18 to 24 in	.55	.45	.40
2 to 3 ft	.65	.50	
Cornus alba. Tatarian Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	
alba elegantissima. Silverblotch Dogr	wood.	8 '	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	.90	.80	.70
5 to 6 ft	1.00	.90	
alba sibirica. Coral Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.90	

	1-4 Each	5-24 Each	25 & up Each
Cornus			
alba spaethi. Golden variegated Dogo	vood.	8 '	
2 to 3 ft	.65	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.75	
alternifolia . Pagoda Dogwood. 20'			
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.50	
amomum syn. sericea. Silky Dogwoo	d. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	.90
baileyi. Bailey Dogwood. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	
florida. White Flowering Dogwood.	25'		
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	4.50	3.75	3.50
6 to 8 ft	6.50	5.50	5.00
8 to 10 ft	9.00	8.00	7.50
5 to 14 ft., heavy spec.,			
B&B at \$1.50 per foot.			
florida plena. Dbl. White Flg. Dogw	ood.	25 '	
3 to 4 ftB&B	4.50	4.00	3.50
4 to 5 ftB&B	6.00	5.00	4.50
5 to 6 ft. spec	12.50	10.00	
6 to 8 ft. spec	15.00		
8 to 10 ft. spec			

	1-4 Each	5-24 Each	25 & up Each
Cornus	_		
florida rubra. Red Flowering Dogwo			
3 to 4 ftB&B	3.75	3.00	2.50
4 to 5 ftB&B	5.50	4.50	3.75
5 to 6 ftB&B	7.50	6.50	5.00
6 to 8 ftB&B		8.50	7.50
	12.50	10.00	9.00
5 ft., heavy specB&B			
6 ft., heavy specB&B			
For larger sizes to 12 ft., add \$5.00 p			
florida welchi. Variegated-leaved Do	-	25'	
2 to 3 ftB&B	3.50		
3 to 4 ftB&B	4.50		
4 to 5 ftB&B	6.00		
kousa. Kousa Dogwood. 20'			
3 to 4 ftB&B	2.50	2.25	2.00
4 to 5 ftB&B	4.00	3.50	3.00
4 to 5 ft. heavy	5.00	4.50	
5 to 6 ft. heavyB&B	7.50	6.50	
	10.00	8.50	
8 to 10 ft. heavyB&B	12.50	10.00	
kousa chinensis. Chinese Dogwood.	25'		
3 ftB&B	5.00	4.50	
4 ftB&B	6.00	5.00	
mas. Cornelian Cherry. 20'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.15	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	4.50	4.25	4.00
10 to 12 ft	7.50	6.50	6.00
officinalis. Japanese Cornelian Cherr	y. 15'		
3 to 4 ft	2.00		
4 to 5 ft	3.00		
paniculata. Gray Dogwood. 15'			
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
paucinervis. Littleleaf Dogwood. 6'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	

	1-4 Each	5-24 Each	25 & up Each
Cornus	Lucii	Lucii	20011
pubescens. 15'			
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
rugosa. Roundleaf Dogwood. 10'			
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
sanguinea. Bloodtwig Dogwood. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
sanguinea viridissima. Greentwig Do	gwood.	10'	
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.55
stolonifera. Red Osier Dogwood. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60
stolonifera flaviramea. Goldentwig De	greood	l. 8'	
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
Corylopsis sinensis. Chinese Winterhazel.	8'		
2 to 3 ftB&B	5.00	4.50	
3 to 4 ftB&B	7.50		
Corylus americana. American Hazelnut.	10'		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
avellana. Filbert. 15'			
2 to 3 ft	.60	.50	
3 to 4 ft	.70	.60	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.75	1.50	1.25

	1-4 Each	5-24 Each	25 & up Each
Corylus	Lucii	Lucii	Eden
avellana atropurpurea. Purple Filbe	rt. 15	,	
2 to 3 ft	4.00	3.50	
3 to 4 ft	4.50	4.00	
4 to 5 ft	6.00	5.00	
5 to 6 ft	7.50	6.00	
6 to 8 ft	10.00	7.50	
8 to 10 ft	12.50	10.00	
avellana aurea. Golden Filbert. 15'			
3 to 4 ft	4.00		
5 to 6 ft	5.00		
heterophylla setchuenensis. Chinese	Hazeln	ut. 12	•
4 to 5 ft	4.00		
rostrata. Beaked Hazelnut. 6'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
*Cotoneaster acutifolia. Peking Cotoneaste	er. 12	,	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
*acutifolia villosula. 12'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.00	.90
adpressa. Creeping Cotoneaster. 2'			
6 to 8 in. from pots	1.25	1.00	.75
ambigua. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
apiculata. 6'			
9 to 12 in. from pots	1.50	1.25	1.00
dammeri. 2'			
6 to 8 in. from pots	1.75	1.50	
dielsiana. Diels Cotoneaster. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
divaricata. Spreading Cotoneaster. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
12 to 18 in., 4 in. pots	1.25	1.00	.75
foveolata. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ftB&B	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	3.50	3.00	
francheti. Franchet Cotoneaster. 10'			
18 to 24 inB&B	1.75	1.50	
2 to 3 ftB&B	2.00	1.75	
12 to 18 in., 4 in. pots	1.25	1.00	.75
himalaicus. 6'			
8 to 10 in., 4 in. pots	1.25	1.00	75
	1.20	1.00	.75
horizontalis. Rock Cotoneaster. 3'			
12 to 15 in. spd. from pots	1.50	1.25	1.00
15 to 18 in. spd. from pots	1.75	1.50	1.25
18 to 24 in. spdB&B	2.50	2.00	1.75
24 to 30 in. spdB&B	3.00	2.75	2.50
horizontalis perpusilla. 3'			
10 to 12 in., from pots	1.50	1.25	1.00
12 to 15 in., from pots	2.00	1.50	1.25
hupehensis. Hupen Cotoneaster. 5'			
2 to 3 ftB&B	2.00	1.75	
3 to 4 ft	2.50	2.25	
15 to 18 in., 3 in pots	1.25	1.00	
integerrima. European Cotoneaster. 6			
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
*lucida. 12'	2.00	2.20	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
melanocarpa. 6'	1.00	.00	.10
2 to 3 ftB&B	2.00	1.75	
3 to 4 ft	2.25		
	4.40	2.00	
microphylla. Rockspray. 6'	1.50	1.05	1.00
10 to 12 in., 4 in. pots	1.50	1.25	1.00

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster			
moupinensis. Mupin Cotoneaster. 10			
15 to 18 in., 4 in. pots	1.50	1.25	1.00
multiflora. 6'			
2 to 3 ftB&B	2.00	1.75	1.50
3 to 4 ftB&B	2.25	2.00	1.75
4 to 5 ftB&B	3.00	2.50	2.25
2 to 3 ft., 4 in. pots	1.50	1.25	1.00
nitens. 6'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
18 to 24 in., 4 in. pots	1.25	1.00	.75
obscura. 10'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
18 to 24 in., 4 in. pots	1.25	1.00	.75
racemiflora soongarica. 6'			
2 to 3 ftB&B	2.50	2.00	1.75
3 to 4 ft	3.00	2.50	2.25
4 to 5 ft	3.50	3.25	3.00
		0.20	5.00
rotundifolia. Roundleaf Cotoneaster. 2		1 05	1.00
10 to 12 in. from pots	1.50	1.25	1.00
12 to 15 in. from pots	1.75	1.50	1.25
rosea. 6'			
2 to 3 ftB&B	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
4 to 5 ftB&B	2.50	2.25	2.00
5 to 6 ftB&B	3.50	3.00	
salicifolia floccosa. 6'			
15 to 18 in. from pots	1.75	1.50	
simonsi. Simons Cotoneaster. 8'			
2 to 3 ft	2.25	2.00	
3 to 4 ft	2.50	2.25	
12 to 18 in., 4 in. pots	1.25	1.00	.75
tenuipes. 6'			
8 to 12 in. from pots	1.25	1.00	.75
12 to 15 in. from pots	1.50	1.25	1.00
•	1.00		
tomentosa. 6'	0.50		
18 to 24 in. from pots	2.50		

	1-4 Each	5-24 Each	25 & up Each
Cotoneaster	Lucii	Lucii	Eddii
wilsoni. Wilson Cotoneaster. 5'			
2 to 3 ft	1.75	1.50	1.25
3 to 4 ft	2.00	1.75	1.50
15 to 18 in., 4 in. pots	1.25	1.00	.75
zabeli. 6'			
15 to 18 in., from pots	1.50	1.25	1.00
*Crataegus aprica. 20'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	
*arkansana. Arkansas Hawthorn. 30	1		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
*arnoldiana. Arnold Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*carrierei. Carriere Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
6 to 8 ft. standards, quoted on re	quest.		
*coccinea. Thicket Hawthorn. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
*coccinioides. 20'			
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Crataegus		20011	20011
*cordata. Washington Hawthorn. 20'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.50	2.25
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50	6.00	5.00
*crusgalli. Cockspur Thorn. 30'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
8 to 10 ft	6.00	5.00	4.50
10 ft. spec	18.00	15.00	
*cuneata. Nippon Hawthorn. 20'			
3 to 4 ft	2.50		
*hupehensis. 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.25	2.75	
5 to 6 ft	3.75	3.25	
6 to 8 ft	4.50	4.00	
8 to 10 ft	6.00	5.00	
*macracantha. Spike Hawthorn, 20'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	2.50	
* ***			
*mollis Downy Hawthorn. 20'	1.75	1 50	1.05
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	3.50
*monogyna. English Hawthorn. 20'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
monogyna stricta. Pyramidal English	Hawth	horn.	20 '
3 to 4 ft	3.50		
4 to 5 ft			

	1-4 Each	5-24 Each	25 & up Each
*Crataegus.			
*nitida. Glossy Hawthorn. 15'			
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	6.00	5.00	
*oxyacantha. English Hawthorn. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.50	4.00	
10 to 12 ft	7.50	6.00	
8 to 10 ft. specB&B	12.50		
*oxyacantha plena. Dbl. White Thorn	. 15'		
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
*oxyacantha pauli. Paul's Scarlet The			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.5 0
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
*oxyacantha punicea. Sgl. Red Thorn			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	3.50	3.25	3.00
8 to 10 ft	5.00	4.50	4.00
10 to 12 ft	7.50		
*oxyacantha rosea plena. Dbl. Pink	Thorn.	<i>15</i> ′	
4 to 5 ft	4.00	3.50	3.00
5 to 6 ft	4.50	4.00	3.50
6 to 8 ft	5.00	4.50	
*peregrina. Persian Hawthorn. 15'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	7.50	6.00	
*persistens. 15'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50

Grade anno	1-4 Each	5-24 Each	25 & up Each
Crataegus. *pinnatifida major. Peking Hawthor.	n. 20'		
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	2.75	2.50	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	2.50
	4.00	3.13	
*pruinosa. Frosted Hawthorn. 18'	0.50	0.05	
4 to 5 ft	2.50	2.25	
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
*prunifolia. Plumleaf Hawthorn. 25'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	3.00
*punctata. Dotted Hawthorn. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
pyracantha coccinea. Scarlet Firethor	n. 10'		
15 to 18 in., 4 in. pots	1.50	1.25	
pyracantha lalandi. Laland Firethorn.	10'		
18 to 24 in. bushy B&B	3.50	3.00	2.75
2 to 3 ft. bushy B&B	4.00	3.50	3.25
3 x 3½ ft. spec B&B	8.50	7.50	0.20
	12.50	10.00	
4 x 5 ft. spec B&B	15.00	10.00	
	20.00		
12 to 15 in. 4 in. pots	1.25	1.00	.75
	1.20	1.00	.10
pyracantha yunnanensis. 10'	1.05	1.00	ne
12 to 18 in., 4 in. pots	1.25	1.00	.75
*succulenta. Fleshy Hawthorn. 20'	0.50	0.05	0.00
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	2.75	
6 to 8 ft	4.50	3.50	
8 to 10 ft	6.00	5.00	
*tomentosa. Pear Hawthorn. 15'	1 75	1 50	1.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.75	2.25	2.00
6 to 8 ft	3.50	3.00	

	1-4 Each	5-24 Each	25 & up Each
Crataegus			
*viridis. 35'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
8 to 10 ft	5.00	4.00	
Cryptomeria japonica lobbi. Lobb Crypton	neria.	20'	
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.00	2.50
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ftB&B,	10.00	7.50	6.50
7 ft	12.50	10.00	7.50
8 ftB&B		12.50	10.00
For larger sizes to 18 ft., add \$5.00 pe	r foot.		
Cudrania tricuspidata. 25'			
2 to 3 ft	1.50		
Cydonia cathayensis. 8'			
3 to 4 ft	1.50		
4 to 5 ft	2.50		
japonica. Flowering Quince. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.35	.30
3 to 4 ft	.60	.50	.45
japonica alba. White Flg. Quince. 5'		1	
15 to 18 in	1.50	1.25	
18 to 24 in	1.75	1.20	
japonica alpina. Salmon Flg. Quince.	4'		
18 to 24 in	1.75	1.50	1.25
2 to 3 ft	2.00	1.75	2.20
japonica Columbia. Deep Rose Flg. Q		5'	
18 to 24 in	1.75	J	
japonica Falconet Charlet. White Fl		000 6	
	2.00	ico.	
2 to 3 ft	2:50		
	3.50	ř .	
4 to 5 ft			
japonica pygmaea. Dwarf Jap. Quinc		25	.30
18 to 24 in	.45	.35	.40
2 to 3 ft	.50	.45	.40
japonica rosea grandiflora. Pink Fl	-		
15 to 18 in	1.50	1.25	
18 to 24 in	1.75	1.50	
japonica rosea plena. Dbl. Pink Flow			
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00	

PAINESVILLE, UNIO		4/
1-4 Eac		25 & up Each
Cydonia	Lacii	Lucii
japonica rubra. Red Flowering Quince.	6'	
18 to 24 in 2.0	_	
2 to 3 ft 2.5	0	
japonica semperflorens. Soft Rose Flg. Q	uince. 6	*
2 to 3 ft 2.5		
japonica umbilicata. Navel Flowering Qu	ince. 8'	
2 to 3 ft	0 .40	.35
3 to 4 ft	0 .50	.45
4 to 5 ft 1.0	0 .75	.60
4 to 5 ft. heavyB&B 10.0	0	
5 to 6 ft. heavyB&B 12.5	0	
japonica Vermilion. Red Flg. Quince. 6'		
18 to 24 in 1.7		
kermesiana semi-plena. Rose Pink Flg. (uince.	4"
2 to 3 ft 2.0	0 1.75	
maulei. Lesser Flowering Quince. 5'		
18 to 24 in	5 .35	.30
2 to 3 ft		
3 to 4 ft	5 .60	.50
sinensis. Chinese Quince. 20'		
2 to 3 ft 2.5	0	
Cytisus nigricans. Spike Broom. 4'		
12 to 15 in	.50	
scoparius. Scotch Broom. 10'		
18 to 24 in	.50	.45
scoparius andreanus. Paradise Broom. 1	0'	
18 to 24 in	.50	.45
supinus. 3'		
10 to 12 in., 4 in. pots	.50	
Daphne cneorum. Garland Flower. 1'		
8 to 10 in. spd	5 .55	.50
10 to 12 in. spdB&B .7	5 .70	.65
12 to 15 in. spd B&B 1.0	0 .85	.80
mezereum. February Daphne. 4'		
15 to 18 inB&B 2.0	0 1.75	1.50
18 to 24 in	5 2.00	1.75
2 to 2½ ftB&B 2.5	0 2.25	2.00
2½ to 3 ftB&B 3.0	0 2.75	2.50
mezereum alba. White February Daphne.	4'	
18 to 24 in		2.00
24 to 30 in	0 2.75	2.50
2½ to 3 ftB&B 3.5	0 3.25	

	1-4 Each	5-24 Each	25 & up Each
Davidia involucrata. Dovetree. 40'			
6 to 10 in. from pots	7.50		
Decumaria barbara.			
3 yr. from pots	.50	.45	.40
Desmodium. (See Lespedeza).			
Deutzia gracilis. Slender Deutzia. 3'			
15 to 18 in	.40	.30	.25
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
30 to 36 in	.75	.60	.50
lemoinei. Lemoine Deutzia. 5'			
18 to 24 in	.40	.30	.25
24 to 30 in	.50	.35	.30
2½ to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
lemoine avalanche. Avalanche Deutzia.			
2 to 2½ ft	.50	.40	.35
2½ to 3 ft	.60	.50	.40
lemoine compacta. 5'	.00	.50	.10
18 to 24 in	AE	25	20
2 to 3 ft	.45	.35	.30
	.55 .75	.60	.50
			.50
myriantha Boule Rose. Dbl. Pink De		4'	
18 to 24 in	.50	.40	
	.60	.50	
ningpoense. 5'	1 50		
2 to 3 ft.	1.50		
parviflora. Mongolian Deutzia. 5'	45	9.5	90
18 to 24 in	.45 .50	.35	.30
3 to 4 ft	.75	.60	.35 .50
rosea. Rose-panicle Deutzia. 5'	.13	.00	.50
18 to 24 in	.50	.35	.30
24 to 30 in	.60	.45	.40
2½ to 3 ft	.75	.60	.50
rosea campanulata. Bellflower Deutza		.00	.50
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea carminea. Carmine Deutzia. 4'	.00	CF.	. 20
18 to 24 in.	.50	.35	.30
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50
WW TAN	.10	.00	.50

	1-4 Each	5-24 Each	25 & up Each
Deutzia	Lacii	Eddii	20011
rosea eximea. Pink Choice Deutzia. 5'			
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
rosea venusta. White-panicle Deutzia.	5'		
18 to 24 in	.50	.35	.30
2 to 3 ft	.60	.45	.40
scabra. Fuzzy Deutzia. 12'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	
scabra candidissima. Snowflake Deutze	ia. 12	,	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
scabra Pride of Rochester. 12'	, _ 0	,,,,	,,,,
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
		.75	
6 to 8 ft	1.00	.10	.60
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	
4 to 5 ft	.60	.45	
scabra watereri. Waterer's Deutzia. 12		.40	.40
2 to 3 ft	.40	.30	.25
	.50	.35	
3 to 4 ft	.50	.55	.50
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	
schneideriana laxiflora. 6'	.10	.00	.00
3 to 4 ft	2.00		
vilmorinae, Vilmorin Deutzia. 10'	2.00		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
			.10
Diervilla sessilifolia. Southern Bush Honey			20
2½ to 3 ft	.45	.35	
3 to 4 ft	.55	.45	
4 to 5 ft	.65	.55	.50
trifida. Dwarf Bush Honeysuckle. 4'		4.5	0.5
2 to 3 ft	.55	.45	
3 to 4 ft	.65	.50	.40
(See also Weigela)			

	1-4 Each	5-24 Each	25 & up Each
Diospyros virginiana. Common Persimmon.	15'		
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Dirca palustris. Leatherwood. 6'			
6 to 8 inB&B	1.50		
Elaeagnus angustifolia. Russian Olive. 20'			
	.50	.40	.35
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
10 to 12 ft	3.50	3.00	
10 to 12 it	0.00	0.00	
argentea. Silverberry. 12'			
3 to 4 ft	.80	.70	
4 to 5 ft	1.00	.85	
5 to 6 ft	1.50	1.25	1.00
longipes. Cherry Elaeagnus. 6'			
2 to 3 ft	.75	.60)
3 to 4 ft	1.00	.75	•
parvifolia. Chinese Elaeagnus. 15'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	1.00
umbellata. Autumn Elaeagnus. 12'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.73	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.2	5
Elsholtzia stauntoni. 4'			
18 to 24 in	.60	.50	.45
2 to 3 ft	.75	.60)
 			
Enkianthus campanulatus. Redvein Enkia	nthus.	15'	
12 to 18 in	1.50	1.2	5

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Erica carnea. Spring Heath. 1'	20011	Lucii	Lucii
6 to 8 in., 4 in pots	1.00	.75	.60
darleyensis.			
6 to 8 in., 4 in. pots	1.00	.75	.60
vagans. Cornish Heath. 1'			
6 to 8 in., 4 in. pots	1.00	.75	.60
Eucommia ulmoides. 60'			
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
6 to 8 ft	5.00	4.00	
8 to 10 ft	6.00	5.00	
Euonymus alatus. Winged Euonymus. 10'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.75	1.60	1.50
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.75	3.50
6 to 8 ft. heavyB&B	7.50		
8 to 10 ft. heavyB&B			
alatus compacta. Dwarf Winged Euong		6 '	
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
americanus. Brook Euonymus. 8'			
2 to 3 ft	1.00	.75	
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
atropurpureus. Native Wahoo. 15'		4.0	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
	15'	40	0.5
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65 .85	.60
5 to 6 ft	1.00	,	.75
6 to 8 ft	1.25	1.10	1.00
	15'	.35	.30
2 to 3 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	
0 to 0 1t	1.40	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Euonymus			
europaeus fructu-coccineus. 15'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
latifolius. Broadleaf Burning Bush. 10	,		
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
maacki. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
	1.50	1.00	1.20
nanus. Dwarf Burning Bush. 3'			
12 to 15 in	1.00	.75	.60
15 to 18 in	1.25	1.00	
obovatus. Running Euonymus. 1'			
8 to 10 in	.40	.30	.25
oxyphyllus 15'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
patens syn. sieboldianus. 8' 18 to 24 in	1.75	1.50	1.25
2 to 3 ft	2.00	1.75	
3 to 4 ft	2.50	2.25	
	2.50	2.20	2.00
radicans. Wintercreeper. 15'		:	
8 to 12 in	.40	.30	
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	
18 to 24 in	.75	.60	.50
radicans acutus. Sharpleaf Wintercree	per.	1'	
12 to 15 in	.50	.40	.35
15 to 18 in	.65	.50	.45
radicans argenteo-marginatus.			
Silveredge Wintercreeper . 1'			
8 to 12 in	.40	.30	.25
12 to 15 in	.50	.35	.30
15 to 18 in	.60	.45	.40

	1-4 Each	5-24 Each	25 & up Each
Euonymus	Lacii	Lucii	Eden
radicans carrieri. Glossy Wintercreeper	r. 3'		
12 to 15 in	.50	.40	.35
15 to 18 in	.60	.50	.45
18 to 24 in	.75	.65	.55
radicans colorata. 10'			
12 to 15 in	.40	.30	.25
15 to 18 in	.55	.45	.35
18 to 24 in	.65	.55	.45
radicans kewensis. Prostrate Baby Wi	ntercr	eeper.	
8 to 12 in. from pots	.45	.35	.30
radicans minima. Baby Wintercreeper	. 1'		
8 to 12 in. from pots	.45	.35	.30
12 to 15 in. from pots	.55	.45	.40
radicans vegetus. Bigleaf Wintercreep	er. 4	,	
12 to 15 in	.60	.55	.50
15 to 18 in	.75	.65	.60
18 to 24 in	1.00	.80	.75
24 to 30 in	1.50	1.25	
sieboldianus (see patens)			
yedoensis. Yeddo Euonymus. 10'			
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	1.00	.80	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.50	1.35	1.25
Evodia hupehensis. 25'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.00	
Exochorda grandiflora. Pearl Bush. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.25	1.00	
	10.00		
	12.50		
giraldi wilsoni. Wilson Pearlbush. 15'			
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	

E	1-4 5-24 ach Eacl	
Fagus americana. American Beech. 60'		
0 00 110 110 110 110 110 110 110 110 11	1.50 4.0	
100 0100 110	3.00 5.0	
0 00 0 10 11111111111111111111111111111	3.50 7.5	
6 to 8 ft	2.50 10.0	
8 to 10 ft		50
10 to 12 ftB&B 25	5.00	
sylvatica. European Beech. 75'		
0 10 110	3.50 3.6	
1 00 0 10	4.50 4.0	
0 10 0 10	6.50 5.	
0 10 0 11		00 7.50
8 to 10 ft		
10 to 12 ft		00 12.50
12 to 14 ft		00
14 to 16 ft	5.00 30.	00
sylvatica fastigiata. Pyramidal Beech.	25"	
12 to 15 ft		
sylvatica heterophylla. Fernleaf Beech.	25'	
4 to 5 ft		
5 to 6 ft		
6 to 8 ft		
8 to 10 ft		
sylvatica pendula. Weeping Beech. 50'		
12 to 14 ftB&B 4	0.00	
14 to 16 ft		
Larger sizes quoted on request.		
sylvatica purpurea. Purple Beech. 75'		
0 00 1 100 1111111111111		00
1 00 0 10		50
5 to 6 ftB&B 1		50
6 to 8 ftB&B 1		00
8 to 10 ftB&B 1		
10 to 12 ftB&B 2	0.00	
sylvatica riversi. River's Beech. 75'		
5 to 6 ft		
6 to 8 ftB&B 1		
8 to 10 ftB&B 2	0.00	
10 to 12 ft., 1½ inB&B 2	5.00	
Larger sizes quoted on request.		

Fontanesia fortunei. Fortune Fontanesia.	1-4 Each 15'	5-2 4 Each	25 & up Each
3 to 4 ft.	.60	.50	.40
4 to 5 ft.	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
Forsythia europea. Albanian Forsythia. 6'	1.50	1.20	1.00
2 to 3 ft.	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.00
	1.20	1.00	
20140. 2019	.40	.30	.25
2 to 3 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
	.75	.65	
0 (0 0 20 110 110 110 110 110 110 110 110 1		.05 .85	.60
	1.00	.83	.75
intermedia primulina Primrose Forsy	thia.	10'	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
intermedia spectabilis. Showy Border	Forsy	ythia. E	3 '
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	1.00
ovata. 8'			
2 to 3 ft	.75	.50	.40
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
suspensa. Weeping Forsythia. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
suspensa atrocaulis. Purple Stem Fors	uthia.	6'	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Ea ch
Forsythia			
suspensa fortunei. Golden Bell. 8'	40	20	95
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
suspensa sieboldi. Siebold Forsythia. &			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
viridissima. Greenstem Forsythia. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
Fothergilla gardeni. Dwarf Fothergilla. 3'			
15 to 18 inB&B	2.50	2.00	
18 to 24 inB&B	3.50	3.00	
24 to 30 inB&B	5.00	4.00	
Franklinia (see Gordonia)			
Fraxinus americana. White Ash. 80'			
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.25	2.00	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.75	2.50	2.25
$1\frac{3}{4}$ to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	5.00
excelsior. European Ash. 100'			
8 to 10 ft	1.75	1.50	1.25
1¼ to 1½ in	2.25	2.00	1.75
1½ to 1¾ in	2.75	2.50	2.25
1 ³ / ₄ to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	
lanceolata. Green Ash. 60'			
8 to 10 ft	1.75	1.50	1.25
1½ to 1½ in	2.25	2.00	1.75
1½ to 1¾ in	2.75	2.50	2.25
13/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	5.00	4.50	4.00
2½ to 3 in	7.50	6.00	

	1-4 Each	5-24 Each	25 & up Each
Fraxinus	Edell	Edeli	Lucii
mandshurica. Manchurian Ash. 80'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	2.50	2.25	2.00
1½ to 1¾ in	3.00	2.75	2.50
nigra. Black Ash. 80'			
8 to 10 ft	2.50	2.00	
pennsylvanica. Red Ash. 60'			
8 to 10 ft	2.50	2.25	2.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.50	3.00	
1½ to 1¾ in	4.50	4.00	
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
quadrangulata. Blue Ash. 80'			
6 to 8 ft	2.50		
Gaylussacia baccata. Black Huckleberry.	3'		
18 to 24 in	3.00	2.50	
24 to 30 inB&B	3.50	3.00	
Genista juncea. 2'			
15 to 18 in. from pots	.60	.50	.40
pilosa. Silky Leaf Broom. 1'			
4 to 6 in	.60	.50	.40
sagittalis. Arrowhead Broom. 9"			
4 to 6 in	.75	.60	.50
scoparia. (Sec Cytisus).			
tinctoria. Woadwaxen. 3'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
Ginkgo biloba. Maidenhair-tree. 60'			
6 to 8 ft	3.25	2.75	2.50
8 to 10 ft	3.75	3.25	3.00
1½ to 1½ in	4.50	4.25	4.00
1½ to 1¾ in	6.00	5.50	5.00
1¾ to 2 in	7.50	7.00	6.50
2 to 2½ in	10.00	9.50	9.00
$2\frac{1}{2}$ to 3 in	15.00	13.50	12.50
3 to 3½ in		20.00	
3½ to 4 in	30.00	25.00	

	1-4	5-24	25 & up
	Each	Each	Each
Gleditsia elegantissima. 20'		0.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
heterophylla. Fernleaf Honeylocust.	20'		
2 to 3 ft	2.50		
japonica. Japanese Honeylocust. 40'			
3 to 4 ft	2.50	2.00	1.75
4 to 5 ft	3.00	2.50	2.25
5 to 6 ft	3.50	3.00	2.75
6 to 8 ft	5.00	4.00	3.75
8 to 10 ft	6.50	5.00	
sinensis. Chinese Honeylocust. 40'			
5 to 6 ft	2.75	2.25	
6 to 8 ft	3.50	3.00	
triacanthos. Honey Locust. 60'			
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.25	
1½ to 1½ in	3.50	3.00	
- / -	4.50	3.50	
- / -	6.50	5.00	
- /2 00	9.00	7.50	
	12.50	10.00	
triacanthos inermis. Thornless Honeyl		<i>50</i> ′	
6 to 8 ft	3.00	2.75	
8 to 10 ft	3.50	3.25	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.00	
13/4 to 2 in	6.50		
2 to 2½ in	9.00		
Gordonia alatamaha. 20'			
3 to 4 ft	7.50		
4 to 5 ft	10.00		
5 to 6 ftB&B	12.50		
6 to 8 ft	17.50		
Gymnocladus dioica. Kentucky Coffeetree.	40'		
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.00	
	6.50	5.00	
10 to 12 ft		0.00	1.00
2 to 3 in	15.00		

	1-4	5-24	25 & up
Halesia monticola. Mountain Silverbell. 50'	Each	Each	Each
4 to 5 ft	5.00		
5 to 6 ft	7.50		
tetraptera. Great Silverbell. 15'			
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft	3.50	3.00	2.75
	10.00		
•	15.00		
Hamamelis japonica. Japanese Witch Hazel	. 20'		
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.25	2.00	1.75
0 00 0 10	2.20	2.00	1.75
japonica rubra. 20'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.75	
4 to 5 ft	2.25	2.00	
mollis. Chinese Witch Hazel. 20'			
2 to 3 ft	4.00	3.50	
3 to 4 ft	5.00		
vernalis. Vernal Witch Hazel. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
vernalis tomentella. 6'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.00	1.75
virginiana. Witch Hazel. 15' 2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
	1.50	1.25	1.00
	1.75	1.50	1.25
6 to 8 ft	2.00	1.75	1.50
8 to 10 1t	4.00	1.10	1.00

	1-4 Each	5-24 Each	25 & up Each
Hedera helix. English Ivy. 20'		-	0.5
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	.35
helix Albany. Albany Ivy			
2 year, 3 in. pots	.40	.30	.25
helix baltica. 15'			
2 year, 3 in. pots	.50	.40	.35
helix conglomerata. 10'			
2 year, 3 in. pots	.75	.60	
helix Emerald Gem. 15'			
2 year, 3 in. pots	.75	.60	.50
helix gracilis. Small-leaved English Ivy.	10'		
2 year, 3 in. pots	.40	.30	.25
3 year, 4 in. pots	.50	.40	
			*
helix Hahn's 2 year, 3 in. pots	.45	.35	.30
3 year, 4 in. pots	.60	.45	
-	.00	. 10	.10
Helwingia japonica. 5'	1.00	.75	
12 to 15 in., 3 in. pots	1.00	.10	
Hibiscus syriacus. Shrub Althea. 12'			
double varieties.			
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.35	
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
6 to 8 ft	1.00	.85	.75
	10.00		
Ardens—Purple.			
Banner—Blush.			
Jeanne d'Arc—White. Lady Stanley—White, shaded ros	0		
Rubra Plena—Red.	е.		
Speciosa Plena—Pink.			
single varieties.	40	.30	.25
2 to 3 ft	.40 .50	.35	
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
Coelestis—Blue.	.10	.00	.00
Rosea—White, crimson eye.			
Rubis—Red.			
Rubis—Red.			

Totus albus-White.

	1-4 Each	5-24 Each	25 & up Each
Hibiscus	Lucii	Lucii	Eden
variegatus. Variegated leaved Althea.	8'		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
variegatus meehani Meehan's Variega	ted Alt	thea. 6	3'
2 to 3 ft	.55	.45	.40
3 to 4 ft	.75	.60	.50
Hicoria ovata. Shagbark Hickory. 75'			
3 to 4 ft	1.50		
4 to 5 ft	2.00		
Hippophae rhamnoides. Sea-buckthorn. 12	2'		
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00		
Holodiscus discolor ariaefolius. 4'			
2 to 3 ft	1.50		
*Hovenia dulcis. Raisintree. 6'			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.50	2.50	2.00
Hydrangea arborescens. Smooth Hydrange	a. 6'		
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
arborescens grandiflora. Snowhill Hyd	lranged	ı. 6'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
cineria sterilis Ashy Hydrangea. 6'			
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
opuloides Otaksa. 3'			
4 year	.75	.60	.50
opuloides Thos. Hogg. 3'			
4 year	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Hydrangea	Lucii	Lucii	Eden
paniculata. Panicle Hydrangea. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
paniculata grandiflora. Peegee Hydran	aea.	10"	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.55
3 to 4 ft., tree form	1.25	1.00	
4 to 5 ft., tree form	1.50	1.25	
paniculata praecox. 10'			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
4 to 5 ft	1.25	1.00	
petiolaris. Climbing Hydrangea.			
4 inch pots	1.00	.85	.75
•	1.00	.00	.10
quercifolia. Oakleaf Hydrangea. 4'			
2 to 3 ft	1.25	1.00	
3 to 4 ft	1.50	1.25	
radiata Silverleaf Hydrangea. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
Hypericum arnoldianum. 5'			
18 to 24 in	.75	.60	1
2 to 3 ft	.90	.75	
aureum. Golden St. Johnswort. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
bucklei. Mountain St. Johnswort. 1'			
6 inches	.75	.60	.50
densiflorum. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
kalmianum. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40

	1-4 Each	5-24 Each	25 & up Each
Hypericum			
lobocarpum. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
moserianum. Goldflower. 2'			
15 to 18 in	.50	.40	.35
18 to 24 in	.60	.50	.40
patulum. Japanese Hypericum. 3'			
18 to 24 in	.60	.50	.40
patulum henryi. Henry Hypericum. 4	•		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	
prolificum. Shrubby St. Johnswort. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
	.00	.50	.40
Idesia polycarpa. 40' 3 to 4 ft	1 50	1.05	
	1.50	1.25	
4 to 5 ft	2.00	1.75	
Ilex cornuta. Chinese Holly. 10'			
18 to 24 inB&B	2.00		
crenata. Japanese Holly. 10'			
15 inB&B	2.50	2.00	
18 inB&B	3.00	2.50	
24 inB&B	3.50	3.00	
30 inB&B	5.00	4.00	
36 inB&B	6.50	6.00	5.50
crenata bullata. 10'			
12 to 15 inB&B	2.50	2.00	1.50
15 to 18 inB&B	3.00	2.50	2.00
18 to 24 inB&B	3.50	3.00	2.50
crenata latifolia. 10'			
18 to 24 inB&B	3.00	2.50	
24 to 30 inB&B	4.00	3.50	
30 to 36 inB&B	5.00	4.50	
crenata microphylla. Little Leaf Japan	ese He	ollu. 1	0'
15 in	2.50	2.25	
18 inB&B	3.50	3.00	2.50
24 in	5.00	4.00	3.50
geniculata. 5'			
3 to 4 ft	1.50	1.25	
4 to 5 ft.	2.00	1.50	
T 60 0 16	4.00	1.00	

	1-4 Each	5-24 Each	25 & up Each
Ilex			
glabra. Inkberry. 8'	1.75	1.05	1.50
12 to 15 in	1.75	1.65	1.50
15 to 18 inB&B	2.25	2.00	1.85
18 to 24 inB&B	2.75	2.65	2.50
24 to 30 inB&B	3.50	3.25	3.00
30 to 36 inB&B	5.00	4.00	3.75
36 to 42 inB&B	6.00	5.00	
laevigata. Smooth Winterberry. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
monticola. Mountain Winterberry. 10'		:	
3 to 4 ft	1.25	1.00	
opaca. American Holly. 40'			
3 ft	4.50	3.75	3.25
4 ftB&B	6.50	5.00	4.50
5 ftB&B	10.00	7.50	6.00
6 ft	12.50	10.00	7.50
7 ft		12.50	
For larger sizes to 12 ft., add \$5.0		foot.	
serrata, syn. sieboldi. Finetooth Holls	ı. 12'		
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
verticillata. Common Winterberry. 6'	2.00	2.00	1.10
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.85	.70	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
verticillata chrysocarpa Yellow-fruite		_	
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	1.75	1.50	1.25
Indigofera amblyantha. Pink Indigo. 6'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
kirilowi. Kirilow Indigo. 4'			
2 ft	2.00	1.75	
potanini. Potanin Indigo. 5'	1.06	1.00	75
2 to 3 ft	1.25 1.50	1.25	.75
3 to 4 ft	1.50	1.20	1.00

	1-4 Each	5-24 Each	25 & up Each
Itea virginica. Sweetspire. 3'	Eden	Lucii	Lucii
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.85	.75
Jasminum nudiflorum. Winter Jasmine. 3'			
15 to 18 in	.50	.40	.30
18 to 24 in	.60	.50	.40
12 to 15 in., $2\frac{1}{2}$ in. pots	.60	.50	.40
stephanense 3'			
2 ft., 4 in. pots	1.25	1.00	.75
Juglans cinerea. Butternut. 75'			
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
nigra Black Walnut. 80'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
1½ to 1¾ in	3.50	3.00	
13/4 to 2 in	4.50	4.00	
regia. English or Persian Walnut. 50'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
sieboldiana. Japanese Walnut. 50'			
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1½ to 1¾ in	4.00	3.75	
1¾ to 2 in	5.00	4.75	
Juniperus chinensis Chinese Juniper. 20'			
2 ftB&B	3.00	2.50	2.00
3 ftB&B	4.00	3.50	3.25
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	7.00	6.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	12.50	10.00	9.00
8 ftB&B		13.50	12.50
For larger sizes to 16 ft., add \$5.00 pe			
chinensis albovariegata. Whiteleaf Chin	rese Jr	ıniper.	20'
3 ftB&B	7.50	6.00	5.00
4 ftB&B	8.50	7.50	6.50
5 ftB&B		9.00	
6 ftB&B		11.00	
7 ftB&B			
For larger sizes to 10 ft., add \$5.0	0 per	foot.	

66 HENRY KOHANKIE & SON		F 24	25 5
	1-4 Each	5-24 : Each	25 & up Each
Juniperus			
chinensis columnaris. Columnar Chines	se Juni	per. 20	o '
4 ftB&B	6.00	5.50	5.00
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.00	7.50
7 ftB&B	12.50	10.00	
8 ftB&B		12.50	
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
chinensis globosa. Globe Chinese Junip	er. 5'		
18 inB&B	4.00	3.50	3.00
24 inB&B	4.50	4.00	3.50
36 inB&B	6.00	5.00	
chinensis mas. 10'			
2 ftB&B	3.50	3.00	2.50
2½ ftB&B	4.00	3.50	3.00
3 ftB&B	6.00	5.00	4.00
3½ ftB&B	7.50	6.00	
4 ftB&B	10.00	7.50	
chinensis neaboriensis. Conical Chines	se Juni	per. 1	o '
3 ftB&B	4.50	4.00	
4 ftB&B	5.50	5.00	
5 ftB&B	6.50		
6 ftB&B	8.50		
7 ftB&B	12.50		
8 ft	15.00		
9 ftB&B	18.00		
chinensis oblonga. 8'			
6 ft	10.00		
7 ft	12.50		
chinensis pfitzeriana. Pfitzer's Juniper	. 6'		
18 to 24 in. spd B&B	2.50	2.25	2.00
2 to 2½ ft. spd B&B	3.00	2.75	2.50
2½ to 3 ft. spd B&B	4.00	3.50	3.25
3 to 3½ ft. spd B&B	5.50	4.50	4.00
3½ to 4 ft. spd B&B	6.50	5.50	5.00
4 to 4½ ft. spd B&B	7.50	6.50	6.00
4½ to 5 ft. spd B&B		8.50	7.50
_	15.00	12.50	10.00
	18.00	15.00	12.50
7 to 8 ft. spd B&B		18.00	
8 to 9 ft. spd B&B		20.00	
(Upright form can be furnished in s			3')
chinensis pfitzeriana compacta. 6'			,
15 to 18 in. spd	2.50	2.25	
18 to 24 in. spd	3.00	2.50	
to to at m. sput	0.00	2.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
chinensis sargenti. Sargent Juniper. 2	•		
18 inB&B	3.00	2.75	
24 inB&B	4.00	3.75	
30 inB&B	6.00	5.00	
36 inB&B	7.50		
chinensis smithi. Smith Chinese Junip	er. 8'		
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
communis. Common Juniper. 25'			
3 ftB&B	3.75	3.00	2.50
4 ftB&B	4.00	3.50	3.00
5 ft	5.00	4.50	4.00
6 ft	6.00	5.50	5.00
7 ft	7.50	6.50	6.00
8 ftB&B	9.00	8.00	7.50
communis dayi. 25'			
4 ftB&B	5.00	4.00	
5 ftB&B	6.00	5.00	
6 ftB&B	7.50	6.50	
communis depressa. Prostrate Junipe	r. 3'		
18 to 24 in. spdB&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.50	3.00
3 to 4 ft. spdB&B	5.00	4.50	4.00
4 to 5 ft. spd	7.50	6.00	5.00
communis depressa aurea. Golden Pr	ostrate	Junipe	r. 3'
18 to 24 in. spd B&B	3.00	2.50	
3 to 3½ ft. spd B&B		5.00	
$3\frac{1}{2}$ to 4 ft. spd B&B		6.00	
4 to 5 ft. spdB&B	10.00	7.50	
communis depressa plumosa Purple S	preadin	g Juni	per. 3'
18 to 24 in	2.75	2.25	1.75
24 to 30 inB&B	3.50	3.00	2.50
2½ to 3 ftB&B	4.50	3.50	3.00
3 to 3½ ftB&B		5.00	4.50
3½ to 4 ftB&B	7.50	6.50	
4 to 4½ ftB&B	10.00		

	1-4 Each	5-24 Each	25 & up Each
Juniperus			
communis hibernica. Irish Juniper. 1	5"		
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.00	2.50	2.25
4 ft	4.00	3.50	3.00
5 ftB&B	5.00	4.50	4.00
6 ftB&B	7.50	6.00	5.50
7 ft	10.00	7.50	
8 ftB&B	12.50	10.00	
9 ftB&B	15.00		
communis kraccovica. Polish Juniper.	10'		
2 ftB&B	2.50		
3 ftB&B	3.00		
communis suecica. Swedish Juniper.	25'		
2 ftB&B	2.50	2.25	2.00
3 ftB&B	3.50	3.25	3.00
4 ftB&B	5.00	4.50	4.00
5 ftB&B	7.50	6.00	
communis suecica nana. Dwarf Swed	ish Jun	iper. 6	3'
2 ftB&B	3.50	3.00	
3 ftB&B	4.50	4.00	
4 ftB&B	6.00	5.00	
communis vase-shaped. 10'			
2 to 2½ ftB&B	3.00	2.75	
2½ to 3 ftB&B	4.00	3.50	
conferta. Shore Juniper. 5'			
18 in	4.00	3.50	3.00
2 ft	5.00	4.50	4.00
2½ ft	6.50	5.50	5.00
excelsa. Greek Juniper. 50'			
3 ft	3.50	3.00	
4 ft	4.50	4.00	
5 ft	6.00	5.50	
6 ft	7.50	6.50	
7 ft	8.50	7.50	
8 ft	12.50	10.00	
9 ftB&B	15.00	12.50	
10 ftB&B	18.00	15.00	
excelsa stricta. Spiny Greek Juniper.	8'		
18 inB&B	2.50	2.00	1.75
2 ftB&B	3.00	2.50	2.25
2½ ftB&B	3.50	3.00	2.75
3 ftB&B	4.50	4.00	3.50

	1-4	5-24	25 & up
Juniperus excelsa stricta	Each	Each	Each
3½ ft	7.00	6.00	5.00
4 ft	8.50	7.50	6.50
4½ ft		9.00	8.00
5 ftB&B		10.00	9.00
5½ ftB&B		12.50	
6 ft		15.00	
7 ft	20.00		
For larger sizes to 10 ft., add \$5.00 p	er foot	t.	
horizontalis. Creeping Juniper. 1'			
18 to 24 in. spd B&B	2.50	2.25	2.00
24 to 30 in. spdB&B	3.00	2.75	2.50
$2\frac{1}{2}$ to 3 ft. spd B&B	3.50	3.25	3.00
3 to 3½ ft. spdB&B	4.50	4.00	3.50
horizontalis Bar Harbor. 1'			
15 to 18 in. spd	2.50	2.25	
18 to 24 in. spd	3.00	2.50	
horizontalis glauca. Blue Creeping Jun	niner.	1'	
18 to 24 in. spd B&B	2.50	2.25	2.00
24 to 30 in. spd B&B	3.00	2.75	2.50
2½ to 3 ft. spdB&B	4.00	3.75	3.50
3 to 3½ ft. spdB&B		4.50	
japonica. Japanese Juniper. 8'			
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	2.75	2.50
3 ftB&B	5.00	4.00	3.50
4 ftB&B	7.50	6.00	5.00
5 ftB&B	10.00		
japonica aurea. Golden Japanese Juni			
18 inB&B	3.50	3.00	
2 ftB&B	4.50	4.00	
3 ftB&B	6.00		
recurva. Himalayan Juniper. 30'			
2 ftB&B	3.50		
3 ftB&B	5.00		
rigida. Needle Juniper. 30'	4.00	0.00	
2 ftB&B	4.00	3.00	
3 ftB&B	5.00	4.00	
4 ftB&B	6.00	5.00	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	Lucii	Lucii	20011
sabina. Savin Juniper. 6'			
18 to 24 in. spd B&B	2.50	2.25	2.00
2 to 2½ ft. spdB&B	3.00	2.50	2.25
$2\frac{1}{2}$ to 3 ft. spdB&B	3.75	3.00	2.75
3 to $3\frac{1}{2}$ ft. spdB&B	5.00	4.00	3.50
$3\frac{1}{2}$ to 4 ft. spdB&B		5.50	4.50
4 to 4½ ft. spdB&B	9.00	7.50	6.00
$4\frac{1}{2}$ to 5 ft. spdB&B	12.50	10.00	
sabina tamariscifolia. Tamarix Savin.	2'		
18 to 24 in. spd B&B	3.00	2.75	2.50
24 to 30 in. spd B&B		3.50	3.00
$2\frac{1}{2}$ to 3 ft. spd B&B		4.50	4.00
3 to 3½ ft. spd B&B	7.50	6.00	5.50
$3\frac{1}{2}$ to 4 ft. spdB&B	12.50	10.00	
sabina Von Ehron. 10'			
24 to 30 in. spdB&B	3.50	3.00	
30 to 36 in. spd		4.00	
36 to 42 in. spd	7.50	6.00	
42 to 48 in. spd	10.00	8.00	
scopulorum. Colorado Juniper. 40'			
3 ft	4.50	4.25	
4 ft	6.00	5.50	
5 ft	7.50	6.50	
6 ft	10.00	8.50	
7 ftB&B	12.50	10.00	
8 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add \$5.00 p	er foot	•	
sphaerica. 3 ft	4.50	4.00	
4 ft	6.50	5.00	
5 ft	8.50	5.00	
squamata. Japanese Trailing Juniper.		4.50	
2 to 2½ ft. spd	5.00	4.50	
squamata meyeri. Meyer Juniper. 4'	0.50	0.00	0.50
18 to 24 in	3.50	3.00	2.50 3.00
24 to 30 in	4.00 5.00	3.50 4.50	4.00
3 to 3½ ftB&B	7.50	6.00	4.00
υ το υ ₇₂ τι	1.50	0.00	

	1-4 Each	5-24 Each	25 & up Each
uniperus			
virginiana. Red Cedar. 40'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ftB&B	6.00	5.50	5.00
6 ftB&B	7.50	7.00	6.50
	10.00	9.00	8.00
	15.00	12.50	10.00
	18.00	15.00	12.50
10 ftB&B		18.00	15.00
For larger sizes to 20 ft., add \$5.00	_	oot.	
virginiana burki. Syn. virginiana ver			
virginiana cannarti. Cannart Red Ceda			
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.00	5.50	5.00
5 ftB&B	8.00	7.00	6.50
	11.00	9.00	8.00
	15.00	12.50	10.00
	18.00	15.00	12.50
9 ftB&B		18.00	15.00
10 ftB&B		22.50	18.00
For larger sizes to 18 ft., add \$5.00 pe			
virginiana elegantissima. Goldtip Red	Cedar	. 15'	
2 ftB&B	4.50	4.00	3.50
3 ftB&B	5.00	4.50	4.00
4 ftB&B	6.50	5.50	
5 ftB&B	7.50		
6 ft	10.00		
For larger sizes to 12 ft., add \$5.00	per fo	ot.	
virginiana glauca. Silver Red Cedar.	25'		
3 ft B&B	5.00	4.50	4.00
4 ft B&B	6.50	5.50	5.00
5 ftB&B	8.50	7.50	6.50
6 ft	12.00	10.00	
7 ftB&B	15.00	12.50	
8 ftB&B	18.00	15.00	
For larger sizes to 18 ft., add \$5.00	per fo	ot.	
virginiana globosa. Globe Red Cedar.	4'		
18 to 24 inB&B	4.00	3.50	3.00
24 to 30 inB&B	5.00	4.50	4.00
3 to 3½ ftB&B	6.00	5.50	5.00
3½ to 4 ftB&B	7.50	6.50	

	1-4 Each	5-24 Each	25 & up Each
Juniperus	Lucii	Eden	Lucii
virginiana keteleeri. 15'			
2 ftB&B	3.50	3.25	3.00
3 ftB&B	4.50	4.00	3.75
4 ftB&B	7.50	6.00	
5 ftB&B	10.00	7.50	
6 ftB&B	12.50	10.00	
7 ftB&B		12.50	
For larger sizes to 12 ft., add \$5.0	00 per	foot.	
virginiana kosteri. Koster Red Cedar.	4'		
2 to 2½ ft. spd B&B	3.50	3.00	2.75
	4.50	4.00	3.50
3 to 3½ ft. spd B&B	6.00	5.00	4.50
$3\frac{1}{2}$ to 4 ft. spd B&B	7.50	6.50	6.00
4 to $4\frac{1}{2}$ ft. spdB&B		7.50	7.00
$4\frac{1}{2}$ to 5 ft. spdB&B		10.00	
5 to 6 ft. spd B&B			
virginiana pendula. Weeping Red Cedo		•	
4 ftB&B			
5 ftB&B			
For larger sizes to 12 ft., add \$5.0	-	foot.	
virginiana plumosa. Plume Red Cedar			
6 ft			
11			
virginiana schotti. Schott Red Cedar. 3 ft	15 ' 5.00	4.50	4.00
4 ft		4.50 5.50	4.00 5.00
5 ft		7.50	6.50
6 ft		10.00	8.00
7 ft		12.50	10.00
For larger sizes to 18 ft., add \$5.00 per		14.00	10.00
virginiana tripartita. Fountain Red Co		5 '	
	4.50	4.00	
2½ ft	5.50	5.00	
3 ft		7.50	
3½ ft		9.00	
4 ft		10.00	
virginiana venusta. 15'			
3 ft	5.00	4.50	4.00
4 ft	6.00	5.50	5.00
5 ft	8.50	7.50	
6 ft	12.50	10.00	
7 ft	15.00	12.50	
8 ftB&B	18.00	15.00	
For larger sizes to 12 ft., add \$5.00 pe	er foo	t.	

	1-4 Each	5-24 : Each	25 & up Each
Kalmia latifolia. Mountain Laurel. 6'			
18 to 24 inB&B	3.00	2.75	2.50
2 to 3 ftB&B	3.50	3.25	3.00
3 to 4 ftB&B	5.00	4.00	3.75
Kerria japonica. Kerria. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
japonica florepleno. Double Kerria. 4	,		
18 to 24 in	1.00	.75	
2 to 3 ft	1.25	1.00	
Koelreuteria paniculata. Goldenrain Tree.	25'		
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	4.00	3.50	3.25
10 to 12 ft	6.00	5.00	à
Kolkwitzia amabilis. Beauty Bush. 8'			
2 to 3 ft	.60	.55	.50
3 to 4 ft	.75	.65	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.00	.90
6 to 8 ft	1.50	1.25	
*Laburnum alpinum. Scotch Laburnum. 3	o '		
4 to 5 ft	5.00		
5 to 6 ftB&B	6.00		
6 to 8 ft. heavy	15.00		
8 to 10 ft. heavyB&B	20.00		
vossi. 20'			
8 to 10 ftB&B	20.00		
10 to 12 ftB&B	25.00		
*vulgare. Goldenchain. 20'	-		
4 to 5 ftB&B	3.50		
5 to 6 ftB&B	4.50		
6 to 8 ft. heavy B&B			
8 to 10 ft. heavy			
10 to 12 ft. heavyB&B	20.00	N	
Lagerstroemia indica rubra. Red Crapen	yrtle.	12'	
18 to 24 in. from pots	1.25	1.00	

	1-4 Each	5-24 Each	25 & up Each
Larix europea. European Larch. 60'			
4 to 5 ftB&B	5.00	4.00	
5 to 6 ftB&B	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B	10.00	7.50	
laricina. American Larch. 50'			
3 to 4 ftB&B	5.00		
6 to 8 ftB&B			
8 to 10 ftB&B			
10 to 12 ftB&B	15.00		
leptolepis. Japanese Larch. 50'			
4 to 5 ftB&B	5.00	4.00	
5 to 6 ft	6.00	5.00	
6 to 8 ftB&B	7.50	6.00	
8 to 10 ftB&B		7.50	
10 to 12 ftB&B	15.00	12.50	
12 to 14 ftB&B	20.00		
Laurocerasus officinalis schipkaensis. 10)*		
12 to 15 in., 4 in pots	1.00	.75	
18 to 24 inB&B	1.50	1.25	1.00
24 to 30 in	2.00	1.50	
Lespedeza bicolor. Shrub Bushclover. 6'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
formosa syn. penduliflorum. Purple			
2 year	.50	.40	
3 year	.60	.50	
formosa albiflora. Japanese Bushclor		.50	.10
2 year	.60	.50	.40
2 year	.00	.50	.10
Leucothoe catesbael. Drooping Leucothoe.	4"		
15 to 18 inB&B	2.50	2.25	2.00
18 to 24 inB&B	3.00	2.50	2.25
24 to 30 inB&B	4.00		
Libocedrus decurrens. Incense Cedar. 10	0°		
18 to 24 inB&B	2.25	2.00	
24 to 30 inB&B	3.00	2.50	
3 to 3½ ftB&B	4.50	3.50	
4 to 5 ft	6.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

			25.6
	1-4 Each	5-24 Each	25 & up Each
Ligustrum acuminatum. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
comming turns magnessmann R'. L.	Dubuit	101	
acuminatum macrocarpum. Bigberry			0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
amurense. Amur Privet. 15'			
18 to 24 in	.25	.18	.15
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.55	.45	.35
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.80	.75
	2.00	100	
ibolium. Ibolium Privet. 8'			
18 to 24 in	.25	.18	.12
2 to 3 ft	.30	.20	.15
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.45	.40
ibota. Ibota Privet. 10'			
2 to 3 ft	.30	.20	.15
3 to 4 ft	.35	.25	.20
4 to 5 ft	.50	.40	.35
4 00 5 10	.50	.40	.50
ibota nanum. Pygmy Privet. 6'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
4 to 5 ft	.60	.45	.40
ibota regelianum. Regel Privet. 6'			
18 to 24 in. spd	.40	.35	.30
24 to 30 in. spd	.50	.40	.35
2½ to 3 ft. spd	.75	.60	.50
3 to 4 ft. spd	1.25	1.00	.00
	1.75	1.50	
4 to 5 ft. spd	1.75	1.50	
lodense. Dwarf Privet. 3'			
12 to 15 in	.35	.30	.25
15 to 18 in	.45	.35	.30
18 to 24 in	.55	.45	.40
24 to 30 in	.65	.55	.50
ovalifolium. California Privet. 10'			
18 to 24 in	.20	.10	.08
24 to 30 in	.25	.12	.10
# 10 00 mm	0		

	1-4 Each	5-24 Each	25 & up Each
Ligustrum	Euch	Eden	Lucii
ovalifolium variegatum. Golden Prive	et. 10	,	
15 to 18 in	.40	.30	.25
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
3 to 4 ft	.60	.50	.40
	.00	.00	.10
vulgare. European Privet. 12'			
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.25
4 to 5 ft	.50	.40	
5 to 6 ft	.65	.55	.50
vulgare foliosum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.50	.40	.35
vulgare leucocarpum. Yellowberry Pr	inot	12'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.40	
4 to 5 ft	.65	.50	,
5 to 6 ft	.75	.60	
0 00 0 100 0			
Lindera benzoin. (See Benzoin aestivale).			
*Liquidambar formosana. Formosa Sweets	7.4.1.440	eo!	
8 to 10 ft	10.00	00	
10 to 12 ft	15.00		
10 to 12 it	15.00		
*styraciflua. Sweetgum. 60'			
6 to 8 ft	3.00	2.75	
8 to 10 ft	3.75	3.25	
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	4.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.50	
1¾ to 2 in	6.00	5.50	
2 to 2½ in	7.50	6.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	
3 to 3½ in	20.00	15.00	
4 to 5 in	35.00	30.00	
5 to 6 in	50.00		
*styraciflua aurea. Golden Sweetgum.	60'		
6 to 8 ft	7.50		
8 to 10 ft	10.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

*Liriodendron chinense. Chinese Tulip Tr.	1-4 Each	5-24 Each	25 & up Each
5 to 6 ft	6.00		
6 to 8 ft.	7.50		
*tulipifera. Tuliptree. 80' 6 to 8 ft	9.00	1 75	1.50
	2.00	1.75	1.50
	2.50	2.25	2.00
1½ to 1½ in	3.50	3.00	2.75
1½ to 1¾ in	4.50	3.75	3.50
1 ³ / ₄ to 2 in	5.00	4.50	
2 to 2½ in	7.50	6.00	
. –	12.50	10.00	
, · · -	20.00	15.00	
·-	25.00	18.00	
	35.00		
*tulipifera pyramidale. Pyramid Tulip		70 '	
6 to 8 ft	7.50		
	10.00		
9.67	12.50		
· · · · · ·	15.00		
2½ to 3 in			
3 to 3½ in	30.00		2.5
Lonicera alseuosmoides.			
2 year	.75	.60	.50
bella albida. White Belle Honeysuckl	e. 10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
bella rosea. Belle Honeysuckle, 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
billardi. 8'		.00	1.00
3 to 4 ft	.50	.40	.35
	.65	.55	
4 to 5 ft	.65 .75	.55 .65	
5 to 6 ft.			.00
browni plantierensis. Orange Honeysu	.50	4' .40	.35
2 year	.60	.50	
3 year	.00	.50	
caprifolium. Sweet Honeysuckle. 10'	50	.40	.30
2 year	.50	.40	.30

	1-4 Each	5-24 Each	25 & up Each
Lonicera			
chrysantha. Coralline Honeysuckle. 10			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
conjugialis. 8'			
3 to 4 ft	.50	.40	
4 to 5 ft	.75	.60	.50
dioica. Limber Honeysuckle. 10'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
fragrantissima. Winter Honeysuckle.	8"		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
fuchsioides.			
2 year	.75	.65	.60
gracilipes. Spangled Honeysuckle. 6'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.65	.60
heckrotti. Everblooming Honeysuckle.	<i>15</i> ′		
2 year	.50	.40	.30
henryi. Henry Honeysuckle. 15'			
2 year	.75	.60	.50
hirsuta. Hairy Honeysuckle. 15'			
2 year	.50	.40)
3 year	.60	.50)
japonica. Japanese Honeysuckle. 15'			
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica halleana. Hall Japanese Hon	neysuci	kle. 20	,
2 year	.25	.20	.15
3 year	.35	.25	.18
japonica reticulata aurea.			1
Yellow Japanese Honeysuckle	e. 15'		£.
2 year	.45	.35	.25

	1-4 Each	5-24 Each	25 & up Each
Lonicera	20011	20011	20011
kesselringi. Black fruited Honeysuckle.	10'		
2 to 3 ft	.50	.40	
3 to 4 ft	.75	.50	
koehneana. 12'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
korolkowi floribunda. Broad Blueleaf	Hone	an suckla	. 10 '
2 to 3 ft	.60	.50	. 45
3 to 4 ft	.75	.60	.55
4 to 5 ft	1.00	.75	
ledebouri. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.75	.50	.00
		.00	
maacki. Amur Honeysuckle. 10'	E0	40	2.5
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75 1.00	.60 .75	.50 .60
5 to 6 ft	1.25	1.00	.75
		1.00	.10
maacki podocarpa. Late Honeysuckle.	8'	50	45
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
morrowi. Morrow Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
morrowi. (Yellow Fruited). 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 f	.75	.65	.60
muendeniensis. Muenden Honeysuckle.	8 '		
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
nitida. 3'			
6 to 12 in	.50	.40	.30

	1-4	5-24 Each	25 & up Each
Lonicera	Each	Edch	Eden
periclymenum belgica. Dutch Woodbi	ne. 18	5 '	
2 year	.40	.30	.25
3 year	.50	.40	.35
pileata. Privet Honeysuckle. 2'			
6 to 12 in	.60	.50	.40
prolifera syn. sullivanti. Grape Hone	ysuckl	e. 5'	
3 year	.60	.45	.35
quinquelocularis. Mistletoe Honeysuck	le. 10	P	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.25	1.00	
ruprechtiana. Manchurian Honeysucki	!e. 10'	•	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
saccata. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
sempervirens. Trumpet Honeysuckle.	15 '		
2 year	.40	.30	.25
3 year	.50	.40	.30
spinosa alberti. Thorn Honeysuckle. 2	•		
12 to 15 in	.45	.35	.30
15 to 18 in	.55	.45	.40
18 to 24 in	.75	.60	.55
standishi. δ'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	.65
syringantha. Lilac Honeysuckle. 4'			
15 to 18 in., 4 in. pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	1.00
syringantha wolfi. Wolf Honeysuckle	. 6'		
15 to 18 in., 4 in. pots	1.00	.75	
2 to 3 ft., field grown	1.50	1.25	

Lonicera	1-4 Each	5-24 Each	25 & up Each
	10'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.75	
tatarica alba. White Tatarian Honeysu	ckle.	<i>10</i> ′	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
tatarica grandiflora. Pink Tatarian H	oneus	uckle.	10 '
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
tatarica lutea. Yellow Tatarian Honeys			
3 to 4 ft	.75	. 10	
tatarica siberica. Siberian Honeysuck	le. 10)*	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
tellmanniana.			
2 year	1.00	.90	
thibetica. Tibetan Honeysuckle. 4'			
2 year	1.25	1.00	
verna. 5'			
2 year	.50	.35	.30
virginalis alba. Maiden Honeysuckle.	10'		
2 to 3 ft	.40	.30	.25
3 to ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
xylosteum. Fly Honeysuckle. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50

1-4 Each	5-24 Each	25 & up Each
Lycium chinense. Chinese Matrimony Vine. 5'		
2 to 3 ft	.25	.20
3 to 4 ft	.30	.25
halimifolium. Common Matrimony Vine. 6'		
2 to 3 ft	.25	.20
3 to 4 ft	.30	.25
Lyonia ligustrina He-Huckleberry. 12'		
18 to 24 in 1.50	1.25	
24 to 30 in 2.00	1.75	
Maackia amurensis. Amur Maackia. 40'		
2 to 3 ft 1.50		
3 to 4 ft		
Maclura pomifera. Osage-orange. 30'		
4 to 5 ft	.50	
5 to 6 ft 1.00	.75	
6 to 8 ft 1.25	1.00	
The second of th		
Magnolia acuminata. Cucumber Tree. 70'	0.50	
4 to 5 ftB&B 3.00	2.50	
5 to 6 ft	4.00	
6 to 8 ftB&B 7.50	6.00	
8 to 10 ft	7.50	
10 to 12 ftB&B 12.50	10.00	
conspicua. Yulan. 50'		
4 to 5 ftB&B 10.00		
5 to 6 ftB&B 12.50		
6 to 8 ft		
8 to 10 ft		
fraseri. Fraser Magnolia. 50'		
5 to 6 ft		
6 to 8 ftB&B 12.50		
8 to 10 ft		
glauca syn. virginiana. Sweethay. 25'		
2 to 3 ft	2.50	2.00
3 to 4 ft	3.50	3.00
4 to 5 ft	4.50	4.00
5 to 6 ft	6.00	5.50
6 to 8 ft	8.00	
8 to 10 ft	10.00	
10 to 12 ft	15.00	12.50

	1-4 Each	5-24 Each	25 & up Each
Magnolia	Eden	Edch	Edch
hypoleuca. Silver Magnolia. 50'			
4 to 5 ftB&B	10.00	7.50	
5 to 6 ftB&B	12.50	10.00	
6 to 8 ftB&B	15.00	12.50	
8 to 10 ftB&B	20.00	17.50	
10 to 12 ftB&B	25.00	20.00	
kobus. 30'			
4 to 5 ftB&B	5.00	4.50	4.00
5 to 6 ftB&B	7.50	6.50	6.00
6 to 8 ftB&B	10.00	9.00	8.50
8 to 10 ftB&B	12.50	11.00	10.00
8 to 10 ft. specB&B	20.00		
Larger sizes quoted on request.			
lennei. Lenne Magnolia. 20'			
2 to 3 ftB&B	4.00		
3 to 4 ftB&B	6.00		
4 to 5 ftB&B	7.50		
5 to 6 ftB&B	10.00		
6 to 8 ftB&B	15.00		
8 to 10 ftB&B	20.00		
macrophylla. Large-leaved Cucumber-	tree.	50 '	
macrophylla. Large-leaved Cucumber-8 to 10 ft		<i>50'</i>	
	20.00	<i>50</i> ′	
8 to 10 ft	20.00	50 '	
8 to 10 ftB&B	20.00 25.00	<i>50'</i> 7.50	
8 to 10 ft	20.00 25.00 10.00		
8 to 10 ft	20.00 25.00 10.00 12.50	7.50	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00	7.50	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00	7.50	
8 to 10 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B	20.00 25.00 10.00 12.50 15.00 20.00	7.50	
8 to 10 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B salicifolia. Anise Magnolia. 30' 8 to 10 f ⁺ . B&B	20.00 25.00 10.00 12.50 15.00 20.00	7.50	
8 to 10 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B salicifolia. Anise Magnolia. 30'	20.00 25.00 10.00 12.50 15.00 20.00 25.00	7.50	
8 to 10 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B salicifolia. Anise Magnolia. 30' 8 to 10 f ⁺ . B&B soulangeana. Saucer Magnolia. 20'	20.00 25.00 10.00 12.50 15.00 20.00 25.00	7.50 10.00	
8 to 10 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B salicifolia. Anise Magnolia. 30' 8 to 10 f ⁺ . B&B soulangeana. Saucer Magnolia. 20' 3 to 4 ft. B&B	20.00 25.00 10.00 12.50 15.00 20.00 25.00 5.00 6.50	7.50 10.00	
8 to 10 ft. B&B 10 to 12 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B salicifolia. Anise Magnolia. 30' 8 to 10 f ⁺ . B&B soulangeana. Saucer Magnolia. 20' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B	20.00 25.00 10.00 12.50 15.00 20.00 25.00 5.00 6.50 10.00 12.50	7.50 10.00 4.00 5.00	
8 to 10 ft. B&B 10 to 12 ft. B&B parviflora. Oyama Magnolia. 30' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B salicifolia. Anise Magnolia. 30' 8 to 10 f ⁺ . B&B soulangeana. Saucer Magnolia. 20' 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B	20.00 25.00 10.00 12.50 15.00 20.00 25.00 5.00 6.50 10.00 12.50	7.50 10.00 4.00 5.00	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00 20.00 5.00 6.50 10.00 12.50 25.00	7.50 10.00 4.00 5.00	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00 20.00 5.00 6.50 10.00 12.50 25.00	7.50 10.00 4.00 5.00	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00 20.00 5.00 6.50 10.00 12.50 25.00	7.50 10.00 4.00 5.00 7.50	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00 20.00 5.00 6.50 10.00 12.50 25.00 6.00	7.50 10.00 4.00 5.00 7.50	
8 to 10 ft	20.00 25.00 10.00 12.50 15.00 20.00 5.00 6.50 10.00 12.50 25.00 6.00 7.50	7.50 10.00 4.00 5.00 7.50	

	1-4 Each	5-24 2 Each	25 & up Each
Magnolia			
stellata rosea. Pinkstar Magnolia. 15'			
2 to 3 ft. B&B 3 to 4 ft. B&B 4 to 5 ft. B&B 5 to 6 ft. B&B 6 to 8 ft. B&B	12.50 15.00		٥
tripetala. Umbrella Magnolia. 30'			
5 to 6 ft	6.00	5.50	5.00
6 to 8 ftB&B	7.50	6.50	6.00
	10.00	7.50	
10 to 12 ftB&B	12.50	10.00	
virginiana. (See glauca)			
Mahonia aquifolium. Oregon Hollygrape.	5 '		
18 to 24 inB&B	2.00	1.75	1.50
24 to 30 inB&B	2.50	2.25	2.00
30 to 36 inB&B	3.00	2.75	2.50
repens. Creeping Mahonia. 1'			
12 to 15 inB&B	2.00	1.75	1.50
15 to 18 inB&B	2.25	2.00	1.75
Malus adstringens. 12'			
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
angustifolia. Southern Crab. 25'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
arnoldiana. Arnold Crab. 12'			4 00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
baccata. Siberian Crab. 30'	1.50	1.05	1.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	3.00	$\frac{2.50}{4.00}$	2.00 3.50
8 to 10 ft	5.00		3.50
10 to 12 ft	10.00	7.50	

PAINESVILLE, OHIO			85
	1-4 Each	5-24 Each	25 & up Each
lus			
baccata mandshurica. Manchurian (
3 to 4 ft		1.50	1.25
4 to 5 ft		1.75	1.50
5 to 6 ft		2.50	2.00
6 to 8 ft	4.00	3.50	3.00
brevipes. 12'			
3 to 4 ft		1.25	1.00
4 to 5 ft		1.50	1.25
5 to 6 ft		2.00	
6 to 8 ft	3.50	3.00	
coronaria. Wild Sweet Crab. 30'			
3 to 4 ft		1.25	1.00
4 to 5 ft		1.50	1.25
5 to 6 ft		1.75	1.50
6 to 8 ft		3.00	2.50
8 to 10 ft		4.50	
10 to 12 ft	10.00	7.50	
coronaria Charlotte. 15'			
3 to 4 ft		1.50	1.25
4 to 5 ft		2.00	
5 to 6 ft		2.50	
6 to 8 f.t	3.50	3.00	
8 to 10 ft		4.00	
10 to 12 ft	10.00	7.50	
dolga. 15'			
4 to 5 ft		1.50	
5 to 6 ft		1.75	
6 to 8 ft		2.50	
8 to 10 ft		4.00	
10 to 12 ft		7.50	
Elisa Rathke. Weeping Flg. Apple.	8 '		
3 to 4 ft. spread			
4 to 5 ft. spread			
5 to 6 ft. spread	5.00		
6 to 8 ft. spread	6.00		
florentina. Florentine Crab. 20'			
4 to 5 ft.		2.00	
5 to 6 ft		2.50	
floribunda. Japanese Flowering Crab	. 20'		
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft		1.50	1.25
5 to 6 ft		1.75	
6 to 8 ft		3.00	
8 to 10 ft	5.00	4.50	

	1-4 Each	5-24 Each	25 & up Each
Malus	Eden	Lacii	Lucii
floribunda atrosanguinea. Carmine C	rab.	20 '	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	1.75	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
10 to 12 ft	10.00	7.50	
8 to 10 ft. spec	12.50		
floribunda lemoinei. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
fusca. Oregon Crab. 20'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
glaucescens. Dunbar Crab. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	
halliana. Hall Crab. 15'			
4 to 5 ft	6.00		
6 to 8 ft	7.50		
8 to 10 ft	10.00		
halliana parkmani. Parkman Crab. 1	5'		
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.25	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	4.50	4.00	3.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
hopa. Red Flowering Crab. 12'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	6.00	5.00	

No. lean	1-4 Each	5-2 4 Each	25 & up Each
Malus			
ioensis. Prairie Crab. 25'	4 85	1 50	1.05
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
ioensis bechteli. Bechtel Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
micromalus. Midget Crab. 10'			
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
niedzwetzkyana. Redvein Crab. 20'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	2.00
Oekonemurat Echtermeyer. 15'	0.00	1.00	
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.50	3.00	2.50
6 to 8 ft	5.00	4.00	3.50
8 to 10 ft	6.00	5.00	3.50
	0.00	3.00	
purpurea. Purple Crab. 15'	1.50	1.05	1.00
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	
purpurea aldenhamensis. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.50	4.00

	1-4 Each	5-24 Each	25 & up Each
Malus			
purpurea eleyi. Eley Flowering Crab.	15'	*	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.50	3.00	2.75
8 to 10 ft	5.00	4.00	
prunifolia rinki. Chinese Apple. 15'			
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.00	3.50
10 to 12 ft	10.00	7.50	
robusta. Cherry Crab. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
robusta fastigiata. 15'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
robusta persicifolia. 12'	• .		
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
sargenti. Sargent Crab. 6'			
3 to 4 ft	2.00	1.75	1.50
4 to 5 ft	2.50	2.00	1.75
5 to 6 ft	3.00	2.75	2.50
6 to 8 ft	4.00	3.50	
scheideckeri. Scheidecker Crab. 20'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft	2.50	2.25	
6 to 8 ft	4.00	3.50	

		1-4 Each	5-24 Each	25 & up Each
Malus		Edch	Edch	Euch
sieboldi.	Toringo Crab. 15'			
3 to	4 ft	1.50	1.25	1.00
4 to	5 ft	1.75	1.50	1.25
5 to	6 ft	2.00	1.75	1.60
6 to	8 ft	3.00	2.75	2.50
8 to	10 ft	5.00	4.00	
10 to	12 ft	10.00	7.50	
spectabil	is. Chinese Flowering Crab.	15 '		
3 to	4 ft	1.50	1.25	
4 to	5 ft	1.75	1.50	
5 to	6 ft	2.50	2.00	
6 to	8 ft	3.50	3.00	
8 to	10 ft	5.00	4.00	
spectabil	is alba plena. Dbl. White Cl	hinese C	rab. 1	5 '
3 to	4 ft	1.75	1.50	
4 to	5 ft	2.25	2.00	
5 to	6 ft	3.00	2.50	
6 to	8 ft	4.00	3.50	
8 to	10 ft	5.00		
sublobat	a. Yellow Autumn Crab. 12'			
4 to	5 ft	2.00	1.75	
5 to	6 ft	2.50	2.25	
6 to	8 ft	3.50	3.00	
8 to	10 ft	5.00	4.50	
theifera.	Tea Crab. 20'			
4 to	5 ft	2.00	1.50	
5 to	6 ft	2.75	2.25	
6 to	8 ft		3.50	
8 to	10 ft	5.00		
theifera	rosea. 20'			
4 to	5 ft	2.25	2.00	1.75
5 to	6 ft	2.75	2.50	2.25
6 to	8 ft	4.00	3.50	3.00
8 to	10 ft	6.00	5.00	
10 to	12 ft	10.00	7.50	
	les. Cutleaf Crab. 15'			
	4 ft		1.50	
4 to	5 ft		1.75	
5 to	6 ft		2.25	
: 6 to	8 ft			
. 8 to	10 ft	5.00		

4.4	1-4 Each	5-24 Each	25 & up Each
Malus			
tschonoski. 20'			
3 to 4 ft	1.75	1.50	
4 to 5 ft	2.00	1.75	
5 to 6 ft	3.00	2.50	
yunnanensis veitchi. 25'			
3 to 4 ft	1.75	1.50	1.25
4 to 5 ft	2.00	1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
zumi. Zumi Crab. 12'		4 70	4.05
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	6.00	5.00	
10 to 12 ft	10.00	7.50	
zumi calocarpa. 15'		4 =0	4.00
4 to 5 ft	1.75	1.50	1.25
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.50	
Morus alba pendula. Weeping Mulberry.	<i>10</i> ′		
3 yr. heads, 5 to 7 ft. stems	3.00		
alba tatarica. Russian Mulberry. 60'			
5 to 6 ft	.75	.60	
6 to 8 ft	1.00	.85	.75
8 to 10 ft	1.50	1.25	
1½ to 1¾ in	2.00	1.75	
1¾ to 2 in	2.50	2.25	
2 to 2½ in	3.50	3.00	
Myrica carolinensis. Northern Bayberry.	5 '		
18 to 24 in	.75	.60	.50
24 to 30 in	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
cerifera. Southern Waxmyrtle. 5'			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.75	.65
3 to 4 ft. heavyB&B	4.00		
4 to 5 ft. heavy	5.00		
gale. Sweetgale. 4'			
18 to 24 in	2.00	1.50	
2 to 3 ftB&B	2.50	2.00	

oursit was to a second of the	1-4 Each	5-24 Each	25 & up Each
Nandina domestica. Nandina. 8'			
18 to 24 inB&B	2.50	2.00	
Neillia longeracemosa. 10'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
sinensis. Tube Neillia. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
Nemopanthus mucronatus. Mountain Hol	lu. 10	,	
4 to 5 ft	2.00		
5 to 6 ft	3.00		
Neviusia alabamensis. Snow-wreath. 6'			
2 to 3 ft	1.25		
3 to 4 ft	1.50		
*Nyssa aquatica. Big Tupelo. 40'			
2 to 3 ft	2.00		
3 to 4 ft	3.00		
*sylvatica. Tupelo. 40'			
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.00	3.00	
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
8 to 10 ft	10.00	7.50	
10 to 12 ft	15.00	12.50	
Ostrya virginiana. American Hophornbean	m. 40'		
5 to 6 ft	1.75	1.50	
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.50	3.00	
10 to 12 ft	5.00	4.50	
*Oxydendrum arboreum. Sourwood. 40'			
2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	3.50	2.50	2.00
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.50	5.50	4.50
10 to 12 ft	10.00	7.50	
Pachistima canbyi. Canby Pachistima. 1'			
3 inch pots	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Paeonia suffruticosa. Tree Peony. 6'	0.00	0.50	
8 to 10 in., 3 year	3.00	2.50	
Paulownia tomentosa. Royal Paulownia.	30 '		1 ,
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	
10 to 12 ft	7.50		
Periploca graeca. Silk Vine. 30'			
2 year	.50	.40	.30
3 year	.60	.50	.40
Perowskia atriplicifolia. 4'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	2.00	1.50	
Phellodendron amurense. Amur Corktree.	50 '		
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.50	2.25	2.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.75	2.50
13/4 to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	5.50	4.50	
lavallei. 30'			
8 to 10 ft	4.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00		
sachalinense. Sakhalin Corktree. 50'			
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.50	4.00	
Philadelphus Albatre. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	
Argentine. 5'			
2 to 3 ft	.50	.40	
3 to 4 ft	.60	.50	
Avalanche. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
Banniere. 8'			
2 to 3 ft	.40	.30	
3 to 4 ft	.50	.40	.30
Bouquet Blanc. 5'			4.5
2 to 3 ft	.50	.45	
3 to 4 ft	.60	.55	.50

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	Lucii	Lucii	Lucii
coronarius. Sweet Mockorange. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
coronarius aureus. Golden Mockorange	. 4'		
18 to 24 in	.65	.55	.50
24 to 30 in	.75	.65	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
coronarius nanus. 4'			
12 to 15 in	.60	.50	
15 to 18 in	.75	.60	
18 to 24 in	1.00	.75	
coronarius multiflorus plenus. 6'			
2 to 3 ft	.50	.40	.30
Dame Blanche, 6'			
2 to 3 ft	.50	.40	.30
dianthiflorus plenus. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
falconeri. Star Mockorange. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
	.10	.00	.00
Favorite. 10'	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
	.00	.50	.40
Gerbe de Neige. 6'	4.5		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
Glacier. 5'			
2 to 3 ft	.40	.35	
3 to 4 ft	.50	.45	.40
4 to 5 ft	.75	.60	

	1-4 Each	5-24 Each	25 & up Each
Philadelphus			
gordonianus. Gordon Mockorange. 12'		-	
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
grandiflorus. Big Scentless Mockorange	e. 8'		
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
incanus. Gray Mockorange. 10'			
2 to 3 ft	1.00	.75	
	1.00		
lemoinei erectus. 5'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.45
lewisi. Lewis Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
Magdalene. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	
nepalensis. Nepal Mockorange. 10'		40	
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60 .75	
6 to 8 ft	1.00	.10	.00
nivalis. Snowbank Mockorange. 10'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
5 to 6 ft	.75	.60	
6 to 8 ft	1.00	.85	.75
Norma. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.41)
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.75	.60

	1-4 Each	5-24 Each	25 & up Each
Philadelphus	Eden	Eden	Lucii
Ophelia. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
Pavillon Blanc. 8'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
pyramidale. 6'			
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	
sericanthus. Silk Mockorange. 12'			
3 to 4 ft	1.50	1.25	
Sybille. 5'			
2 to 3 ft	.60	.45	
virginal. 8'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
Voie Lactee. 6'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
zeyheri. Zeyher Mockorange. 10'			
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	
Photinia villosa. 8'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.50	3.00	2.50
villosa laevis. 15'			
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.50	
6 to 8 ft	3.00	2.50	

Physocarpus intermedius parvifolius. Da	1-4 Each warf Ni	5-24 Each nebark.	25 & up Each
2 to 3 ft		.40	.35
3 to 4 ft		.50	.45
	00	.00	,10
monogynus. 3'	2 50		
2 to 3 ft	. 3.50		
opulifolius. Ninebark. 10'			
2 to 3 ft		.30	.25
3 to 4 ft		.35	.30
4 to 5 ft		.50	.40
5 to 6 ft		.60	.50
6 to 8 ft	. 1.00	.85	.75
opulifolius luteus. Goldleaf Ninebark	. 10'		
2 to 3 ft	40	.30	.25
3 to 4 ft	45	.35	.30
4 to 5 ft	60	.50	.40
5 to 6 ft	75	.60	.50
6 to 8 ft	. 1.00	.85	.75
opulifolius nanus. 5'			
2 to 3 ft	50	.40	.30
3 to 4 ft		.50	.40
4 to 5 ft		.60	.50
Picea alba. White Spruce. 50'			
2 ftB&F	3 2.50	2.00	1.75
3 ftB&I	3.50	3.00	2.50
4 ftB&I	3 5.00	4.50	3.75
5 ftB&I	3 6.50	5.50	5.00
6 ftB&I	3 7.50	6.50	6.00
7 ftB&I	3 10.00	8.50	7.50
8 ftB&I	3 15.00	12.50	10.00
9 ftB&I	3 18.50	15.00	
10 ftB&F	3 25.00	20.00	
For larger sizes to 20 ft., add \$5	5.00 per	foot.	
alba gloriosa. 30'			
2 ftB&I	3 7.50		
3 ftB&I	B 10.00		
4 ftB&l	B 12.50		
5 ftB&I	B 15.00		
6 ft	B 18.00		
alcockiana. Alcock Spruce. 75'	The second		
10 ftB&l	B 40.00		
For larger sizes to 15 ft., add \$5	5.00 per	foot.	

Disease	1-4 Each	5-24 Each	25 & up Each
canadensis. Black Hills Spruce. 60'			
2 ftB&B	2.50	2.00	1.75
3 ft	3.50	2.75	2.25
4 ft	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ft	9.00	7.50	0.00
7 ft	12.50	10.00	
8 ftB&B	15.00	12.50	
9 ftB&B	18.50	15.00	
10 ftB&B	25.00	20.00	
For larger sizes to 18 ft., add \$5.0	00 per	foot.	
engelmanni. Engelmann Spruce. 75'			
3 ftB&B	10.00	7.50	
10 ftB&B			
For larger sizes to 16 ft., add \$5.0	0 per	foot.	
excelsa. Norway Spruce. 75'			
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	2.75	2.50
4 ftB&B	5.00	4.00	3.75
5 ftB&B	6.50	5.50	5.00
6 ft	8.50	7.50	6.50
7 ftB&B		10.00	7.50
8 ftB&B		12.50	
9 ftB&B		15.00	
For larger sizes to 25 ft., add \$5.0	0 per	foot.	
excelsa aurea. Golden Norway Spruce.	. 75'		
3 ftB&B		8.00	
4 ftB&B		10.00	
5 ftB&B		12.50	
6 ftB&B			
7 ftB&B			
For larger sizes to 12 ft., add \$5.0	0 per	foot.	
excelsa clanbrasiliana. 7'			
18 inB&B	6.50		
2 ftB&B	8.00		
excelsa maxwelli. Maxwell Spruce. 6'			
18 to 24 inB&B	7.50	6.00	
	10.00	7.50	
30 to 36 inB&B	12.50	10.00	
36 to 42 inB&B	15.00	12.50	
42 to 48 inB&B	20.00	15.00	

	1-4	5-24	25 & up
Disease	Each	Each	Each
Picea	. "		
excelsa nana compacta. Dwarf Spruc	e. 4' 7.50	6.00	5.00
18 to 24 inB&B		7.50	6.00
24 to 30 in	12.50	10.00	8.00
36 to 42 in		12.50	10.00
42 to 48 in		12.00	10.00
		Y	,,
excelsa nana pyramidalis. Pyramidal	6.00	pruce.	4"
18 in	7.50		
3 ft			
excelsa pendula. Weeping Spruce. 20		4.50	
3 ftB&B	5.00	4.50	
4 ftB&B	7.50	6.00 8.00	
5 ftB&B	10.00	10.00	
6 ftB&B	12.50		
For larger sizes to 12 ft., add \$5.			
excelsa pygmea. Pygmy Norway Spri			
18 to 24 inB&B	6.00	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B		7.50	
36 to 42 inB&B	15.00		
excelsa remonti. Remont Spruce. 6'			
18 to 24 inB&B	6.50	5.50	
24 to 30 inB&B	7.50	6.50	
30 to 36 inB&B		8.50	7.50
36 to 42 inB&B		10.00	
42 to 48 inB&B	15.00	12.50	
glauca conica. Dwarf Alberta Spruce.	6'		
2½ ftB&B	7.50	6.00	5.50
3 ftB&B	10.00	7.50	6.50
4 ftB&B			
mariana. Black Spruce. 30'			
7 ftB&B	10.00	7.50	+
8 ftB&B	12.50	10.00)
9 ftB&B	15.00		
mariana doumeti. Doumet Spruce. 2			
2 ftB&B		4.00	
3 ftB&B		5.00	
4 ftB&B			

5 ft.B&B 10.00

	1-4 Each	5-24 Each	25 & up Each
Picea	Lucii	Lucii	Lucii
omorika. Serbian Spruce. 50'			
3 ftB&B	7.50	6.50	6.00
4 ftB&B	10.00	9.00	8.00
5 ftB&B	12.50	10.00	
6 ftB&B	15.00		
orientalis. Oriental Spruce. 75'			
2 ftB&B	4.00	3.75	
3 ftB&B	5.00	4.75	
4 ftB&B	7.50	6.50	
15 ftB&B	50.00		
polita. Tigertail Spruce. 75'			
2 ftB&B	4.00	3.50	3.00
3 ftB&B	5.00	4.50	4.00
4 ftB&B	7.50	6.00	
For larger sizes to 16 ft., add \$5.0	0 per	foot.	
pungens. Colorado Spruce. 60'			
3 ftB&B	3.75	3.25	3.00
4 ft	5.00	4.50	4.00
5 ftB&B	7.50	6.00	5.00
6 ft	10.00	7.50	6.00
7 ftB&B	12.50	10.00	7.50
8 ftB&B	15.00	12.50	
For larger sizes to 18 ft., add \$5.0	0 per	foot.	
pungens glauca. Blue Colorado Spruce	. 60'		
2 ftB&B	4.00	3.50	3.00
3 ft	6.00	5.00	4.50
4 ft	7.50	7.00	6.50
5 ftB&B	10.00	9.00	8.00
6 ftB&B	15.00	12.50	10.00
7 ftB&B	18.00	15.00	12.50
8 ftB&B	25.00	20.00	17.50
9 ftB&B	35.00	30.00	
For larger sizes to 20 ft., add \$5.0	00 per	foot.	
pungens kosteri. Koster Blue Spruce.	<i>50</i> °		
2 ftB&B	6.00	5.50	5.00
2½ ftB&B	7.50	6.50	6.00
3 ftB&B	9.00	8.00	7.50
3½ ftB&B	10.00	9.00	8.50
4 ftB&B	12.00	11.00	10.00
4½ ftB&B	14.00	13.00	12.00

	1-4 Each	5-24 2 Each	25 & up Each
Picea pungens kosteri.			
5 ftB&B	16.00	15.00	14.00
5½ ftB&B		16.00	15.00
6 ftB&B		18.00	16.00
7 ftB&B	25.00	20.00	18.00
8 ftB&B	30.00	25.00	20.00
For larger sizes to 25 ft., add \$10.	00 per	foot.	
pungens moerheimi. 40'			
2½ ftB&B	7.00	6.50	
3 ftB&B	8.50	8.00	
3½ ftB&B	12.00	10.00	
4 ftB&B	15.00	12.50	
rubra. Red Spruce. 60'			
8 ftB&B	12.50		
9 ftB&B			
10 ftB&B	20.00		
Pieris floribunda. Mountain Andromeda.	4'		
18 to 24 inB&B	4.00	3.50	3.25
24 to 30 inB&B	5.50		
japonica. Japanese Andromeda. 10'			
15 to 18 inB&B	3.00	2.50	
18 to 24 inB&B		3.00	
24 to 30 inB&B			
mariana. Staggerbush. 4'			
18 to 24 in	3.00	2.50	
24 to 30 in		3.00	
30 to 36 inB&B		3.50	
36 to 42 inB&B		4.50	
Pinus banksiana. Jack Pine. 60'			
4 ftB&B	6.00	5.00	4.50
5 ftB&E		6.50	5.50
6 ftB&B		7.50	6.50
7 ftB&E	10.00	8.50	7.50
8 ftB&E		12.50	
9 ftB&E		15.00	
	2250	18.00	
10 ftB&E For larger sizes to 18 ft., add \$5	, 22.50 .00 per		10.00
	per	2000	
bungeana. Lacebark Pine. 60'		4.50	
2 ftB&E	5.00	4.50	
cembra. Swiss Stone Pine. 70'			
2 ftB&E	3 10.00		

Pinus	1-4 Each	5-24 Each	25 & up Each
densiflora. Japanese Red Pine. 60'			
3 ftB&B	3.50	3.00	2.75
4 ft	5.00	4.50	4.00
5 ft	6.50	5.50	5.00
6 ft	7.50	6.50	6.00
7 ft	10.00	7.50	
8 ft	12.50	10.00	
For larger sizes to 17 ft., add \$5.0	00 per	foot.	
flexilis. Limber Pine. 30'			
3 ftB&B	6.00	5.00	4.50
4 ft	7.50	6.50	
5 ftB&B	10.00	8.50	
6 ft	12.50	10.00	
7 ftB&B	15.00	12.50	
For larger sizes to 16 ft., add \$5.0	00 per	foot.	
montana. Swiss Mountain Pine. 10'			
18 inB&B	3.00	2.75	2.50
2 ftB&B	3.50	3.25	3.00
2½ ft	4.50	4.25	4.00
3 ft	6.50	5.50	5.00
3½ ftB&B	10.00	8.00	7.50
	15.00	12.50	10.00
5 ftB&B	20.00	15.00	12.50
6 ft			
7 ftB&B	35.00		
montana mughus. Dwarf Mountain Pi	ne. 4'		
15 to 18 in. spd B&B	2.75	2.50	2.25
18 to 24 in. spd B&B	3.50	3.00	2.75
2 to 2½ ft. spd B&B	4.50	4.00	3.75
2½ to 3 ft. spd B&B	6.50	5.50	5.00
3 to 3½ ft. spd B&B	8.50	7.50	6.50
	10.00	9.00	8.00
	15.00	12.50	10.00
5 to 6 ft. spd B&B		12.50	
6 to 7 ft. spd B&B			

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Pinus	1-4 Each	5-24 Each	25 & up Each
nigra. Austrian Pine. 50'			
3 ftB&B	5.00	4.50	4.00
4 ftB&B	7.50	6.50	5.50
5 ftB&B	8.50	7.50	6.50
6 ftB&B	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
For larger sizes to 25 ft., add \$5	.00 pei	foot.	
peuce. Balkan Pine. 20'			
2 ftB&B	7.50		
ponderosa. Western Yellow Pine. 60'			= 00
4 ftB&B	6.00	5.50	
5 ftB&B	7.50	6.50	
6 ftB&B	10.00	9.00	
For larger sizes to 18 ft., add \$5.	00 per	foot.	
parviflora. Japanese White Pine. 50'			
2 ftB&B	5.00		
resinosa. Red Pine. 50'			
3 ftB&B	5.00	4.00	
4 ftB&B	6.00	5.00	4.50
5 ftB&B	7.50	7.00	
6 ft	10.00	8.50	7.50
7 ft	15.00	12.50	10.00
8 ft	18.00	15.00	12.50
9 ftB&B	22.50	18.00	15.00
For larger sizes to 18 ft., add \$5.	00 per	foot.	
strobus. White Pine. 75'			
5 ftB&B	7.50	6.50	6.00
6 ft	10.00	8.50	7.50
7 ftB&B	15.00	12.50	10.00
8 ftB&B	18.00	15.00	12.50
For larger sizes to 20 ft., add \$5	.00 per	foot.	
sylvestris. Scotch Pine. 50'			
3 ftB&B	4.00	3.50	3.00
4 ftB&B		4.50	4.00
5 ftB&B	7.00	6.00	5.50
6 ft	8.50		6.50
7 ftB&B	12.50	10.00	00.8
8 ftB&B	15.00	12.50	10.00
9 ftB&B	18.00	15.00	12.50
10 ft	22.50	18.00	15.00
11 ftB&B	27.50	22.5	18.00
For larger sizes to 18 ft., add \$5.	.00 per	foot.	

Pinus	1-4 Each	5-24 Each	25 & up Each
thunbergi. Japanese Black Pine. 60'	Edcn	Edch	Edch
3 ftB&B	5.00		
4 ftB&B	7.50		
5 ftB&B	10.00		
6 ftB&B			
Platanus occidentalis. American Planetree.	75'		
8 to 10 ft	2.50	2.00	1.75
1¼ to 1½ in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.75	3.25	3.00
1¾ to 2 in	5.00	4.00	
2 to 2½ in	6.50	5.50	
orientalis. European Planetree. 80'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1¼ to 1½ in	3.00	2.50	2.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.75
13/4 to 2 in	4.00	3.75	3.50
2 to 2½ in	6.00	5.00	4.50
2½ to 3 in	10.00	7.50	6.00
Polygonum auberti. China Fleecevine. 25'			
2 year	.50	.45	.40
Populus alba. White Poplar. 60'			
10 to 12 ft	1.75	1.50	
13/4 to 2 in	3.00	2.50	
2 to 2½ in	3.50	3.00	
alba nivea. Silver Poplar. 90'			
8 to 10 ft	2.25	2.00	
10 to 12 ft	3.00	2.75	
2 to 2½ in	6.50	5.50	
2½ to 3 in	7.50	6.50	
berolinensis. Volga Poplar. 40'			
8 to 10 ft	2.50	2.25	2.00
11/4 to 11/2 in	3.00	2.75	2.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.25	3.00
1¾ to 2 in	5.00	4.00	3.50
2 to 2½ in	7.50	6.00	
bolleana. Bolleana Poplar. 50'			
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.50	2.00	1.75
1½ to 1¾ in	3.50	3.00	2.50
13/4 to 2 in	4.50	4.00	3.50
2 to 2½ in	6.50	5.50	5.00
2½ to 3 in	10.00	7.50	6.50

	1-4 Each	5-2 4 Each	25 & up Each
Populus			
certinensis. Certinensis Poplar. 40'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.00	
10 to 12 ft	3.00	2.50	
$1\frac{3}{4}$ to 2 in	4.00	3.50	
2 to $2\frac{1}{2}$ in	6.50	5.00	
maximowiczi. Japanese Poplar. 40'			
8 to 10 ft	3.00	2.50	
10 to 12 ft	3.50	3.00	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
2 to $2\frac{1}{2}$ in	6.50	5.00	
nigra betulifolia. $60'$			
$1\frac{1}{2}$ to 2 in	5.00	4.00	
2 to 2½ in	7.50	6.00	
$2\frac{1}{2}$ to 3 in	10.00	7.50	
nigra italica. Lombardy Poplar. 60'			
6 to 8 ft	1.00	.75	.60
8 to 10 ft	1.25	1.00	.75
10 to 12 ft	1.50	1.25	1.00
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.00	1.60	1.35
1¾ to 2 in	3.00	2.50	2.00
2 to $2\frac{1}{2}$ in	4.00	3.00	2.50
2½ to 3 in	5.00	4.00	3.50
3 to 3½ in	7.50	6.00	
simoni. Simon Poplar. 35'			
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	1.00
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	1.75	1.50	
1½ to 1¾ in	2.00	1.75	
$1\frac{3}{4}$ to 2 in	3.00	2.50	
2 to 2½ in	4.00	3.00	
suaveolens przewalski. 40'			
2½ to 3 in	5.00	4.00	
3 to 3½ in	7.50	6.50	
tremuloides. Quaking Aspen. 50'			
8 to 10 ft	2.75	2.25	
10 to 12 ft	3.50	3.00	
1¾ to 2 in	4.00	3.50	
2 to $2\frac{1}{2}$ in	5.00	4.50)
$2\frac{1}{2}$ to 3 in	6.00		
3 to $3\frac{1}{2}$ in	7.50		

	1-4	5-24	25 & up Each
Populus	Each	Each	Edch
trichocarpa. Black Cottonwood. 40'			
10 to 12 ft	2.75	2.25	1.75
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.00	2.50	
1 ³ / ₄ to 2 in	3.50	3.00	
2 to 2½ in	4.00	3.50	
2½ to 3 in	5.00	4.00	
Potentilla fruticosa. Shrubby Cinquefoil.	4'		1
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
Prinsepia sinensis. Cherry Prinsepia. 6'			
9 to 12 in., from pots	1.25	1.00	
Prunus americana. American Plum. 20'			
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
americana Newport. Purple-leaved Ar	merican	Plum.	20'
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.25	1.10	1.00
6 to 8 ft	1.75	1.65	1.50
armeniaca sibirica. Siberian Apricot.	12'		
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
*avium plena. Double White Flowerin	g Cher	ry. 30	,
6 to 8 ft	3.50	3.00	4
8 to 10 ft	5.00	4.00	
10 to 12 ft	6.00	5.00	
3 to 4 in. specimens	25.00		
besseyi. Bessey Cherry. 8'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
cerasifera pissardi. Purpleleaf Plum.	12'	1	
4 to 5 ft	.85	.75	.65
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.75	1.65	1.50
8 to 10 ft	2.50	2.00	

	1-4 Each	5-24 Each	25 & up Each
Prunus	EGCII	Eddi	Eden
cistena. Purpleleaf Sand Cherry. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.65
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	.90
demissa. Western Chokecherry. 30'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
dunbari. Dunbar Plum. 6'			
2 to 3 ft	.85	.70	.60
3 to 4 ft	1.00	.85	.75
4 to 5 ft	1.25	1.10	1.00
5 to 6 ft	1.50	1.25	
glandulosa. Flowering Almond. 10'			
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
glandulosa albiplena. Double Whiteflo	rvering	Almo	nd. 6'
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50		
glandulosa sinensis. Double Pinkflowe	ring 2	11mond	. 6'
2 to 3 ft	.65	.50	.45
3 to 4 ft	.75	.65	.60
2 to 3 ft. own roots	1.50		
3 to 4 ft. own roots	2.00		
hortulana. Hortulan Plum. 30'			
4 to 5 ft	1.25	1.00)
5 to 6 ft	1.50	1.25	i
6 to 8 ft	2.00	1.50)
8 to 10 ft	2.50	2.00)
incisa. Mame Cherry. 15'			
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
6 to 8 ft	2.50	2.25	
8 to 10 ft	3.50	3.00	2.50
japonica. Chinese Bush Cherry. 12'			
2 to 3 ft	1.50	1.25	
3 to 4 ft,,	1.75	1.50	1.25

	1-4 Each	5-24 Each	25 & up Each
Prunus			
*lannesiana. Hitoye Cherry. 30'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
*lannesiana Amayadori. 30'			
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
*lannesiana Jonioi. 25'			
4 to 5 ft	2.50	2.00	
*lannesiana sirotae. Mt. Fuji Cherry.	25'		
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
maacki. Amur Cherry. 12'	••••		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft.	1.25	1.00	.75
maritima. Beech Plum. 12'	1.20	1.00	.10
2 to 3 ft	.65	.55	.45
3 to 4 ft	.75	.65	.55
4 to 5 ft.	1.00	.85	.00
moseri fl. pl. 12'	1.00	.00	
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.50	2.00	1.00
mume. Japanese Apricot. 15'	2.50	2.00	
5 to 6 ft	2.25	2.00	
6 to 8 ft	2.50	2.25	
mume. fl. pl. Dbl. Flg. Japanese Apr		15'	
5 to 6 ft.	3.00	10	
padus. European Bird Cherry. 30'	5.00		
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.35	1.10	1.00
8 to 10 ft	1.50	1.35	1.25
pennsylvanica. Pin Cherry. 25'	1.50	1.00	1.25
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
10 to 12 ft	3.00	2.50	2.25
	3.00	2.50	2.20
persica. (See Amygdalus).			

	1-4 Each	5-24 Each	25 & up Each
Prunus	Lucii	Lucii	
pumila. Sand Cherry. 5'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
serotina. Wild Black Cherry. 60'			
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
8 to 10 ft	1.50	1.25	1.00
10 to 12 ft	2.50	2.00	
*serrulata. Oriental Cherry. 40'			
5 to 6 ft	2.50	2.25	2.00
6 to 8 ft	3.00	2.75	2.50
8 to 10 ft	5.00	4.00	3.75
*serrulata Higantakura. Dbl. White F	lg. Ch	erry.	<i>30</i> ′
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00	
10 to 12 ft. specB&B	30.00		
*serrulata Hisakura. Dbl. Pink Flg. C		<i>30</i> ′	
4 to 5 ft	2.50	2.00	
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	
8 to 10 ft	6.00	5.00)
10 to 12 ft. specB&B	30.00		
*serrulata James H. Veitch, syn. Fug		<i>30</i> ′	
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00)
*s. James H. Veitch pendula. Dbl. Pi	$nk W_I$	og. Che	rry.
2 yr. hds., 3 to 5 ft. stem	10.00		
*serrulata sachalinensis. syn. Sargent	ti. Yam	a Cher	ry. 50'
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50)
*sieboldi, syn. Naden. Siebold Cherry.	. 40'		
5 to 6 ft	3.00	2.50	
6 to 8 ft	4.00	3.50	2.75
8 to 10 ft	6.00	5.00	0 4.00
10 to 12 ft	10.00	7.5	0

	1-4 Each	5-24 Each	25 & up Each
Prunus			
spinosa. Blackthorn. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.75	1.50
*subhirtella. Higan Cherry. 30'			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
	10.00	7.50	
	0'		
4 to 5 ft	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
*subhirtella autumnalis.			
Autumn Flowering Higan Cher	-		
5 to 6 ft	5.00	4.00	
6 to 8 ft	7.50	5.00	
	10.00		
10 to 12 ft., specB&B			
*subhirtella pendula. Weeping Higan	Cherry		
2 yr. hds., 4 to 6 ft. stem	5.00	4.00	
tomentosa. Nanking Cherry. 8'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.85
triloba. Single Flowering Plum. 10'			
4 to 5 ft	2.50	2.25	2.00
5 to 6 ft	3.50	3.25	3.00
triloba plena. Double Flowering Plum.	10 '	00	
3 to 4 ft	.75	.60	
4 to 5 ft	$1.00 \\ 1.25$.75 1.00	
5 to 6 ft	1.25	1.00	.00
virginiana. Chokecherry. 30'	60	.50	.40
3 to 4 ft	.60 .75	.60	
4 to 5 ft	1.00	.75	
6 to 8 ft	1.25	1.00	
8 to 10 ft	1.50	1.25	
0 f0 to 10	1.00		1.00

Prunus	1-4 Each	5-24 Each	25 & up Each
*yedoensis. Yoshino Cherry. 35'			
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft	10.00	7.50	
*yedoensis taizanfukun.			
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	6.00	5.00	4.00
10 to 12 ft. specB&B	30.00		
12 to 14 ft. spec	35.00		

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink

Gioiko-semi-double pale yellow

Hata-zakura-semi-double white

Horaisan-double pink

Hosokawanioi—semi-double flesh

Kuramayami—double pink

Kwanzan—syn. Sekiyama—double deep pink

Miyako-double pink

Shirofugen—double light pink

Shogetsu—double soft pink

Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

Pseudotsuga douglasi. Douglas Fir. 70'

2	ft.	B&B	2.50	2.25	2.00
3	ft.	B&B	3.50	3.00	2.75
4	ft.	B&B	5.50	4.50	3.75
5	ft.	B&B	7.50	6.00	5.00
6	ft.	B&B	8.50	7.50	6.00
7	ft.	B&B	10.00	8.50	7.50
8	ft.	B&B	15.00	12.50	10.00
9	ft.	B&B	18.50	15.00	12.50
10	ft.	B&B	22.50	18.50	15.00

For larger sizes to 25 ft., add \$5.00 per foot.

	1-4 Each	5-24 Each	25 & up Each
Pseudolarix kaempferi. Golden Larch. 50		Eden	Eden
9 ftB&B	40.00		
10 ft	50.00		
Th. 1 . 1 . 1 . 1			
Ptelea trifoliata. Hoptree. 20'			
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
6 to 8 ft	1.25	1.00	.75
Pterocarya stenoptera. Chinese Wingnut.	40'		
5 to 6 ft			
6 to 8 ft			
Pterostyrax corymbosa. Little Epaulette-t	ree. 20) "	
3 to 4 ft	3.00	2.50	
4 to 5 ft	4.50	3.50	
Pueraria thunbergiana. Kudzu-bean. 40'			
2 year	.45	.30	.20
2 year	.40	.50	.40
Pyracantha (See Crataegus).			
Pyrus betulaefolia. Birch Leaf Pear. 20'			
6 to 8 ft	3.50	3.00	
calleryana. Callery Pear. 20'			
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
salicifolia. Willowleaf Pear. 30'		,	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
serrulata. 20'	0.00	2.00	
	2.00	9 50	
6 to 8 ft	$\frac{3.00}{3.50}$	$\frac{2.50}{3.00}$	
8 to 10 ft	3.30	3.00	
Quercus alba. White Oak. 75'			
6 to 8 ft	4.50	4.00	
1¼ to 1½ in	5.50	5.00	
1½ to 1¾ in	6.50	6.00	
1 ³ / ₄ to 2 in	8.50	7.50	
2 to 2½ in	12.50	10.00	
2½ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in		20.00	
5/2 00 1 111	20.00	20.00	

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST,

Quercus			1-4 Each	5-24 Each	25 & up Each
bicolor.	Swam	p White Oak. 60'			
6	to 8	ft	4.50	4.00	
11/4	to 1½	in	5.50	5.00	
11/2	to 13/4	in	6.50	6.00	
13/4	to 2	in	8.50	7.50	
2	to 2½	in	12.50	10.00	
$2\frac{1}{2}$	to 3	in	15.00	12.50	
3	to 3½	in	20.00		
31/2	to 4	in	25.00		
coccinea	. Scarle	et Oak. 75'			
6	to 8	ft	4.00	3.50	3.00
1 1/4	to 1½	in	5.00	4.50	4.00
11/2	to 13/4	in	6.00	5.50	5.00
1 3/4	to 2	in	10.00	7.50	6.00
2	to 2½	in	12.50	10.00	
$2\frac{1}{2}$	to 3	in	15.00	12.50	
3		in	20.00	15.00	
31/2		in	25.00		
4	to 4½	in	35.00		
lyrata.	Overcup	o Oak. 75'			
3	to 3½	in	20.00		
$3\frac{1}{2}$	to 4	in	25.00		
macroca	arpa. M	lossycup Oak. 75'			
$1\frac{1}{2}$	to 13/4	in	6.00	5.50	
$1\frac{3}{4}$	to 2	in	7.50	6.50	
2	to 2½	in	12.50	10.00	
2 1/2	to 3	in	15.00	12.50	
3	to 3½	in	20.00	15.00	
$3\frac{1}{2}$	to 4	in	25.00	20.00	
4	to 4½	in	35.00		
palustri	s. Pin	Oak. 75'			
6	to 8	ft	2.50	2.25	2.00
1 1/4	to 1½	in	3.00	2.75	2.50
1 1/2	to 13/4	in	3.75	3.25	3.00
$1\frac{3}{4}$	to 2	in	5.50	5.00	4.50
2	to 21/2	in	8.50	7.50	6.00
$2\frac{1}{2}$	to 3	in	12.50	10.00	7.50
3	to 3½	in	15.00	12.50	10.00
$3\frac{1}{2}$	to 4	in	20.00	15.00	12.50
4	to 5	in	30.00	25.00	
5	to 6	in	40.00		

Quercus	1-4 Each	5-24 Each	25 & up Each
phellos. Willow Oak. 40'			
6 to 8 ft	8.50	7.50	6.50
1¼ to 1½ in	10.00	8.50	7.50
1½ to 1¾ in	12.50	10.00	
13/4 to 2 in		12.50	
5 to 6 in			
prinus. Chestnut Oak. 50'			
6 to 8 ft	4.50	4.00	3.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	5.50	5.00	4.50
1½ to 1¾ in	7.50	6.00	5.50
1¾ to 2 in	10.00	7.50	
2 to 2½ in	12.50	10.00	
$2\frac{1}{2}$ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
3½ to 4 in	25.00		
robur. English Oak. 80'			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.50	5.50	5.00
2 to $2\frac{1}{2}$ in	12.50	10.00	7.50
2½ to 3 in	15.00	12.50	10.00
3 to $3\frac{1}{2}$ in	20.00	15.00	
3½ to 4 in	25.00		
4 to 4½ in	35.00		
robur fastigiata. Pyramidal English O		,	
2½ to 3 inB&B			
3 to $3\frac{1}{2}$ in			
3½ to 4 inB&B			
4 to 4½ inB&B	75.00		
rubra. Red Oak. 75'			
6 to 8 ft	3.50	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	3.75	3.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.50	5.00	4.50
1¾ to 2 in	7.50	6.50	6.00
2 to $2\frac{1}{2}$ in	10.00	8.50	7.50
2½ to 3 in	15.00	12.50	10.00
3 to $3\frac{1}{2}$ in	20.00	15.00	
3½ to 4 in		20.00	
4 to $4\frac{1}{2}$ in	35.00		

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

	1-4 Each	5-24 Each	25 & up Each
Quercus			
texana. 75'			
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	7.50	6.00	5.50
1¾ to 2 in	10.00	7.50	
2 to 2½ in	12.50	10.00	
$2\frac{1}{2}$ to 3 in	15.00	12.50	
3 to 3½ in	20.00	15.00	
$3\frac{1}{2}$ to 4 in	25.00	20.00	
4 to 4½ in	35.00		
velutina. Black Oak. 70'			
6 to 8 ft	5.00	4.00	
1¼ to 1½ in	6.00	5.00	
1½ to 1¾ in	10.00	7.50	
1¾ to 2 in	12.50	10.00	
2 to 2½ in	15.00	12.50	
$2\frac{1}{2}$ to 3 in	20.00		
Retinospora. (See Chamaecyparis).			
Rhamnus caroliniana. Carolina Buckthorn.	25'		
3 to 4 ft	.55	.45	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
cathartica. Buckthorn. 12'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.60	.55
6 to 8 ft	1.00	.85	.75
dahurica. Dahurian Buckthorn. 12'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	.85	.75
frangula. Glossy Buckthorn. 12'			
3 to 4 ft	.60	.45	.35
4 to 5 ft	.75	.55	.45
5 to 6 ft	.85	.65	.55
6 to 8 ft	1.25	.85	.75
8 to 10 ft	1.50	1.25	1.00
frangula asplenifolia. Fernleaf Rhamn			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.50	3.00	
5 to 6 ft	4.00	3.50	
6 to 8 ft	4.50	4.00	

	PAINESVILLE, OHIO			115
Rhamnus	tirtes vieze, orno	1-4	5-24	25 & up
koraiensis. 12'		Each	Each	Each
		1.00	.90	.75
		1.50	1.25	1.00
		1.75	1.50	1.25
		2.00	1.75	1.50
purshiana. Cascar		2.00	1.10	1.50
		.60	.45	.35
		.75	.55	.45
		.85	.65	.55
		1.25	.85	.75
		1.50	1.25	1.00
spathulaefolia. 6'		1.50	1.20	1.00
_		2.00	1.50	
		2.50	2.00	
utilis. 10'	• • • • • • • • • • • • • • • • • • • •	2.50	2.00	
		1.50	1.25	
		2.00		
		2.00	1.50	
wilsoni. 10'		1 75	1.50	
	• • • • • • • • • • • • • • • • • • • •	1.75	1.50	
	· · · · · · · · · · · · · · · · · · ·	2.00	1.75	
Rhododendron carolin				6'
	B&B	4.50	4.00	3.75
	wba Rhododendron.	8'		
	B&B	4.50	4.00	3.50
	B&B	6.00	5.00	4.75
	ay Rhododendron. 18			
	B&B	4.00	3.50	3.00
	B&B	5.00	4.50	4.00
	B&B	7.50		
Rhodotypos kerrioides				0.5
		.50	.40	.35
		.60	.45	.40
		.75	.60	.50
Rhus canadensis. Fra	grant Sumac. 6'			
		.50	.45	.40
3 to 4 ft		.60	.55	.50
4 to 5 ft		.75	.65	.60
5 to 6 ft		1.00	.80	.75
copallina. Shining	Sumac. 20'			
2 to 3 ft		.55	.45	.40
3 to 4 ft		.65	.55	.50
4 to 5 ft		.75	.65	.60
5 to 6 ft		1.00	.80	.75
6 to 8 ft		1.50	1.25	1.00
8 to 10 ft	• • • • • • • • • • • • • • • • • • • •	1.75	1.50	1.25

	1-4	5-24	25 & up
Rhus	Each	Each	Each
cotinus. Purple Fringe or Smoketree.	12'		
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	2.00	1.75	1.50
6 to 8 ft	2.50	2.25	2.00
8 to 10 ft	2.75	2.50	
glabra. Smooth Sumac. 12'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
javanica syn. osbecki. Java Sumac. 1	8 '		
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	2.00	1.75	
8 to 10 ft	3.00	2.50	
trilobata. Lemonade Sumac. 3'			
18 to 24 in	.75	.60	
typhina. Staghorn Sumac. 25'			
2 to 3 ft	.35	.30	.25
3 to 4 ft	.40	.35	.30
4 to 5 ft	.50	.45	.40
5 to 6 ft	.60	.55	.50
typhina laciniata. Shredded Sumac. 28	5 '		
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	
Ribes alpinum. Mountain Currant. 4'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	
aureum. Slender Golden Currant. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
fasciculatum. Winterberry Currant. 4	,		
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.45	.40
3 to 4 ft	.75	.60	.50

	1-4 Each	5-24 Each	25 & up Each
Ribes	Lucii	Lucii	Eden
gordonianum. Gordon Currant. 8'			
3 to 4 ft	.75	.60	
sanguineum. Ruby Winter Currant. 8'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
Robinia Elliotti. 5'			
3 to 4 ft	3.00		
fertilis. 25'	0.00		
6 to 8 ft	4.00	3.50	
	1.00	0.00	
globosa. Globe Locust. 3 yr. hds., 5 to 6 ft. stems	5.00		
3 yr. hds., 6 to 8 ft. stems	7.50		
hispida. Rose Acacia.	1.00		
2 yr. standard, 3 to 4 ft	1.75	1.50	
2 yr. standard, 4 to 5 ft	2.00	1.75	
Bush form, 2 to 3 ft.	1.50	1.70	
holdti. Holdt Locust. 25'	1.00		
6 to 8 ft	3.50		
	5.50		
kelseyi. Kelsey Locust. 8' 5 to 6 ft.	4.00	2.50	3.00
5 to 6 ft	4.00 5.00	3.50 4.50	4.00
8 to 10 ft	6.00	5.50	5.00
neomexicana. New Mexico Locust. 10'		5.50	5.00
3 to 4 ft	2.50	2.00	
	2.00	2.00	
pseudoacacia. Common Locust. 60' 5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.50 .75
8 to 10 ft	2.00	1.50	1.00
10 to 12 ft	3.00	2.50	1.00
pseudoacacia bessoniana. Besson Locu			
4 to 5 ft.	3.00	2.50	
5 to 6 ft	4.00	3.50	
6 to 8 ft	5.00	4.50	
8 to 10 ft	6.00	5.50	
pseudoacacia decaisneana. Decaisne L	ocust	40"	
5 to 6 ft	3.50	70	
6 to 8 ft	4.00		
8 to 10 ft	5.00		
pseudoacacia Marguerite. 10'			
5 to 6 ft	4.50	4.00	
3 10 0 20 11 11 11 11 11 11 11 11 11 11 11 11 11			

helenae. Helen Rose. 6'

helenae fl. pl. Dbl. Helen Rose 6'
3 to 4 ft.

.40

.50

.50

.60

1.50

.30

.40

	1-4 Each	5-24 Each	25 & up Each
Rosa			
hugonis. Hugonis Rose. 6'			
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55
humilis. Pasture Rose. 5'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
laevigata. Cherokee Rose. 10'			
15 to 18 in	1.00		
lucida. Virginia Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
marreti. Marret Rose. 6'			
3 to 4 ft	1.25	1.00	.75
maximowicziana jacki. Jack Rose.	6'		
2 to 3 ft	1.50		
moyesi. Moyes Rose. 10'			
2 to 3 ft	1.25	1.00	
	1.20	1.00	
multiflora. Japanese Rose. 8'	50	.35	.25
2 to 3 ft	.50 .55	.30	.20
4 to 5 ft	.60	.50	.40
		.50	.40
	6'	E0.	40
3 to 4 ft	.60	.50	.40
nitida. Bristly Rose. 3'			
18 to 24 in	.40	.35	.30
2 to 3 ft	.50	.45	.40
3 to 4 ft	.75	.60	.50
palustris. Swamp Rose. 8'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.40
pendulina. (See Alpina)			
rouletti.			
12 to 15 in., 4 in. pots	.75	.60	.50
15 to 18 in., F. G	.60	.50	.40
rubiginosa. Sweetbriar. 6'	4.0		
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50	.40	.35
4 to 5 ft	.60	.50	.40

Rosa	1-4 Each	5-24 2 Each	25 & up Each
rubiginosa hybrids. Lady Penzano	e, Lo	rd Per	ızance,
Green Mantle, Lucy Ashton, . Flora McIvor. 6'.			
2 to 3 ft	.75	.60	
3 to 4 ft	1.00	.75	
rubrifolia. Redleaf Rose. 6'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
rugosa. Rugosa Rose. 6'			
18 to 24 in	.45	.35	.30
2 to 3 ft	.60	.45	
rugosa alba. White Rugosa Rose. 6'			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	
rugosa hybrids. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.10
Varieties:— Blanche de Coubert, C. F. Meyer Agnes Carmen, New Century, Mad. Geo. Bruant, Mrs. Anth Belle Poitevine, Sir Thomas I Agnes, F. J. Grootendorst.	Nova nony	Zembl Watere	a, r,
rugosa hyb.—climbing. Max Graf.	.75	.60	
rugosa repens. Creeping Rugosa Rose.	1'		
2 year	1.50	1.25	1.00
3 year	1.75	1.50	1.25
sericea. 4'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
setigera. Prairie Rose. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.40	.35
4 to 5 ft	.50	.45	.40
spinosissima altaica. Altai Rose. 4'			
18 to 24 in	.50	.40	.35
2 to 3 ft	.60	.50	.45
3 to 4 ft	.75	.60	.55

	1-4 Each	5-24 Each	25 & up
Rosa	Edch	Edch	Each
spinosissima hispida. Bristly Scotch R	ose. 6'		
2 to 3 ft	.75		.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
spinosissima hybrids. 5'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
Dbl. Blush, Dbl. White, Dbl. Pink	, Fulge	ens. Sg	l. Red,
Sgl. Pink.			
watsoniana. Watson Rose. 6'			
3 to 4 ft	1.25	1.00	
wichuraiana. Wichurian Rose. 2'			
2 year	.40	.35	.30
3 year	.50	.45	.40
wichuraiana hybrids. 2'			
2 year	.75	.60	.50
Jersey Beauty, Sweetheart, University	ersal E	avor-	
ite, Manda's Triumph, South Ora	nge P	erfec-	
tion, Evergreen Gem.			

ROSES

Hybrid Perpetuals. 2 year No. 1	
Anne de Diesbach	J. B. Clark
Baroness Rothchild	Mme. Albert Barbier
Baron de Bonstettin	Mrs. John Laing
Earl of Dufferin	Magna Charta
Clio	M. P. Wilder
Eugene Furst	Margaret Dickson
Frau Karl Druschki	Paul Neyron
Gen. Jacqueminot	Tom Wood
Geo. Arends	Ulrich Brunner
Hybrid Tea. 2 year No. 1	
Hybrid Tea. 2 year No. 1 Betty Uprichard	
Betty Uprichard	Madame Butterfly
Betty Uprichard Chas. K. Douglas	Madame Butterfly Mrs. Henry Bowles
Betty Uprichard Chas. K. Douglas Etoile de France	Madame Butterfly Mrs. Henry Bowles Mrs. Henry Morse
Betty Uprichard Chas. K. Douglas Etoile de France Gruss an Teplitz	Madame Butterfly Mrs. Henry Bowles Mrs. Henry Morse Pres. Hoover
Betty Uprichard Chas. K. Douglas Etoile de France Gruss an Teplitz Jonkheer J. L. Mock	Madame Butterfly Mrs. Henry Bowles Mrs. Henry Morse Pres. Hoover Radiance
Betty Uprichard Chas. K. Douglas Etoile de France Gruss an Teplitz Jonkheer J. L. Mock Killarney	Madame Butterfly Mrs. Henry Bowles Mrs. Henry Morse Pres. Hoover Radiance Rev. F. Page-Roberts

	1-4 Each	5-24 2 Each	5 & up Each
Rosa	Edch	Eden	Eden
Climbing roses. 2 year No. 1 American Beauty American Pillar Aviateur Bleriot Dr. W. Van Fleet Dorothy Perkins Excelsa	Mad. Gregoire Mary Wallace Paul's Scarlet Roserie Silver Moon Star of Persi	e t Climb a	er
Gardenia Hiawatha	White Doroth	y Perk	ms
Polyantha hybrids. 2 year No Else Poulsen Gloria Mundi Golden Salmon woodsi. Wood's Rose. 5'	o. 175 Ideal Katherine Ze Lafayette	.65 imet	
2 to 3 ft		.60 .75	.50 .60
xanthina Allard. 10' 2 to 3 ft. xanthina spontanea. 2 to 3 ft. xanthina spontanea.	rean Rose. 10' 2.00		
Rubus deliciosus. Boulder Raspber 2 to 3 ft	1.25 1.50	1.00 1.25	.75 1.00
2 year		.40	.35
2 to 3 ft		.35 .40	.30 .35
phoenicolasius. Wineberry. 8' 3 to 4 ft	1.00	.75	
Salix amygdaloides. Peachleaf W 2 to 3 ft	1.50 2.00	1.25 1.50	
babylonica. Babylon Weeping 6 to 8 ft. 8 to 10 ft. 1½ to 1½ in.	1.50 1.75 2.25	1.25 1.50 2.00	1.00 1.25
babylonica crispa. Ringleaf 6 to 8 ft. 8 to 10 ft.	3.50	3.00 3.50	2.50

babylonica dolorosa. Wisconsin Weeping Willow. 40' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 1.75 1.50 1.25 11/4 to 11/2 in. 2.25 2.00 1.75 babylonica salamoni. Salamon Weeping Willow. 50' 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50 11/4 to 11/2 in. 2.50 2.25 2.00 11/4 to 11/2 in. 2.50 2.25 2.00 11/4 to 11/2 in. 2.75 2.50 11/4 to 2 in. 3.50 3.00 2 to 21/2 in. 5.00 4.00 2 11/2 to 3 in. 7.50 5.00 3 to 31/2 in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 7.5 60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft 75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.50 1.25 1.00 1.25 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 1.50 1.25 1.00 11/4 to 11/2 in. 2.50 2.25 1.75 11/4 to 11/2 in. 2.50 2.25 1.75 11/4 to 11/4 in. 2.75 2.50 2.00 13/4 to 2 in. 3.00 2.75 2.50 2 to 21/2 in. 3.00 2.75 2.50 2 to 21/2 in. 3.00 2.75 2.50 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .55 .50 5 to 6 ft. shrub form .75 .65 .60 6 to 8 ft. shrub form .75 .65 .60 6 to 8 ft. shrub form .75 .65 .60 6 to 8 ft. shrub form .75 .65 .60 6 to 8 ft. shrub form .75 .65 .60 6 to 8 ft. shrub form .75 .65 .60	Salix	1-4 Each	5-24 2 Each	5 & up Each
6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft 1.75 1.50 1.25 1½ to 1½ in. 2.25 2.00 1.75 babylonica salamoni. Salamon Weeping Willow. 50' 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50 1¼ to 1½ in. 2.50 2.25 2.00 1½ to 1¾ in. 2.75 2.50 1¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 7.5 60 50 8 to 10 ft. 1.25 1.00 90 discolor. Pussy Willow. 20' 5 to 6 ft. 7.5 60 50 8 to 10 ft. 1.25 1.00 90 discolor. Pussy Willow. 20' 5 to 6 ft. 1.50 1.25 1.00 90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 90 doniana. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 1.50 1.25 1.00 1½ to 1¾ in. 2.75 2.50 2.50 2.50 2.50 1¾ to 1½ in. 3.00 2.75 2.50 1.50 6 to 8 ft. 1.50 1.25 1.00 1.50 1.25 1.50 1.50 6 to 8 ft. 1.50 1.50 1.25 1.50 1.50 1.25 1.00 1.50 1.25 1.50 1.50 1.50 1.25 1.50	babylonica dolorosa. Wisconsin Ween	ina Wi	11070 40) '
8 to 10 ft. 1.75 1.50 1.25 1½ to 1½ in. 2.25 2.00 1.75 babylonica salamoni. Salamon Weeping Willow. 50' 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50 1¼ to 1½ in. 2.50 2.25 2.00 1½ to 1¾ in. 2.75 2.50 1¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 7.5 60 50 8 to 10 ft. 1.25 1.00 90 discolor. Pussy Willow. 20' 5 to 6 ft. 7.5 60 50 8 to 10 ft. 1.25 1.00 90 discolor. Pussy Willow. 20' 5 to 6 ft. 1.50 1.25 1.00 90 dinana. 9' 4 to 5 ft. 1.50 1.25 1.00 90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 1.25 6 to 8 ft. 1.50 1.25 1.00 30 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form 5.55 .45 .40 4 to 5 ft. shrub form 5.55 .45 .40 4 to 5 ft. shrub form 5.55 .55 .50				
1½ to 1½ in. 2.25 2.00 1.75 babylonica salamoni. Salamon Weeping Willow. 50' 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50 1½ to 1½ in. 2.50 2.25 2.00 1½ to 1¾ in. 2.75 2.50 1¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 .50				
babylonica salamoni, Salamon Weeping Willow. 50' 6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50 1½ to 1½ in. 2.50 2.25 2.00 1½ to 1¾ in. 2.75 2.50 1¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 7.5 60 .50 6 to 8 ft. 1.00 .75 65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft. 7.5 60 .50 6 to 8 ft. 1.00 .80 65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.50 1.25 1.00 6 to 8 ft. 1.50 1.25 1.00 7 to 8 to 10 ft. 2.00 1.50 1.25 1¼ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .55 .50				
6 to 8 ft. 1.75 1.50 1.25 8 to 10 ft. 2.00 1.75 1.50 1½ to 1½ in. 2.50 2.25 2.00 1½ to 1¾ in. 2.75 2.50 1¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.50 1.25 1.00 Store of the septing Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 3.00 2.75 2.50 2 to 3 ft. 1.50 fragilis Perandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .55 .50 5 to 6 ft. shrub form .55 .55 .50				2110
8 to 10 ft. 2.00 1.75 1.50 1½ to 1½ in. 2.50 2.25 2.00 1½ to 1¾ in. 2.75 2.50 1¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1¼ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .55 .50 5 to 6 ft. shrub form .55 .55 .50				1.05
11/4 to 11/2 in. 2.50 2.25 2.00 11/2 to 13/4 in. 2.75 2.50 13/4 to 2 in. 3.50 3.00 2 to 21/2 in. 5.00 4.00 21/2 to 3 in. 7.50 5.00 3 to 31/2 in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft. 75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 11/4 to 11/2 in. 2.50 2.25 1.75 11/2 to 13/4 in. 2.75 2.50 2.00 13/4 to 2 in. 3.00 2.75 2.50 2 to 21/2 in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .55 .50 5 to 6 ft. shrub form .55 .55 .50				
1 1½ to 1¾ in. 2.75 2.50 1 ¾ to 2 in. 3.50 3.00 2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 8 to 10 ft. 1.75 1.50 1.25 6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. 1.75 1.50 1.25 1 ½ to 1½ in. 2.00 1.50 1.25 1 ½ to 1½ in. 2.50 2.25 1.75 1 ½ to 1¾ in. 2.75 2.50 2.00 1 ¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .50 5 to 6 ft. shrub form .55 .50 5 to 6 ft. shrub form .55 .50				
1 3/4 to 2 in. 3.50 3.00 2 to 2 1/2 in. 5.00 4.00 2 1/2 to 3 in. 7.50 5.00 3 to 3 1/2 in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. 7.5 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. 1.75 1.50 1.25 6 to 8 ft. 1.75 1.50 1.25 1 1/4 to 1 1/2 in. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1 1/4 to 1 1/2 in. 2.50 2.25 1.75 1 1/2 to 1 3/4 in. 2.75 2.50 2.00 1 3/4 to 2 in. 3.00 2.75 2.50 2 to 2 1/2 in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .50 5 to 6 ft. shrub form .55 .50 5 to 6 ft. shrub form .55 .50				2.00
2 to 2½ in. 5.00 4.00 2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft				
2½ to 3 in. 7.50 5.00 3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft	,			
3 to 3½ in. 10.00 7.50 caprea. Goat Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 1.00 5 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 3 ft. 1.50 <td>*** **** **** **** **** **** **** **** ****</td> <td></td> <td></td> <td></td>	*** **** **** **** **** **** **** **** ****			
caprea. Goat Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1.00 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 3 ft. 1.50 fragilis. Brittle Willow. 50' 1.50 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .	•			
5 to 6 ft	3 to 3½ in	10.00	7.50	
6 to 8 ft. 1.00 .75 .65 8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft	caprea. Goat Willow. 20'			
8 to 10 ft. 1.25 1.00 .90 discolor. Pussy Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 1.00 5 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.00 1.25 1.25 1.00 1.25 1.50 1.25 1.50 1.25 1.50 1.25 1.50 1.50 1.50 1.50 1.50 1.50 1.50		.75	.60	.50
discolor. Pussy Willow. 20' 5 to 6 ft. .75 .60 .50 6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1.75 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 .50 5 to 6 ft. shrub form .75 .65 .60				.65
5 to 6 ft	8 to 10 ft	1.25	1.00	.90
6 to 8 ft. 1.00 .80 .65 8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .55 .50 5 to 6 ft. shrub form .75 .65	discolor. Pussy Willow. 20'			
8 to 10 ft. 1.25 1.00 .90 doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.23 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 50 50 50 2 to 3 ft. 1.50 1.50 1.50 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 4 4 5 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 50 65 .60	5 to 6 ft	.75	.60	.50
doniana. 9' 4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.23 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 50' 50 1.50 fragilis repandens. 10' 1.50 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60	6 to 8 ft	1.00	.80	.65
4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .50 5 to 6 ft. shrub form .75 .65	8 to 10 ft	1.25	1.00	.90
4 to 5 ft. 1.50 1.25 1.00 5 to 6 ft. 1.75 1.50 1.25 6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .55 .50 5 to 6 ft. shrub form .75 .65	doniana. 9'			
5 to 6 ft		1.50	1.25	1.00
6 to 8 ft. 2.00 1.75 1.50 elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65	. , = 10			
elegantissima. Thurlow Weeping Willow. 50' 6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60				
6 to 8 ft. 1.50 1.25 1.00 8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65				1.00
8 to 10 ft. 2.00 1.50 1.25 1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65				1.00
1½ to 1½ in. 2.50 2.25 1.75 1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60				_
1½ to 1¾ in. 2.75 2.50 2.00 1¾ to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60				
13/4 to 2 in. 3.00 2.75 2.50 2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60				
2 to 2½ in. 4.00 3.50 3.00 fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60	- / -			
fragilis. Brittle Willow. 50' 2 to 3 ft. 1.50 fragilis repandens. 10' 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60	7 -			
2 to 3 ft		4.00	3.50	3.00
fragilis repandens. 10' 1.50 2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60				
2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60	2 to 3 ft	1.50		
2 to 3 ft. 1.50 incana. syn. rosmarinifolia. Rosemary Willow. 20' 3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60	fragilis repandens. 10'			
3 to 4 ft. shrub form .55 .45 .40 4 to 5 ft. shrub form .65 .55 .50 5 to 6 ft. shrub form .75 .65 .60		1.50		
4 to 5 ft. shrub form	incana. syn. rosmarinifolia. Rosemar	y Will	ow. 20'	
5 to 6 ft. shrub form	3 to 4 ft. shrub form	.55	.45	.40
5 to 6 ft. shrub form	4 to 5 ft. shrub form	.65	.55	.50
		.75	.65	.60
	6 to 8 ft. shrub form	1.00	.75	.70

	1-4 Each	5-24 Each	25 & up Each
Salix			
irrorata. Bluestem Willow. 12'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.00	1.50	1.25
jessoensis. $6'$			
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.25	1.75	1.50
5 to 6 ft	2.50	2.00	1.75
lucida. Shining Willow. 18'			
2 to 3 ft	1.50		
mandshurica. 30'			
2 to 3 ft	1.50	1.25	
3 to 4 ft	1.75	1.50	
matsudana. Hankow Willow. 35'			
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	75	
8 to 10 ft	1.25	1.00	.75
matsudana tortuosa. 20'			
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	1.75
mutabilis. 5'			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	
myricoides rigida. 9'			
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	
5 to 6 ft	1.75	1.50	
nigricans cotinifolia. 12'	1.10	1.00	1.20
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.00	
	2.00	2.00	1.10
niobe. Niobe Weeping Willow. 30'	1 75	1 50	1.25
6 to 8 ft	1.75	1.50	
8 to 10 ft	2.00	1.75	
10 to 12 ft	2.75 2.50	$\frac{2.50}{2.00}$	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in			
13/4 to 2 in	3.00	2.50	
2 to $2\frac{1}{2}$ in	4.00	3.50	
patula. 20'	1 -0		
3 to 4 ft	1.50		

	PAINESVILLE, OHIO			125
		1-4 Each	5-24 Each	25 & up Each
Sal	lix	Eden	Edeli	Lucii
	pentandra. Laurel Willow. 30'			
	6 to 8 ft	1.50	1.25	1.00
į	8 to 10 ft	1.75	1.50	1.25
1	1½ to 1½ in	2.00	1.75	1.40
	1½ to 1¾ in	2.25	2.00	1.60
	1¾ to 2 in	3.00	2.50	2.00
	purpurea nana. Dwf. Purple Osier. 5'			
	2 to 3 ft	.75	.60	.50
	3 to 4 ft	1.00	.75	.60
	4 to 5 ft	1.25	1.00	.75
	regalis. Royal Willow. 30'			
	5 to 6 ft	.90	.80	
	6 to 8 ft	1.25	1.00	
	8 to 10 ft	1.75	1.50	
	sieboldiana. Siebold Willow. 30'			
	6 to 8 ft	1.25	1.00	.90
	8 to 10 ft	1.75	1.50	1.25
	smithiana. 20'	1.50	1.05	
	2 to 3 ft	1.50	1.25	
	3 to 4 ft	1.75	1.50	
	5 to 6 ft	75	C.F.	=0
		.75	.65 .90	.50
	6 to 8 ft	1.00	.90	.75
	6 to 8 ft	1.25	1.00	.90
		1.75	1.50	1.25
	8 to 10 ft	2.00	1.75	1.40
	17	2.50	2.00	1.60
	1½ to 1¾ in	3.00	2.50	2.00
	vitellina britzensis. Bronze Golden Wi		30'	2.00
	6 to 8 ft	1.50	1.25	1.00
	8 to 10 ft	1.75	1.50	1.25
	1½ to 1¾ in	2.50	2.00	1.75
	13/4 to 2 in	3.00	2.50	1.75
	2 to 2½ in	3.50	3.00	
	vitellina glauca. Blue Russian Willow.	20'	0.00	
	5 to 6 ft	.75	.60	.50
	6 to 8 ft	1.00	.85	.75
	8 to 10 ft	1.50	1.25	1.00
	vitellina pendula. Golden Weeping W		40'	
	6 to 8 ft	1.75	1.50	1.25
	8 to 10 ft	2.00	1.75	1.50
	1½ to 1¾ in	2.50	2.25	2.00
	1¾ to 2 in	3.00	2.75	2.50

Salix wentworthi. 50' 8 to 10 ft. 1.50 1.25 1.00 1½ to 1¾ in. 2.25 2.00 1.50 1½ to 2 in. 2.75 2.50 2.00 2 to 2½ in. 3.50 3.00 2.50		1-4 Each	5-24 Each	25 & up Each
8 to 10 ft. 1.50	Salix			
1½ to 1¾ in. 2.25 2.00 1.50 1¾ to 2 in. 2.75 2.50 2.00 2 to 2½ in. 3.50 3.00 2.50 Sambucus canadensis. American Elder. 10' 2 to 3 ft	wentworthi. 50'			
13\(4 \to 2 \) in.	8 to 10 ft			
Sambucus canadensis. American Elder. 10' 2 to 3 ft	7-			
Sambucus canadensis. American Elder. 10' 2 to 3 ft	$1\frac{3}{4}$ to 2 in			
2 to 3 ft	2 to $2\frac{1}{2}$ in	3.50	3.00	2.50
3 to 4 ft				
\$\frac{4}{\text{ to } 5} \text{ ft.} \text{.65} \text{.55} \text{.60} \text{.65} \text{.75} \text{.65} \text{.60} \text{.65} \text{.60} \text{.65} \text{.60} \text{.65} \text{.60} \text{.60} \text{.60} \text{.60} \text{.60} \text{.60} \text{.60} \text{.60} \text{.65} \text{.60} \text{.65} \text{.55} \text{.65} \text{.55} \text{.65} \text{.55} \text{.55} \text{.65} \text{.55} \text{.55} \text{.65} \text{.55} \text{.55} \text{.65} \text{.55} \text{.55} \qu				
5 to 6 ft				
6 to 8 ft. 1.00 .85 .75 canadensis acutiloba. Cutleaved Elder. 10' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .55 .50 5 to 6 ft. .75 .65 .60 6 to 8 ft. 1.00 .85 .75 nigra. European Elder. 15' .60 .50 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .3 .4 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. .100 .75 .65 pubens leucocarpa. Yellow-fruited Elder. <td>4 to 5 ft</td> <td></td> <td></td> <td></td>	4 to 5 ft			
canadensis acutiloba. Cutleaved Elder. 10' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .55 .50 5 to 6 ft. .75 .65 .60 6 to 8 ft. 1.00 .85 .75 nigra. European Elder. 15' 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25				
2 to 3 ft	6 to 8 ft	1.00	.85	.75
3 to 4 ft	canadensis acutiloba. Cutleaved Elder.			
4 to 5 ft	2 to 3 ft			
5 to 6 ft. .75 .65 .60 6 to 8 ft. 1.00 .85 .75 nigra. European Elder. 15' .75 .60 .50 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .75 .50 pubens. Scarlet Elder. 8' .75 .65 .55 5 to 6 ft. .75 .65 .55 5 to 6 ft. .100 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' .4 .4 .5 .5 4 to 5 ft. .1.50 1.25 .5 .5 .5 5 to 6 ft. .1.75 .1.50 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 .5 <				
6 to 8 ft. 1.00 .85 .75 nigra. European Elder. 15' .75 .60 .50 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .75 .50 pubens. Scarlet Elder. 8' .75 .55 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' .60 .50 .45 4 to 5 ft. 1.50 1.25 .55 .50 .65 5 to 6 ft. 1.75 1.50 .65 .65 .55 5 to 6 ft. .75 .65 .55 .55 .55 .55 .55 .55 .55	4 to 5 ft			
nigra. European Elder. 15' 4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .00 .75 .65 pubens. Scarlet Elder. 8' .55 .50 .45 4 to 5 ft. .75 .65 .55 .55 .55 .55 5 to 6 ft. 1.50 1.25 .55	5 to 6 ft			
4 to 5 ft. .75 .60 .50 5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .75 .65 .60 nigra variegata. Variegated Elder. 10' .75 .65 .60 pubens. Scarlet Elder. 8' 8 8 8 8 8 8 8 8 9 .45	6 to 8 ft	1.00	.85	.75
5 to 6 ft. 1.00 .75 .60 6 to 8 ft. 1.25 1.00 .75 nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .00 .50 .45 pubens. Scarlet Elder. 8' .55 .	nigra. European Elder. 15'			
6 to 8 ft	4 to 5 ft	.75	.60	.50
nigra aurea. Golden European Elder. 15' 2 to 3 ft. .40 .30 .25 3 to 4 ft. .50 .40 .35 4 to 5 ft. .65 .50 .45 5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' 3 to 4 ft. .75 .50 pubens. Scarlet Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. .75 .65 .55 5 to 6 ft. .100 .75 .65	5 to 6 ft	1.00	.75	.60
2 to 3 ft	6 to 8 ft	1.25	1.00	.75
3 to 4 ft	nigra aurea. Golden European Elder.	15 '		
4 to 5 ft	2 to 3 ft	.40		
5 to 6 ft. .75 .65 .60 nigra variegata. Variegated Elder. 10' .75 .50 pubens. Scarlet Elder. 8' .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	3 to 4 ft	.50	.40	.35
nigra variegata. Variegated Elder. 10' 3 to 4 ft. .75 .50 pubens. Scarlet Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	4 to 5 ft			
3 to 4 ft	5 to 6 ft	.75	.65	.60
3 to 4 ft	nigra variegata. Variegated Elder. 10'			
3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65			.50)
3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	pubens. Scarlet Elder. 8'			
5 to 6 ft. 1.00 .75 .65 pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	3 to 4 ft	.60	.50	.45
pubens leucocarpa. Yellow-fruited Elder. 8' 4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	4 to 5 ft	.75	.65	.55
4 to 5 ft. 1.50 1.25 5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	5 to 6 ft	1.00	.75	.65
5 to 6 ft. 1.75 1.50 6 to 8 ft. 2.00 racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	pubens leucocarpa. Yellow-fruited Elde	r. 8'		
6 to 8 ft	4 to 5 ft	1.50	1.25	5
racemosa. European Red Elder. 8' 3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	5 to 6 ft	1.75	1.50)
3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	6 to 8 ft	2.00		
3 to 4 ft. .60 .50 .45 4 to 5 ft. .75 .65 .55 5 to 6 ft. 1.00 .75 .65	racemosa. European Red Elder. 8'			
5 to 6 ft 1.00 .75 .65		.60	.50	.45
	4 to 5 ft	.75	.65	.55
6 to 8 ft 1.25 1.00	5 to 6 ft	1.00	.75	.65
	6 to 8 ft	1.25	1.00)

	Each 1-4	Each 5-24	Each 25 & up
Sassafras variifolium. Sassafras. 50'		,	
6 to 8 ft	3.50	3.00	
8 to 10 ft	4.00	3.50	
10 to 12 ft	6.00	5.00	
Schizophragma hydrangeoides. 20'			
$Japanese\ Hydrangea$ -vine.			
from pots	1.00	.85	.75
Sciadopitys verticillata. Umbrella Pine. 60) ′		
10 ft. specB&B 1	.00.00		
Shepherdia argentea. Silver Buffaloberry.	15 '		
4 to 5 ft	1.00	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
Smilax rotundifolia. Horsebrier.			
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
Solanum dulcamara. True Bitterswect.			
2 year	.40	.30	.25
Sophora japonica. Chinese Scholartree 25'			
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.50	3.00	2.75
4 to 5 ft	5.00	4.50	4.00
5 to 6 ft	7.50	6.00	5.50
6 to 8 ftB&B	10.00	7.50	
5 to 6 ft. spec	10.00		
6 to 8 ft. spec	12.50		
vicifolia. Vetchleaf Sophora. 6'			
3 to 4 ftB&B	3.50		
Sorbaria aitchisoni. Kashmir False Spiraeo	ı. 8'		
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
arborea glabrata. 15'			
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	.85	.70	.60
6 to 8 ft	1.00	.85	.75
lindleyana. Lindley False Spiraea. 8'		4.5	4.0
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	

HENRY	KOHANKIE	G	SON

128 HENRY KOHANKIE & SON		5.04	25.5
	1-4 Each	5-24 Each	25 & up Each
Sorbaria			
sorbifolia. Ural False Spiraea. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.50	.45
5 to 6 ft	.75	.65	.60
Sorbus americana. American Mountain Ash	. 25'		
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.00	2.50	
8 to 10 ft	4.00	3.50	
1¼ to 1½ in	5.00	4.50	
aria latifolia. White Beam-tree. 40'			
6 to 8 ft	2.50	2.00	
8 to 10 ft	3.00	2.50	
1¼ to 1½ in	3.50	3.00	
1½ to 1¾ in	4.00	3.50	
13/4 to 2 in	5.00	4.50	
2 to 2½ in	6.50	5.50	
· -	60 '	0.00	
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.50	2.00
	3.50	3.00	2.50
1½ to 1½ in	4.00	3.50	3.00
1½ to 1¾ in		4.00	3.50
13/4 to 2 in	4.50		4.50
2 to 2½ in	6.00	5.00	
- /2 (0	10.00	7.50	6.50
0 00 0 /2 ==== 1111111111111111111111111111111	12.50	10.00	
0 /2 00 1 1111 1111111111111111111111111	20.00	15.00	
aucuparia columnaris. Columnar Mt.		40'	
8 to 10 ft	7.50		
aucuparia fastigiata. Pyramidal Mt. A		0"	
8 to 10 ft	7.50		
commixta. Japanese Mountain Ash. 25	,		
6 to 8 ft	3.00	2.50	
8 to 10 ft	3.50	3.00	
10 to 12 ft	4.00	3.50	
quercifolia. Oak-leaf Mountain Ash. 25	,		
6 to 8 ft	2.75	2.25	2.00
8 to 10 ft	3.50	2.75	2.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	3.00
1½ to 1¾ in	5.00	4.50	4.00
13/4 to 2 in	6.00	5.00	
2 to 2½ in	7.50	6.00	
2½ to 3 in	10.00	7.50	
3 to 3½ in	12.50	10.00	

	PAINESVILLE, OHIO			129
Sorbus	.,	1-4 Each	5-24 Each	25 & up Each
spuria. 15'		Lucii	Lucii	Lucii
6 to 8	ft	3.00	2.50	
8 to 10	ft	3.50	3.00	
1½ to 1½	in	4.00	3.50	
torminalis. Wild	l Service Tree. 50'			
6 to 8 ft.		3.50	3.00	
8 to 10 ft.		4.00	3.50	
Spirea arguta. Gar	land Spiraea. 6'			
		.40	.30	.25
3 to 4 ft		.45	.35	.30
	* * * * * * * * * * * * * * * * * * * *	.60	.50	.40
		.75	.60	.50
aitchisoni. (See				
billiardi. Billian	,			
		.40	.30	.25
		.45	.35	.30
		.60	.50	.40
bumalda. Bume		,,,,		
		.40	.35	.30
		.50	.40	.35
	ony Waterer. Anthony			
		.40	.35	.30
		.50	.40	.35
bumalda wallu		.00	•10	.00
		.45	.35	
		.50	.40	
	'ee japonica ovalifolia).	.00	.10	
	ulmifolia. Elmleaf Sp	iraeu	6 '	
	<i>Bimiea</i>	.75	· ·	
dasyantha. 8'				
		1.25	1.00	
douglasi. Doug		1.20	2100	
		.40	.30	.25
		.50	.40	.35
0 10 2 211		.60	.50	.40
		.75	.60	.50
fortunei. Fortu			.00	
		.40	.30	.25
		.45	.35	.30
froebeli. Froeb		.10	.00	.00
	et Spiraea. 4	.45	.35	.30
		.50	.40	.35
japonica. Japa		.00	.40	.00
v	Α.	.40	.30	.25
		.45	.35	.30
24 to 30 in.		.40	.99	,50

	1-4		& up
Spiraea	Each	Each E	ach
japonica ovalifolia. White Japanese Sp	iraea	3 '	
18 to 24 in	.45	.35	.30
24 to 30 in	.50	.40	.35
		5'	.00
japonica ruberrima. Pink Japanese Spi		.30	.25
2 to 3 ft	.40		
3 to 4 ft	.50	.40	.30 <i>6'</i>
latifolia syn. bethlehemensis. Pink M		*	-
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.30
4 to 5 ft	.60	.50	.40
lindleyana. (See Sorbaria).			
margaritae. Margarita Spiraea. 5'			
2 to 3 ft	.45	.35	.30
nipponica rotundifolia. Big Nippon Sp	iraea.	<i>10'</i>	
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
prunifolia. Bridal Wreath. 8'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
pubescens. 6'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
reevesiana. Reeves Spiraea. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
reevesiana lanceata. Double Reeves Sp		8'	, 10
2 to 3 ft	.45	.35	.30
	.55	.45	.40
3 to 4 ft	.55	.TJ	.40
salicifolia. Willowleaf Spiraea. 5'	40	20	.25
2 to 3 ft	.40	.30	
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
sorbifolia. (See Sorbaria).			
superba. Striped Spiraea. 4'			
18 to 24 in	.40	.30	.25
2 to 3 ft	.50	.40	.35
syringiflora. Lilac Spiraea. 3'			
18 to 24 in	.60		

PAINESVILLE, OHIO			131
	1-4 Each	5-24 : Each	25 & up Each
Spiraea			
thunbergi. Thunberg Spiraea. 5'			
18 to 24 in	.35	.25	.20
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.65	.55	.50
tomentosa. Hardhack. 4'	40		0.0
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
trichocarpa. Korean Spiraea. 4'	40	20	0.5
2 to 3 ft	.40	.30	.25
	.50	.40	.35
4 to 5 ft.	.60	.50	.40
van houttei. Vanhoutte Spiraea. 10'	25	0.5	10
2 to 3 ft	.35	.25	.18
3 to 4 ft	.40	.30	.22
4 to 5 ft	.50	.40	.35
5 to 6 ft	.65	.55	.50
veitchi. Veitch Spiraea. 12'	EO	40	25
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
wilsoni. Wilson Spiraea. 6'	1.00	75	60
3 to 4 ft	$1.00 \\ 1.25$.75 1.00	.60
4 to 5 ft.	1.25 8'	1.00	
Staphylea bumalda. Bumalda Bladdernut.	.75	en	50
3 to 4 ft	1.00	.60 .75	.50 .60
5 to 6 ft	1.25	1.00	.75
colchica. Colchis Bladdernut. 12'	1.20	1.00	.10
3 to 4 ft	1.75	1.25	
4 to 5 ft	2.00	1.25 1.75	
5 to 6 ft	2.50	2.25	
6 to 8 ft	3.00	2.50	
pinnata. European Bladdernut. 12'	3.00	2.50	
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
trifolia. American Bladdernut. 12'	.10	.00	.50
2 to 3 ft	.50	.40	.30
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
Stephanandra flexuosa. Cutleaf Stephanan		3'	
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
9 (U T 16,	.00	140	. 40

.

	1-4 Each	5-24 Each	25 & up Each
Stewartia pentagyna. Mountain Stewartia.	Lacri	Lucii	Lucii
3 to 4 ftB&B	5.00	4.00	
4 to 5 ftB&B	6.00	5.00	
5 to 6 ftB&B	7.50	6.50	
6 to 8 ftB&B 1	0.00		
8 to 10 ftB&B 1	5.00		
pentagyna grandiflora. 15'			
5 to 6 ftB&B 1	0.00		
6 to 8 ftB&B 1	2.50		
8 to 10 ft	7.50		
pseudocamellia. Japanese Stewartia. 25	,		
3 13 1 2	5.00		
_ 00 0 ================================	7.50		
5 to 6 ft	0.00		
Stranyaesia davidiana. 5'			
12 to 15 in., from pots	1.25	1.00	.75
· —	1.75	1.50	
24 to 30 inB&B	2.50	2.00	
Styrax japonica. Japanese Snowbell. 20'			
	3.00	2.50	2.00
	4.00	3.50	3.00
	6.00	4.50	0.00
	7.50	6.00	
8 to 10 ft		8.00	
obassia. Fragrant Snowbell. 20'	0.00	0.00	
	5.00		
	6.00		
6 to 8 ftB&B	7.50		
8 to 10 ftB&B 1	0.00		
Symphoricarpos chenaulti. 5'	40	20	95
2 to 3 ft	.40 .50	.30 .40	.25 .35
3 to 4 ft	.50	.40	.55
mollis. Spreading Snowberry. 6'	40	0.0	0.5
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.35	.30
occidentalis. Western Snowberry. 5'	40	0.5	9.0
2 to 3 ft	.40	.35	.30
3 to 4 ft	.50 .65	.45 .55	.40 .50
4 to 5 ft	.00	.00	.50
o. heyeri. 5'	FO	40	
2 to 3 ft	.50	.40	

	1-4 Each	5-24 Each	25 & up Each
Symphoricarpos			
racemosus. Snowberry. 6'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
vulgaris. Coralberry. 5'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.45	.35	.30
*Symplocos paniculata, syn. crataegoides.			
Asiatic Sweetleaf. 10'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.75	1.50	1.00
5 to 6 ft	2.50	2.00	1.50
6 to 8 ft	3.50	2.50	2.25
0 to 0 1t	3.30	2.50	2.20
Syringa affinis giraldi. Purple Early Lilac.	12"		
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
6 to 8 ft	3.50	3.00	
8 to 10 ft	5.00	4.00	
chinensis. syn. rothomagensis. Chinese	Lilac.	10'	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	.75
	0'		
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	1.00
chinensis metensis. 10'	1.10	1.00	
3 to 4 ft	1.25	1.00	.75
4 to 5 ft	1.50	1.25	1.00
5 to 6 ft	1.75	1.50	-111
chinensis saugeana. Purple Chinese Li		0 '	
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90
		4.50	

	1-4 Each	5-24 Each	25 & up Each
Syringa			
emodi. Himalayan Lilac. 8'			
3 to 4 ft	1.00	.75	
4 to 5 ft	1.50	1.00	
5 to 6 ft	2.00	1.50	
henryi eximea. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
henryi lutece. 8'			
3 to 4 ft	2.50	2.00	
4 to 5 ft	3.00	2.50	
5 to 6 ft	3.50	3.00	
japonica. Japanese Tree Lilac. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.90	.75
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.50	2.25	1.75
10 to 12 ft	6.00	5.00	
12 to 15 ft	10.00		
josikaea. Hungarian Lilac. 10'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
microphylla. Littleleaf Lilac. 10'			
2 to 3 ft	1.50	1.25	1.00
3 to 4 ft	2.00	1.50	1.25
4 to 5 ft	2.50	2.00	1.50
5 to 6 ft	3.00	2.50	2.00
oblata. 12'			
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
oblata dilatata. 12'			
2 to 3 ft	1.00	.75	.60
3 to 4 ft	1.25	1.00	
4 to 5 ft	1.50	1.25	
palibiniana. 10'	1.00	2.20	2.00
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
5 to 6 ft	2.50	2.00	
	2.00	2.00	

PAINESVILLE, OHIO	1-4 Each	5-24 Each	135 25 & up Each
Syringa			
pekinensis. Peking Lilac. 15'	1 75	1.50	1.05
4 to 5 ft	1.75 2.50	1.50	1.25
		2.00 2.75	1.75
	3.00		2.50
	4.00	3.75	3.50
10 to 12 ft	7.50	6.00	
	10.00		
8 to 10 ft. specB&B	12.50		
persica. Persian Lilac. 10'		45	40
2 to 3 ft	.55	.45	.40
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.90	
persica alba. White Persian Lilac. 10'			
2 to 3 ft	.85	.75	
3 to 4 ft	1.00	.90	
pubescens. Hairy Lilac. 6'			
2 to 3 ft	2.00	1.50	
3 to 4 ft	2.50	2.00	
velutina. 10'			
3 to 4 ft	2.00	1.50	
4 to 5 ft	2.50	2.00	
villosa. Late Lilac. 8'			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.75	.65
6 to 8 ft	1.25	1.00	
vulgaris. Common Purple Lilac. 15'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.10	1.00
4 to 5 ft. clumps	4.00		
5 to 6 ft. clumps	5.00		
vulgaris alba. Common White Lilac. 1	5'		
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	.90	.75	
5 to 6 ft	1.25	1.00	
6 to 8 ft	1.50	1.25	
4 to 5 ft. clumps	4.00		
5 to 6 ft, clumps	5.00		
*			

1-4 5-24 25 & up Each Each Each

Syringa vulgaris. Named Varieties. 15'

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional,

2 to 3 ft.	 1.00	.75	.60
3 to 4 ft.	 1.25	1.00	.90
4 to 5 ft.	 1.50	1.35	1.25
5 to 6 ft.	 2.25	2.00	1.75
6 to 8 ft.	 3.00	2.75	2.50

Belle de Nancy-Double Rose.

2-3' 3-4' 4-5" 5-6' 6-8'

Chas. Joly-Dark Purplish Red.

2-3' 3-4' 4-5' 5-6' 6-8'

Frau Dammann-Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

La Tour d'Auvergne—Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth-Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay-Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier-Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye-Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy-Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8' **Princess Alexandra**—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

2	to	3	ft.												1.50
3	to	4	ft.												2.00
4	to	5	ft.												2.50
5	to	6	ft.												3.50

yunnanensis. Yunnan Lilac. 10'

3 to 4 ft. 2.00 1.75

PAINESVILLE, OHIO	1-4	5-24	137 25 & up
Tamarix africana. African Tamarix. 15'	Each	Each	Each
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.50	.40
5 to 6 ft	.75	.60	.50
6 to 8 ft	1.00	.85	.75
gallica. French Tamarix. 10'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
gallica indica. India Tamarix. 10'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
juniperina. Juniper Tamarix. 15'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75		
odessana. Odessa Tamarix. 6'			
3 to 4 ft	.45	.35	.30
4 to 5 ft	.60	.45	.40
5 to 6 ft	.75	.60	.50
pentandra. Fivestamen Tamarix. 12'			
3 to 4 ft	.55	.45	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	
tetandra purpurea. Fourstamen Taman			0.5
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	.45
Taxodium ascendens. Pondcypress. 50			
6 to 8 ft			
10 to 12 ft			
distichum. Common Baldcypress. 56			
4 to 5 ft	4.50	4.00	
5 to 6 ft	6.50	5.50	
6 to 8 ft		7.50	
8 to 10 ft		12.50	
10 to 12 ft		15.00	
Taxus baccata. English Yew. 50'	20.00	10.00	
18 in	3.50	3.00	
2 ftB&B	4.50	4.00	
2½ ftB&B	6.00	5.00	
3 to 3½ ft	7.50	6.50	
3½ to 4 ft		7.50	
baccata erecta. Broom Yew. 10'	_0,00		
2 ftB&B	6.00		
2½ ftB&B	7.50		

1-4 Each	5-24 Each	25 & up Each
baccata fastigiata. Irish Yew. 10'		
2 ft		
3 ft		
baccata repandens. Spreading English Yew.	2"	
15 to 18 in. spdB&B 3.00	2.50	2.25
18 to 24 in. spd	3.25	
24 to 30 in. spd	4.50	
30 to 36 in. spd	5.50	
36 to 42 in. spd	7.50	
baccata washingtoni. Washington Yew. 6'	1.00	
18 in		
24 in. spec		
canadensis. Canada Yew. 3'		
15 to 18 in. spd	2.25	
cuspidata. Japanese Yew. 10'		
15 to 18 in. spd B&B 2.75	2.50	2.25
18 to 24 in. spd B&B 3.75	3.50	
2 to 2½ ft. spd B&B 5.00	4.75	
2½ to 3 ft. spd B&B 6.50	5.50	
3 to 3½ ft. spd B&B 10.00	7.50	
3½ to 4 ft. spd B&B 12.50	10.00	
4 to 4½ ft. spd B&B 15.00	12.50	
4½ to 5 ft. spdB&B 20.00	17.50	
5 to 6 ft. spec B&B 40.00	35.00	
6 to 7 ft. spec B&B 50.00	45.00	
cuspidata brevifolia. Dwarf Japanese Yew.	6'	
15 to 18 in	3.25	2.75
18 to 24 inB&B 5.00	4.50	4.00
24 to 30 in	6.50	6.00
30 to 36 inB&B 10.00	8.50	
36 to 42 inB&B 12.50		
cuspidata brevifolia compacta. 6'		
18 to 24 in	5.00	
24 to 30 inB&B 7.50		
cuspidata capitata. Upright Japanese Yew.	25'	
18 inB&B 2.75	2.50	2.25
2 ftB&B 4.00	3.50	3.00
2½ ftB&B 5.50	5.00	4.50
3 ftB&B 7.50	6.50	5.50
3½ ftB&B 10.00	8.50	7.50
4 ftB&B 12.50	10.00	9.00
4½ ftB&B 15.00		
5 ftB&B 20.00		

	1-4 Each	5-24 Each	25 & up Each
Taxus	Lucii	Eden	Euch
intermedia. Hybrid Yew. 12'			
18 to 24 inB&B	4.00	3.50	
24 to 30 inB&B	5.00	4.50	
media hicksi. Hicks Yew. 20'			
18 to 24 in	3.50	3.00	
24 to 30 in	5.00	4.00	
	• • • • • • • • • • • • • • • • • • • •		
Tecoma. (See Bignonia).			
Thuja occidentalis. American Arborvitae.	40'		
3 ftB&B	3.00	2.75	2.50
4 ftB&B	4.00	3.75	3.50
4 ft. heavy specB&B	6.00		
5 ftB&B	5.50	5.00	4.75
5 ft. heavy specB&B	7.50		
6 ftB&B	7.50	6.50	6.25
6 ft. heavy specB&B	10.00		
7 ft		8.50	7.50
7 ft. heavy specB&B	12.50		
8 ft		10.00	8.50
8 ft. heavy specB&B			0.00
9 ftB&B		12.50	10.00
10 ft		15.00	12.50
10 ft. heavy spec B&B		10.00	12.00
For larger sizes to 18 ft., add \$5.0		foot	
occidentalis aurea douglasi.	o per	1001.	
Douglas Golden Arborvitae.	15'		
3 ft	3.50	3.00	2.50
4 ft	4.50	4.00	3.50
5 ft	6.00	5.50	5.00
6 ft	7.50	6.50	6.00
7 ft		8.50	7.50
8 ft	12.50	10.00	1.00
9 ftB&B		12.50	
For larger sizes to 16 ft., add \$5.0			
occidentalis columbia. Silver-tipped			2"
3 ft	3.50	3.00	2.50
4 ftB&B	4.50	4.00	3.50
5 ft	6.00	5.00	4.00
6 ftB&B	7.50	6.00	T.00
7 ft	8.50	7.00	
8 ftB&B		8.00	
9 ftB&B		10.00	
For larger sizes to 14 ft., add \$5.			
r of larger sizes to 14 It., and \$0.0	o her	1001.	

	1-4 Each	5-24 Each	25 & up Each
Thuja	Eden	Lucii	Eden
occidentalis compacta. Compact Arbon	vitae.	4"	
15 inB&B	1.75	1.50	1.25
18 inB&B	2.00	1.75	1.60
24 inB&B	2.50	2.00	1.85
30 inB&B	3.00	2.50	2.25
36 inB&B	4.00	3.00	2.75
42 inB&B	5.00	4.50	4.00
48 inB&B	7.50	6.50	
occidentalis compacta. Parsons Arbor	wita a	10'	
2½ ftB&B	2.75	2.25	2.00
3 ftB&B	4.00	3.00	2.50
3½ ft	4.50	3.50	3.00
4 ft	5.00	4.00	3.50
4½ ft	6.00	5.00	3.50
5 ftB&B	7.50	6.00	
5½ ftB&B	8.50	7.50	
6 ft	10.00	8.00	
7 ft	12.50	10.00	
8 ft	15.00	12.50	
	18.00	15.00	
J 10	10.00	13.00	
occidentalis elegantissima. 15'			
2 ftB&B	2.75	2.50	2.25
3 ftB&B	3.50	3.00	2.75
4 ftB&B	4.50	4.00	3.75
5 ftB&B	5.00	4.50	4.25
6 ftB&B	6.50	5.50	5.00
7 ftB&B	9.00	7.50	6.00
8 ftB&B	10.00	9.00	7.50
9 ftB&B	12.50	10.00	9.00
For larger sizes to 15 ft., add \$5.0	0 per	foot.	
occidentalis ellwangeriana. Tom Thur	nb Ari	borvitae	. 6'
2 ftB&B	2.50	2.00	1.75
2½ ftB&B	3.00	2.50	2.00
3 ftB&B	3.50	3.00	2.50
3½ ftB&B	4.50	4.00	3.50
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	6.50	5.50	5.00
5 ftB&B	9.00	7.50	
occidentalis ericoides. Heath Arborvit	ae. 5'		

3 ft.B&B 3.50 3.00

	1-4 Each	5-24 Each	25 & up Each
Thuja	Lacii	Eddi	Lucii
occidentalis globosa. Globe Arborvitae	. 3'		
18 inB&B	2.00	1.75	1.60
24 inB&B	2.50	2.25	2.00
30 inB&B	3.00	2.50	2.25
36 inB&B	3.50	3.00	2.50
42 inB&B	5.00	4.00	
occidentalis hoveyi. Hovey Golden Ar	borvite	ae. 8'	
18 inB&B	2.25	2.00	1.75
2 ftB&B	2.50	2.25	2.00
2½ ftB&B	3.00	2.50	2.25
3 ftB&B	3.50	3.00	2.50
3½ ftB&B	4.00	3.50	3.00
4 ftB&B	5.00	4.50	4.00
4½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	7.00
5½ ftB&B	10.00		
6 ftB&B	12.50		
7 ftB&B	15.00		
occidentalis Little Gem. 2'			
15 inB&B	3.00	2.50	
18 inB&B	4.00	3.50	
occidentalis lutea. Geo. Peabody's Arb	orvita	e. 15'	
3 ft	3.50	3.00	2.75
4 ft	5.00	4.00	3.75
5 ft	6.00	5.00	4.50
6 ft	7.50	6.50	6.00
	10.00	8.00	7.00
	12.50	10.00	8.50
9 ftB&B		12.50	10.00
For larger sizes to 16 ft., add \$5.0		foot.	
occidentalis pumila. Green Globe Arbo	rritae	3'	
18 in. spreadB&B	2.25	2.00	1.75
24 in. spread	3.00	2.50	2.25
30 in. spreadB&B	3.50	3.00	2.75
36 in. spreadB&B	5.00	4.00	3.50
42 in. spreadB&B	7.50	6.00	5.00
-	10.00	0.00	0.00
To III. Spread	10.00		

	1-4	5-24	25 & up
Thuja	Each	Each	Each
occidentalis pyramidalis. Pyramidal A			
	2.75	2.50	2.25
5 20 11111111111111111111111111111111111	3.50	3.00	2.75
	5.00	4.00	3.50
* 10 · · · · · · · · · · · · · · · · · ·	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
	10.00	9.00	8.00
8 ftB&B 9 ftB&B		10.00	9.00
0 10 11 D&D		12.50	10.00
10 ft		15.00	12.50
For larger sizes to 18 ft., add \$5.0	0 per	foot.	
and device the device the second of the			
occidentalis douglasi pyramidalis. Douglas Pyramidal Arborvitae	- 001		
	3.00	9.75	2.25
2 ftB&B 3 ftB&B	3.50	2.75	
o zw ···································		3.00	2.75
- 100 111111111111111111111111111111111	5.00	4.00	3.75
9 20 0000000000000000000000000000000000	6.50	5.50	5.00
	8.50	7.50	6.75
		9.00	
For larger sizes to 13 ft., add \$5.0	o per	100ţ.	
occidentalis recurva nana. 6'			
18 inB&B	2.50	1000	
2 ft	3.00	$\frac{2.25}{2.50}$	$\frac{2.00}{2.25}$
2½ ft	3.50	3.00	$\frac{2.25}{2.75}$
3 ftB&B	4.50	4.00	3.50
3½ ft	6.00	5.00	5.50
4 ft	7.50	6.50	
± 1t	7.50	0.50	
occidentalis reevesi. Reeves Arborvita	e. 10'	. :	
2½ ftB&B	3.00	2.75	2.50
3 ft	4.00	3.50	
3½ ft	4.50	4.00	$\frac{3.00}{3.50}$
4 ft	5.00		
4 1t	6.50	4.50	4.00
-/2		5.50	5.00
	7.50	6.50	6.00
100 100 100 100 100 100 100 100 100 100	10.00	8.50	7.50
	12.50	10.00	
8 ft	15.00	12.50	

Thuja	1-4 Each	5-24 Each	25 & up Each
•			
occidentalis reidi. Reid Arborvitae. 8' 2 ft	2.00	0.50	0.05
2 1t	3.00	2.50	2.25
3 ft	3.50	3.00	2.75
3 1t	4.50	3.75	3.25
	5.50	4.50	
4 ft	6.50	5.50	
4½ ftB&B	7.50	6.50	
	10.00	7.50	
	12.50	10.00	
occidentalis riversi. Rivers Arborvitae 4 ft	. 12' 4.00	2 50	2.00
5 ft	5.00	3.50 4.50	3.00
6 ft			4.00
7 ft	6.50	5.50	5.00
	7.50 10.00	6.50 8.00	6.00
	12.50		
9 ftB&B For larger sizes to 12 ft., add \$5.0		10.00	
, ,	-		
occidentalis rosenthali. Rosenthal Art			4 85
2 ftB&B	2.50	2.00	1.75
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.50	3.75
5 ftB&B	6.50	5.50	5.00
6 ftB&B	7.50	6.50	6.00
7 ftB&B	10.00	9.00	8.50
occidentalis spiralis. Spiral Arborvitae	e. 25 '		
2 ftB&B	2.75	2.50	
3 ftB&B	3.50	3.00	2.75
4 ftB&B	5.00	4.00	3.50
5 ftB&B	6.50	5.50	5.00
6 ftB&B	8.50	7.50	6.75
	10.00	9.00	
	12.50	10.00	9.00
	15.00	12.50	10.00
For larger sizes to 20 ft., add \$5.	.00 pe	r foot.	
occidentalis umbraculifera. Dwarf Ar	rborvit	ae. 3'	
15 to 18 in spdB&B	1.75	1.60	1.50
18 to 24 in. spd B&B	2.25	2.00	1.75
24 to 30 in. spd B&B	2.75	2.25	2.00
2½ to 3 ft. spd B&B	3.50	2.75	2.25
3 to 3½ ft. spdB&B	4.00	3.50	3.00
3½ to 4 ft. spd B&B	5.50	4.50	
4 to 5 ft. spdB&B	7.50	6.50	

	1-4	5-24 Each	25 & up Each
Thuja	Each	Edch	EGCII
occidentalis vervaeneana. Vervaene A	rborvi	tae. 12	i
3 ftB&B	3.00	2.75	2.50
4 ft	4.00	3.50	3.25
5 ft	5.00	4.50	4.00
6 ftB&B	7.50	6.50	5.50
7 ft	8.50	7.50	6.50
8 ftB&B	10.00	9.00	8.00
	12.50	10.00	9.00
10 ft	15.00	12.50	10.00
For larger sizes to 20 ft., add \$5.0	0 per	foot.	
occidentalis wareana. Ware or Siberia	n Arb	orvitae.	<i>15</i> '
18 in	2.25	2.00	1.75
2 ftB&B	2.75	2.50	2.25
2½ ftB&B	3.50	3.00	2.50
3 ft	4.00	3.50	3.00
3½ ftB&B	5.00	4.00	3.50
4 ftB&B	6.00	5.00	4.50
4½ ftB&B	7.50	6.00	5.50
5 ftB&B	8.50	7.50	6.50
6 ft	10.00	9.00	8.00
7 ftB&B	14.00	12.00	10.00
8 ft	18.50	15.00	
For larger sizes to 12 ft., add \$5.0	0 per	foot.	
occidentalis wareana lutescens.			
Golden Ware Arborvitae. 15'			
3½ ftB&B	4.00		
occidentalis woodwardi. Woodward A	lrborvi	tae. 6'	
18 inB&B	2.50	2.00	1.75
24 inB&B	3.00	2.50	2.25
orientalis. Oriental Arborvitae. 25'			
3 ftB&B	3.50	3.00	2.50
4 ftB&B	4.00	3.50	3.25
5 ftB&B	5.50	5.00	4.50
6 ftB&B	6.50	6.00	5.50
7 ftB&B	8.50	7.50	6.50
8 ftB&B		8.50	7.50
9 ftB&B	12.50	10.00	
For larger sizes to 15 ft., add \$5.0	00 per	foot.	

	1-4 Each	5-24 Each	25 & up Each
Thuja			
orientalis conspicua. Goldspire Arbora	vitae.	20 '	
2 ftB&B	3.50	3.00	
3 ftB&B	4.00	3.50	
4 ftB&B	5.00		
orientalis elegantissima. Rollinson's Gol	lden A	Arborvit	ae. 10
2 ftB&B	3.50	3.00	2.50
3 ftB&B	4.50	4.00	3.50
4 ftB&B	5.50	5.00	4.50
5 ftB&B	7.50	6.50	6.00
6 ftB&B	10.00	8.00	7.50
7 ft	12.50	10.00	
8 ft	15.00	12.50	
orientalis nana aurea. Berkmans Golde	en Ar	borvitae	. 3'
18 inB&B	2.50	2.25	2.00
2 ftB&B	3.50	3.00	2.50
2½ ftB&B	4.00	3.50	
3 ftB&B	5.00		
orientalis sieboldi. Siebold Arborvitae.	3'		
2 ftB&B	3.50		
3 ftB&B	4.00		
plicata. Giant Arborvitae. 20'			
3 ftB&B	3.00	2.50	
4 ftB&B	4.00	3.50	
5 ftB&B	5.00	4.50	
6 ftB&B	6.00	5.50	
7 ftB&B	7.50	6.50	
	10.00	8.50	
9 ftB&B		10.00	
For larger sizes to 14 ft., add \$5.00	0 per	foot.	
standishi. Standish Arborvitae. 15'			
2 ftB&B	2.50		
3 ftB&B	3.00		
4 ftB&B	4.00		
5 ftB&B	5.00		
15 ftB&B	35.00		

			1-4 Each	5-2 4 Each	25 & up Each
		nerican Linden. 75'	1.50	1.05	1.00
6	to 8	ft	1.50	1.25	1.00
8	to 10	ft	1.75	1.50	1.25
11/4	- /-	in	2.50	2.00	$1.75 \\ 2.25$
1½		in	3.00	2.50 3.25	2.75
13/4		in	4.00	4.00	3.50
2	,	in	5.00		5.00
21/2		in	7.50	6.00 10.00	7.50
3		in	12.50 15.00	12.50	1.50
31/2		in	25.00	12.00	
4	to 5	in	35.00		
5	to 6	in	35.00		
cordata.	. Littlele	eaf European Linden.	70'		
11/4	to 1½	in	4.00	3.50	3.25
11/2	to 13/4	in	5.00	4.50	4.00
13/4	to 2	in	6.00	5.50	5.00
2	to 2½	in	10.00	7.50	6.00
$2\frac{1}{2}$	to 3	in	12.50	10.00	7.50
3	to 3½	in	17.50	15.00	
4	to 4½	in	25.00		
euchlor	a. Crime	ean Linden. 75'			
6	to 8	ft	3.50	3.00	2.50
8	to 10	ft	4.00	3.50	3.00
11/4	to 1½	in	5.00	4.50	4.00
11/2	to 13/4	in	6.50	5.50	5.00
13/4	to 2	in	7.50	7.00	6.50
2	to 2½	in	10.00	8.50	7.50
21/2	to 3	in	15.00	12.50	10.00
3	to 3½	in	20.00	18.00	
henryar	ıa. 50'				
11/4		in	5.00		
heterop	hylla. B	Seetree Linden. 60'			
11/2	to 13/4	in	4.00	3.50	
13/4	to 2	in	5.00	4.00	
2	to 2½	in	6.50	5.00	
$2\frac{1}{2}$		in	9.00	7.50	
3	to 3½	in	12.50		
oliveri.	50'				
			5.00		
o u	10 16.	• • • • • • • • • • • • • • • • • • • •	0.00		

	1-4 Each	5-24 Each	25 & up Each
Tilia			
platyphyllos. Bigleaf European Line	den. 75'		
6 to 8 ft		1.75	1.50
8 to 10 ft	. 2.50	2.25	2.00
1¼ to 1½ in	. 3.00	2.50	2.25
1½ to 1¾ in	. 3.50	3.00	2.75
13/4 to 2 in	. 4.50	4.00	3.50
2 to 2½ in	. 6.00	5.00	4.50
2½ to 3 in	. 10.00	7.50	6.50
3 to 3½ in	. 15.00	12.50	10.00
$3\frac{1}{2}$ to 4 in	. 17.50		
4 to 5 in	. 25.00		
platyphyllos pyramidalis. Pyramidal	Bigleaf	Linder	ı. 50'
6 to 8 ft			
tomentosa. Silver Linden. 40'			
6 to 8 ft	. 3.50	3.00	
1½ to 1¾ in	. 6.50	5.50	
1¾ to 2 in	. 7.50	7.00	
2 to 2½ in	. 10.00	8.50	
2½ to 3 in	. 15.00	12.50	
3 to 3½ in	. 20.00	18.00	
3½ to 4 in	. 25.00		
4 to 5 in	. 35.00		
vulgaris. Common European Linden	. 75'		
6 to 8 ft		2.00	1.75
8 to 10 ft		2.50	2.25
1½ to 1½ in	. 3.50	3.00	2.75
1½ to 1¾ in		3.50	3.00
13/4 to 2 in	. 5.00	4.50	4.00
2 to 2½ in	. 6.50	5.50	5.00
2½ to 3 in	. 10.00	7.50	6.00
3 to 3½ in	. 15.00	12.50	10.00
3½ to 4 in		15.00	12.50
4 to 5 in			
Tripterygium regeli. 5'			
2 to 3 ft	B 1.50	1.25	1.00
3 to 4 ft		1.50	1.25

	1-4 Each	5-24 Each	25 & up Each
Tsuga canadensis. Canada Hemlock. 75'	2.00	0.75	2.50
2 ft	$\frac{3.00}{4.50}$	$\frac{2.75}{4.00}$	3.75
200 11111111111111111111111111111111111	6.50	5.50	5.00
4 ftB&B 4 ft. ex. broadB&B	10.00	5.50	5.00
4 ft. ex. broad	8.50	7.50	6.50
5 ft. ex. broad		1.50	0.50
6 ft		10.00	8.50
7 ft		12.50	10.00
8 ft		15.00	12.50
For larger sizes to 18 ft., add \$5.00 p			
caroliniana. Carolina Hemlock. 50'			
2 ft	5.00	4.00	
3 ft	6.50	5.00	
4 ft		9.00	
5 ft			
6 ft	15.00		
sieboldi. Siebold Hemlock. 35'			
8 ft. specimensB&B	60.00		
9 ft. specimensB&B	75.00		
Ulex europeaus. Common Gorse. 4'			
18 to 24 in., 4 in. pots	1.25	1.00	
Ulmus americana. American Elm. 80'			
8 to 10 ft	1.75	1.50	1.25
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.00	1.75	1.50
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	2.50	2.25	2.00
$1\frac{3}{4}$ to 2 in	3.50	2.75	2.50
2 to $2\frac{1}{2}$ in	4.50	3.75	3.25
$2\frac{1}{2}$ to 3 in	6.50	5.00	4.50
3 to $3\frac{1}{2}$ in	10.00	7.50	6.50
$3\frac{1}{2}$ to 4 in	12.50	10.00	9.00
4 to $4\frac{1}{2}$ in	15.00	12.50	
americana moline. Moline Elm. 80'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	2.75	2.50	2.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.75
1¾ to 2 in	4.00	3.75	3.50
2 to $2\frac{1}{2}$ in	6.00	5.00	
$2\frac{1}{2}$ to 3 in	7.50	6.50	5.75
3 to $3\frac{1}{2}$ in	10.00	8.50	

Ulmus	1-4 Each	5-24 Each	25 & up Each
americana vase-shaped. 50'			
6 to 8 ft	1.75	1.50	1.25
8 to 10 ft	2.00	1.75	1.50
1½ to 1½ in	2.75	2.50	2.25
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	3.50	3.00	2.75
13/4 to 2 in	4.50	4.00	3.50
2 to $2\frac{1}{2}$ in	6.00	5.00	4.50
2½ to 3 in	7.50	6.50	
3 to 3½ in	10.00	8.50	
campestris. English Elm. 75'			
6 to 8 ft	2.00	1.75	
8 to 10 ft	2.50	2.25	
1¼ to 1½ in	3.00	2.75	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	4.00	3.50	
$1\frac{3}{4}$ to 2 in	6.00	5.00	
2 to $2\frac{1}{2}$ in	8.50	7.50	
$2\frac{1}{2}$ to 3 in	12.50	10.00	
3 to $3\frac{1}{2}$ in	20.00	15.00	
$3\frac{1}{2}$ to 4 in	25.00	20.00	
4 to 5 in	35.00	30.00	
5 to 6 in	50.00	45.00	
	75 '		
8 to 10 ft	5.00		
campestris latifolia. Belgian Elm. 75'			
8 to 10 ft	3.00		
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00		
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00		
$1\frac{3}{4}$ to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to $3\frac{1}{2}$ in	20.00		
campestris monumentalis. Monument		75 '	
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	5.00	4.50
1½ to 1¾ in	7.50	6.50	5.50
1 ³ / ₄ to 2 in	10.00	7.50	6.50
2 to 2½ in	15.00	12.50	10.00
2½ to 3 in	18.00	15.00	13.50
3 to 3½ in	25.00 30.00	20.00 25.00	18.00
3½ to 4 in	40.00	25.00	
4 to 4½ in	40.00		

	1-4 Each	5-24 Each	25 & up Each
Ulmus			
campestris purpurea. Purpleleaf Engl	ish Eln	n. 70'	
8 to 10 ft	3.00	2.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	20.00	18.00	
campestris vegeta. Huntingdon Elm.	75 '		
8 to 10 ft	2.50	2.25	2.00
1½ to 1½ in	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.25	3.00
1¾ to 2 in	5.00	4.50	4.00
2 to 2½ in	8.50	7.50	6.00
2½ to 3 in	12.00	10.00	8.00
3 to 3½ in	15.00	12.50	
3½ to 4 in	20.00	15.00	
4 to 5 in	35.00		
5 to 6 in	50.00		
campestris wheatleyi. Wheatley Elm.	75 '		
6 to 8 ft	4.00	3.50	3.00
8 to 10 ft	5.00	4.00	3.75
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.00	5.00	4.50
1½ to 1¾ in	7.50	6.50	5.50
$1\frac{3}{4}$ to 2 in	10.00	7.50	6.50
2 to 2½ in	15.00	12.50	
$2\frac{1}{2}$ to 3 in	20.00	15.00	
3 to 3½ in	25.00		
3½ to 4 in	30.00		
fulva. Slippery Elm. 65'			
1½ to 1¾ in	3.50		
1¾ to 2 in	5.00		
glabra. Scotch Elm. 75'			
$1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.00	3.50	
$1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.00	4.50	
1¾ to 2 in	7.50	6.00	
2 to 2½ in	10.00	7.50	
2½ to 3 in	12.50	10.00	
3 to 3½ in	18.00	15.00	
3½ to 4 in	25.00	20.00	
glabra camperdown. Camperdown Elm	n. 20'		
6 ft. stem	4.00	3.50	
glabra nana. Globe Elm.			
6 to 8 ft. standards	10.00		

1-4 5-24 25 **G** up

	Each	Each	Each
Ulmus			
japonica. Japanese Elm. 70'			
8 to 10 ft	5.00		
1½ to 1¾ in	6.50		
1¾ to 2 in	7.50		
2 to 2½ in	10.00		
2½ to 3 in	12.50		
3 to 3½ in	15.00		
parvifolia. Chinese Elm. 30'			
6 to 8 ft	2.50	2.00	1.50
8 to 10 ft	3.00	2.75	2.50
10 to 12 ft	4.00	3.75	3.50
12 to 14 ft	6.00	5.00	4.50
pumila. Dwarf Asiatic Elm. 75'	0.00	0.00	1.00
6 to 8 ft	2.00	1.75	1.50
8 to 10 ft	2.50	2.25	2.00
10 to 12 ft	3.00	2.75	2.50
1½ to 1¾ in	3.50	3.00	2.00
1¾ to 2 in	4.00	3.50	
2 to 2½ in	5.00	4.50	
3 to 3½ in	7.50	6.00	
	10.00	7.50	
racemosa. Rock Elm. 80' 3 to 3½ in	25.00		
	25.00		
3½ to 4 in			
4 to 5 in			
	_	9.95	9.00
2 to 3 ft	2.50	2.25	2.00
3 to 4 ft	3.50	3.25	3.00
4 to 5 ft	5.00	4.50	4.00
vacillans. Dryland Blueberry. 3'	0.50	0.00	
18 to 24 inB&B	2.50	2.00	
Viburnum acerifolium. Mapleleaf Viburnu			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.85	.70	.60
4 to 5 ft	1.00	.85	.75
5 to 6 ft	1.50	1.25	1.00
americanum. American Cranberrybush.	10'		
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
6 to 8 ft	1.25	1.00	.90

152 HENRY KOHANKIE & SON			
	1-4		25 & up Each
Viburnum	Each	Each	Edch
betulifolium. 12' 2 to 3 ft	2.50		
2 to 3 ft 6'	2.00		
3 to 4 ft	3.50	3.00	
burejaeticum. Manchurian Viburnum.	15'	0.00	
	2.50		
	3.00		
	0.00		
burkwoodi. 4' 18 to 24 in	3.00	2.50	
carlesi. Fragrant Viburnum. 4			
18 to 24 in	2.50	2.25	2.00
77.0.77	3.00	2.75	2.50
DAR	3.50	3.25	3.00
3 to 4 ft	3.50	3.00	0.01
TO 0 TO	4.00	3.50	
	1.00	0.00	
Standards 18 in. stemB&B	3.00	2.50	
18 in. stem	3.50	3.00	
2 ft. stemB&B	4.00	3.50	
3 ft. stemB&B	4.00	5.50	
cassinoides. Withe Rod. 6'	.60	.50	.45
2 to 3 ft	.75	.65	.60
3 to 4 ft	1.00	.80	
4 to 5 ft	1.25	1.10	
5 to 6 ft	2.00	1.50	
6 to 8 ft	2.00	1.50	1.20
dentatum. Arrow Wood. 12'	.45	.35	.30
2 to 3 ft	.55	.45	
3 to 4 ft		.60	
4 to 5 ft	7.75	.85	
5 to 6 ft	1.00	1.10	
6 to 8 ft	1.25	1.10	1.00
dilatatum. Linden Viburnum. 10'	c =	.55	.50
2 to 3 ft	.65	.75	
3 to 4 ft	1.00		
4 to 5 ft	1.25	1.00	
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	1.40
5 to 6 ft. spec	7.50		
6 to 8 ft. spec	12.50		
dilatatum leucocarpum. Yellow Fruit			
15 to 18 in	2.50		
fragrans. Fragrant Viburnum. 10'.	0.50		
18 to 24 inB&B	3.50		
hupehense. Hupeh Viburnum. 6'	4.0-	4.0	0
2 to 3 ft	1.25	1.00	J

Viburnum	1-4 Each	5-24 Each	25 & up Each
lantana. Wayfaring Tree. 15'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.55	.45	.40
4 to 5 ft	.75	.60	.55
5 to 6 ft	1.00	.80	.70
6 to 8 ft	1.00 1.25	1.00	.90
			.90
lantana rugosum. Wrinkleleaf Wayfar			F.0.
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	.60
5 to 6 ft	1.25	1.00	.75
6 to 8 ft	1.50	1.25	1.00
lentago. Nannyberry. 20'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.65
5 to 6 ft	1.25	1.00	.80
6 to 8 ft	1.75	1.50	1.35
8 to 10 ft	2.50	2.00	1.75
10 to 12 ft. spec	15.00		
molle. Kentucky Viburnum. 10'			
2 to 3 ft	.45	.35	.30
3 to 4 ft	.60	.45	.40
4 to 5 ft	.75	.65	.50
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.25	1.10	1.00
nudum. Smooth Withe Rod. 8'	1.20	1,10	1.00
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.75	1.50	1.25
6 to 8 ft. spec	7.50	1.00	1.20
opulus. High Bush Cranberry. 10'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.60	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.85	.75
		1.10	1.00
6 to 8 ft	1.25		
8 to 10 ft	1.75	1.65	1.50
opulus nanum. Dwarf Cranberry Bush		00	
10 to 12 in	.65	.60	.55
12 to 15 in	.75	.70	.65
15 to 18 in	1.00	.80	.75

	1-4		25 & up Each
Viburnum	Each	Each	Euch
opulus sterile. Common Snowball. 10'			
2 to 3 ft	.50	.45	.40
3 to 4 ft	.65	.50	
4 to 5 ft	.75	.60	
5 to 6 ft	1.00	.75	
opulus xanthocarpum. Yellowfruit Cre	anberr	ybush.	10'
2 to 3 ft	2.50		
3 to 4 ft	3.50		
ovatifolium. Eggleaf Viburnum. 10'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	2.00	1.50	
prunifolium. Blackhaw. 12'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	1.00
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	1.75
6 to 8 ft	3.50	3.00	2.50
8 to 10 ft	5.00	4.50	4.00
pubescens. Downy Viburnum. 6'			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.25	1.00	.75
5 to 6 ft	1.50	1.25	
rhytidophyllum. Leatherleaf Viburnun	n. 8'		
18 to 24 in	1.50	1.25	1.00
2 to 3 ft	2.00	1.75	1.50
3 to 4 ft	3.00	2.50	2.00
4 to 5 ft	4.50	4.00	3.50
5 to 6 ft	6.00	5.00	4.50
rufidulum. Southern Blackhaw. 10'			
2 to 3 ft	1.00	.85	.75
3 to 4 ft	1.25	1.10	
4 to 5 ft	1.50	1.35	1.25
5 to 6 ft	2.50	2.00	
6 to 8 ft	4.00	3.50	
8 to 10 ft	5.00	4.50	4.00
sargenti. Sargent Cranberrybush. 10'			
2 to 3 ft	.60	.50	
3 to 4 ft	.75	.60	
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50	1.25	
6 to 8 ft	1.75	1.50	

PAINESVILLE, OHIO			155
	1-4 Each	5-24 Each	25 & up Each
Viburnum			
sieboldi. Siebold Viburnum. 10'			
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.75	
5 to 6 ft	1.50	1.00	4.05
6 to 8 ft	2.50	1.50	1.25
8 to 10 ft	3.50	3.00	2.50
theiferum. Tea Viburnum. 12' 2 to 3 ft	1.25	1.00	.75
3 to 4 ft	1.50	1.25	.10
tomentosum. Doublefile Viburnum. 8'	1.50	1.20	
2 to 3 ft	.50	.40	.35
3 to 4 ft	.60	.50	.45
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
tomentosum plicatum. Japanese Snowb	all.	8'	
2 to 3 ft	.65	.55	.50
3 to 4 ft	1.00	.75	.60
4 to 5 ft	1.50	1.25	
veitchi. Veitch Viburnum. 6'			
3 to 4 ft	1.50	1.25	
4 to 5 ft	1.75	1.50	
5 to 6 ft	2.00	1.75	
venosum canbyi. Canby Viburnum. 8'			
3 to 4 ft	.65	.55	.50
4 to 5 ft	.75	.65	.60
5 to 6 ft	1.00	.80	.75
6 to 8 ft	1.50	1.25	1.00
wrighti. Wright Viburnum. 8'	1.05	1.00	75
2 to 3 ft	1.25 1.50	1.00 1.25	.75 1.00
4 to 5 ft	2.00	1.50	1.25
5 to 6 ft	2.25	1.75	1.50
Vinca minor. (See Herbaceous Material)	2.20	1.75	1.00
Vitex agnus castus. Chaste-tree. 4'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
agnus castus alba. White Chaste-tree.	4'	.00	.00
2 to 3 ft	.55	.45	.35
3 to 4 ft	.65	.50	
macrophylla. Hemp-tree, 4'			
2 to 3 ft	.60	.45	.35
3 to 4 ft	.75	.60	

.75

.65

.55

PAINESVILLE, OHIO	1-4 Each	5-24 Each	157 25 & up Each
Weigela			
floribunda. Crimson Weigela. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.45	.35
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
groenewegeni. Greenway Weigela. 8'			
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
Gustav Mallot. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
hortensis rubra. 8'			
2 to 3 ft	.40	.30	.25
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75
japonica. Japanese Weigela. 8'	1.00	.00	
3 to 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
	.10	.00	.00
rosea. Pink Weigela. 8' 2 to 3 ft	.40	.30	.25
			.25
3 to 4 ft	.50	.40	
4 to 5 ft	.60	.50	.45
5 to 6 ft	.75	.65	.60
rosea nana variegata. Dwarf Variegat			
2 to 3 ft	.50	.40	.35
3 to 4 ft	.65	.55	.50
sieboldi argenteomarginata. Variegat			3'
3 to 4 ft	.65	.50	.45
4 to 5 ft	.75	.60	.55
styriaca. 8'			
3 to 4 ft	.60	.50	
4 to 5 ft	.75	.60	
Vanhoutte. Van Houtte Weigela. 8'			
2 to 3 ft	.40	.30	.25
3 (o 4 ft	.50	.40	.35
4 to 5 ft	.65	.55	.50
5 to 6 ft	.75	.65	.60
6 to 8 ft	1.00	.85	.75

150 HENRY KOHANKIE & SON	1-4 Each	5-24 Each	25 & up Each
Wistaria frutescens. American Wistaria. 30	,		
2 year	.50	.40	.30
frutescens magnifica. Yelloweye Wista	ria. 2	25 '	
2 year	.50	.35	.30
3 year	.60	.45	.40
multijuga. Japanese Wistaria. 30'			
2 year	.50	.40	.35
3 year	.60	.50	.45
4 year	.75	.65	.55
sinensis. Chinese Purple Wistario 40'			
2 year	.50	.40	.35
3 year	.60	.50	.45
3 year grafted flower-			
ing plants	2.00	1.50	
Standards. 4 ft. stem,			
30 in. headB&B	7.50		
	40 '		
2 year	.55	.45	.40
3 year	.65	.55	.50
4 year	1.00	.75	
3 year grafted flower-			
v e	2.00	1.50	
Standards. 4 ft. stem.		2.00	
30 in headB&B	9.00		
venusta. Silky Wistaria. 30'	0.00		
3 year	.60	.50	
4 year	.75	.00	
Zanthorhiza apiifolia. Yellowroot. 3'			
12 to 15 in. clumps	.50	.40	.30
15 to 18 in. clumps	.60	.50	.40
18 to 24 in. clumps	1.00	.75	.60
	5'	.10	.00
3 to 4 ft	.60	.50	.40
4 to 5 ft	.75	.60	.50
5 to 6 ft	1.00	.75	.60
6 to 8 ft	1.25	1.00	.75
schinifolium. Peppertree Prickly Ash.	12'	1.00	.10
2 to 3 ft	1.50		
	1.50		
Zelkova serrata. Sawleaf Zelkova. 50' 2 to 3 ft	1.25	1.00	75
3 to 4 ft	1.50	1.00 1.25	.75 1.00
4 to 5 ft	2.00	1.75	1.50
5 to 6 ft		2.25	2.00
6 to 8 ft	2.50 3.50	3.00	2.50
		4.00	2.30
8 to 10 ft	5.00	4.00	

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

	5-24 each	25&up each
*Acaena buchanani. Bluish gray, Aug., 1"\$		\$.18
*sanguisorbae. Bright green foliage, 2"	.20	.18
Acanthus mollis. Purple rose, July, 4'	.20	
mollis latifolius. Rose, July, 2-3'	.20	
*Achillea ageratifolia aizoon. White, May, June,		
8"	.20	.18
clavennae. White, July, 1'	.20	.18
filipendulina. Yellow, June, July, 3'	.15	.12
*millefolium Cerise Queen. Rose, July, 2'	.15	.12
*nana. White, June, July, 6"	.18	.15
*nitida. White, June, July, 1'	.20	.18
*ptarmica The Pearl. White, July, 2'	.15	.12
*ptarmica Boule de Neige. White, June,		
July, 2'	.15	.12
*ptarmica Perry White. June, July, 2'	.15	.12
*tomentosa. Yellow, June, 1'	.15	.12
Aconitum autumnale. Blue, July, August, 4'	.30	.25
fischeri. Blue, September, 3'	.25	.20
fischeri wilsoni. Violet blue, Sept., 5'	.40	.35
napellus. Light blue, July, Aug., 4'	.30	.25
napellus Spark's. Violet blue, July, Aug.,		
5'	.30	.25
*Actinea herbacea. Yellow, May, 6"	.25	
Actaea alba. White, May, June, 3-4'	.15	.12
rubra. Red, May, June, 3-4'	.15	.12
	.25	
Adenophora chinensis. Blue, Fall, 3'		
potanini. Light blue, July, Aug., 3'	.25	
Adiantum pedatum. Maiden Hair Fern	.15	.12
*Aegopodium podograria variegatum. Variegat-		
ed foliage, 1'	.18	.15

	5-24 each	each
*Aethionema cordifolium. Rosy lilac, June, 6"	.20	.18
grandiflorum. Pink, June, 12"	.20	.18
*kotschyi. Rose, July, 4"	.20	.18
*persicum. Pink, June, July, 9"	.20	.18
*pulchellum. Pink, June, 8"	.20	.18
*schistosum. Rose, June, 4"	.20	.18
*Ajuga brockbanki. Purple, June, 6"	.18	.15
*genevensis. Bright blue, May, 6"	.18	.15
*reptans. Blue, May, 6"	.15	.12
*reptans alba. White, May, 6"	.20	
Allium carinatum. Rose, June, July, 2'	.18	.15
*karataviense. White, June, July, 8"	.25	.20
narcissiflorum. Rose, June, July, 1'	.25	.20
schoenoprasum. Rose purple, June, July,		
2'	.25	.20
stellatum. Rose, June, July, 18"	.20	.18
*thibetica. Lilac mauve, June, July, 8"	.18	.15
Althea rosea. Hollyhock.		
Double. Separate colors, July, Aug., 5'	.15	.12
Double. Chaters' strain, separate colors	.15	.12
Fringed Allegheny. July, August, 5'	.15	.12
Single. Mixed colors, July, Aug., 5'	.15	.12
Single. Separate colors, July, Aug., 5'	.15	.12
*Alyssum argenteum. Yellow, July, Aug., 6"	.15	.12
*amanum. Yellow, May, June, 4"	.25	
*creticum. Yellow, June, July, 1'	.18	.15
*moellendorfianum. Yellow, June, July, 6"	.25	.20
*montanum. Yellow, June, July, 8"	.25	.20
*rostratum. Yellow, June, July, 12"	.15	.12
*saxatile compactum. Yellow, May, 1'	.15	.12
*saxatile sulphureum. Yellow, May, 1'	.25	.20
*serpyllifolium. Yellow, June, July, 4"	.18	.15
*spinosum. Pink and white, June, 3"	.30	.25
Amsonia tabernaemontana. Blue, May, June,		
3'	.18	.15
Anchusa barrelieri. Blue, May, 2'	.25	
capensis. Blue, summer, 18"	.18	.15
italica Dropmorei. Blue, June, 4-5'	.15	.12
myosotidiflora. Bright blue, May, 1'	.20	.18
*Androsace lanuginosa. Rose, June, 8"	.35	
*lanuginosa leichtlini. Rose, June, 8"	.40	
*sarmentosa. Rose, June, 6"	.40	

*Anemone baldensis. White and pink, July, 1'	5-24 each .25	25 &up each
*hupehensis. Mauve, Aug., Sept., 1'	.20	.18
*japonica alba. White, fall, 3'	.18	.15
japonica Alice. Rose pink, fall, 3'	.20	.18
japonica Louise Uhink .White, fall, 3'	.20	
japonica Marie Manchard White, fall, 3'	.30	
japonica Prince Heinrich. Deep pink, fall,		
3'	.20	.18
japonica Queen Charlotte. Rose, fall, 3'	.20	.18
japonica Richard Ahrends. Shell pink, fall,		
2'	.20	.18
japonica rubra. Red, fall, 2'	.25	.20
japonica September Charm. Silvery pink,		
fall, 2'	.25	
japonica September Sprite. Pink, fall, 2'	.25	.20
*japonica Whirlwind. Pure white, fall, 3'	.20	.18
*magellanica. Creamy yellow, spring, 1'	.30	120
*pennsylvanica. White, July, 1½'	.15	
*pulsatilla. Blue, April, 15"	.18	.15
*pulsatilla alba. White, April, 1'	.30	.25
*pulsatilla rubra. Dark red, April, 12"	.30	.25
*sylvestris. White, May, June, 1'	.20	.18
*vernalis. White, April, 6"	.30	.10
ventans. white, April, 0	.00	
*Antennaria dioica. White, May, 6"	.15	.12
*Anthemis cinerea. White, Aug. 1'	.20	.18
*montana. White, July, 10"	.20	.18
Moonlight. Pale yellow, summer, 2'	.35	
nobilis. White, summer, 1'	.15	.12
tinctoria. Yellow, July, Aug., 3'	.15	.12
tinctoria E. C. Buxton. White, yellow eye,		
July, Aug., 3'	.15	.12
tinctoria kelwayi. Yellow, July, Aug., 3'	.15	.12
tinctoria kelwayi. White, July, 3'	.18	.15
Anthericum liliago. White, May, June, 3'	.30	
Anthyllis vulneraria dilleni. Red, summer, 1'	.25	
		1.5
*Aquilegia alpina. Blue, May, June, 1'	.18	.15
*caerulea. Blue, May, June, 1½'	.20	.18
caerulea hybrida. Various, June, 2'	.15	.12
*canadensis. Scarlet, May, June, 2'	.15	.12
*chrysantha. Yellow, June, July, 3'	.18	.15

	5-24 each	25&up each
Aquilegia		
chrysantha alba. White, June, July, 3'	.18	.15
Crimson Star. Crimson, May, June, 2'	.25	.20
*flabellata nana-alba .White, June, 10"	.18	.15
*hybrida. Mrs. Scott Elliott. Various, June,		
2'	.18	.15
longissima. Yellow, June, 2'	.40	.35
*pyrenaica. Deep blue, June, July, 1'	.25	.20
rosea. Long spurred pink, June, 2'	.18	.15
*siberica fl. pl. Blue and white, June, 18"	.25	.20
skinneri. Red and yellow, May, 2'	.18	.15
vulgaris. Purple, May, June, 2'	.15	.12
vulgaris nivea. White, May, 2'	.18	.15
*Arabis albida. White, May, 6"	.18	.15
*alpina. White, April, May, 6"	.15	.12
*alpina fl. pl. Dbl. White, April, May, 6"	.25	.20
*alpina Rosabella. Pink, April, May, 6"	.35	
*alpina rosea. Pink, April, May, 6"	.20	.18
*aubretioides. Pink, May, 8"	.30	.25
*cebennensis. White, May, 10"	.20	.18
*cockilis. White, April, May, 6"	.25	.20
*holboelli. Lilac, May, 8"	.20	.18
*muralis. Rose, May, 10"	.25	.20
*procurrens. White, May, 1'	.25	.20
*Arenaria balearica. White, July, Aug., 3"	.20	.18
*grandiflora. White, May, 4"	.18	.15
*montana. White, June, 4"	.18	.15
*purpurascens. Purple rose, July, 4"	.25	.20
*verna. White, June, July, 3"	.20	.18
Arisaema triphyllum. Purple, May, 1'	.15	.12
*Armeria alpina. Pink, summer, 6"	.18	
*caespitosa. Pale pink, May, 2"	.30	.25
*cephalotes rubra. Deep pink, May, June, 6"	.18	.15
*laucheana. Crimson, May, June, 8"	.15	.12
*maritima. Pink, May, June, 6"	.15	.12
*maritima alba. White, May, June, 6"	.15	.12
*robusta. Crimson, May, June, 10"	.15	.12
Artemisia abrotanum. Fragrant foliage, 5'	.15	.12
absinthium. Wormwood, 4'	.15	.12
cana. Gray foliage, 30"	.35	.14
dracunculus. White, August, 2'	.20	.18
	.20	.10

TANKESVILLE, OTTO		105
	5-24 each	25&up each
Artemisia	edcii	eden
frigida. Silver foliage, 18"	.20	.18
lactiflora. White, Aug., 4'	.18	.15
pontica. Gray foliage, 12"	.15	.12
purshiana. Gray foliage, 3'	.15	.12
Silver King. White foliage, 3'	.15	.12
stelleriana. White, summer, 2'	.15	.12
Arundo-donax. Giant Reed, 12'	.30	.25
*Asarum canadense. Chocolate, May, 6"	.15	.12
Asclepias incarnata. Red, August, 4'	.15	.12
tuberosa. Orange, July, August, 2'	.15	.12
*Asperula cynanchica. Pink, summer, 10"	.20	
hexaphylla. White, June, 1'	.18	.15
*hirta. Pink, July, Aug., 6"	.20	
*longifolia. White, summer, 8"	.25	
*odorata. White, May, 8"	.20	.18
*scutellaria. White, June, July, 6"	.25	
Asphodeline lutea . Yellow, July, 3'	.20	.18
*Asplenium felix faemina. Lady Fern	.15	.12
*Aster alpinus. Blue, June, July, 8"	.15	.12
*alpinus albus. White, June, July, 8"	.18	.15
*alpinus Goliath. Bluish purple, May, June,		
8"	.30	
*alpinus ruber. Rosy purple, July, 8"	.25	
amelloides. Purple, July, 18"	.20	
amellus elegans. Purple, Aug., 18"	.20	.18
amellus Rud. Goethe. Lavender blue, fall,		
2'	.25	.20
Abendrothe. Rose pink, Oct., 3'	.18	.15
Acme. Light lavender, Oct., 5'	.30	
Anita Ballard. Soft lavender, fall, 4'	.18	.15
Ballard's Crimson. Fall, 3'	.20	.18
Beauty of Colwall. Fine blue, Sept., 3'	.15	.12
Beechwood Challenger. Crimson, fall, 18"	.30	.25
Blanchette. Mauve blush, fall, 4'	.15	.12
Blue Gem. Blue, Sept., 3'	.25	.20
Climax. Blue, Sept., Oct., 3'	.15	.12
diplostephioides. Blue, July, 2'	.18 .25	.15 .20
dracunculoides. Light blue, July, 2'	.45	.20
frikarti Wonder of Staefa. Lavender, fall, 2'	.30	
Harrington's Pink. Fall, 3'	.30	.25
mmaraicus. Linac, Aug., 10	.00	.40

	5-24 each	25&up each
Aster		
hyb. luteus. Yellow, Sept., 3'	.30	.25
laevis. Lavender, Sept., 4'	.15	.12
Mad. Emil Thoury. Violet, Sept., 5'	.15	.12
Mad. Soyneuse. Light blue, Sept., Oct., 3'	.15	.12
Mauve Cushion. Mauve, Oct., 12"	.15	.12
Mauve Queen. Mauve, Sept., 3'	.18	.15
Mrs. Raynor. Crimson, Sept., 3'	.18	.15
Mt .Everest. White, fall, 3'	.20	.18
novae-angliae. Purple, Sept., Oct., 4'	.15	.12
novae-angliae roseus. Rose, Sept., 4'	.18	.15
Queen Mary. Blue, Sept., 3'	.20	.18
Red Rover. Red, fall, 3'	.20	
Robt. Parker. Lavender, Sept., Oct., 5'	.15	.12
Rue des Hatives. Rose mauve, fall, 3'	.15	.12
Skylands Queen. Light blue, fall, 3'	.20	
Snow Queen. White, Sept., Oct., 4'	.15	.12
St. Egwyn. Soft pink, Sept., Oct., 3'	.15	.12
Sunset. Pink, Sept., 3'	.30	.25
tartaricus. Purple, Oct. and Nov., 6'	.15	.12
Wartberg Star. Lilac blue, spring, 1'	.35	
White Climax. White, fall, 4'	.15	.12
dwarf varieties.		
Countess of Dudley. Clear pink, Sept.,		
9"	.20	.18
Lady Henry Maddocks. Pink, Sept., 1'	.20	.18
Lavenda. Lavender blue, Sept., 6"	.30	.25
Marjorie. Rose pink, Sept., 1'	.20	.18
Nancy. Flesh pink, Sept., 1'	.20	.18
Niobe. White, Sept., 6"	.30	.25
Ronald. Lilac pink, Sept., 1'	.20	.18
Snowsprite. White, Sept., 1'	.20	.18
Victor. Lavender blue, Sept., 8"	.20	.18
Astilbe arendsi Ceres. Rosy lilac, July, 2'	.25	.20
arendsi Granat. Crimson, June, 2'	.30	
arendsi Grandis rosea magnifica. Pink,		
July, 4'	.25	
arendsi Juno. Purplish pink, July, 3'	.25	.20
arendsi Kreimhilde. Rose, June, July, 2'	.25	.20
arendsi Marguerite Van Rechteren. Red,		
tinged lilac, Aug., 4'	.30	.25
arendsi Moerheimi. White, July, 3'	.30	.25
, , ,		

	5-24 each	25&up each
Astilbe		
arendsi Philadelphia. Lavender rose, July,		
2'	.30	
arendsi Rhineland. Crimson, shaded salmon,		
June, 2'	.30	.25
arendsi Rose Pearl. Shell pink, July, 3'	.25	.20
arendsi Salland. Red, July, 5'	.25	.20
biternata. Cream, June, 4'	.25	.20
rosea Queen Alexandra. Deep pink, July,	0.5	
3' Page pink July	.25	.20
rosea Queen of Holland. Rose pink, July,	.25	.20
rubella Solferino. Violet pink, July, 3'	.30	.25
rubella Vesta. Lilac rose, July, 3'	.25	.20
Astrantia major. Silvery pink, May, 2'	.15	.12
*Aubrietia deltoidea. Purple, April, May, 4" *deltoidea bougainvillei. Dark blue, April,	.18	.15
5"	.18	.15
*deltoidea eyrei. Rosy lilac, April, 5"	.18	.15
*deltoidea Fire King. Red, May, 4"	.30	
*deltoidea graeca. Violet, May, 4"	.18	.15
*deltoidea leichtlini. Pink, April, 5"	.18	.15
*deltoidea purpurea. Purple, April, 5"	.18	.15
*hybrida. Various, April, May, 6"	.25	
Baptisia australis. Indigo, June, 4'	.18	.15
tinctoria. Yellow, June, 3'	.18	.15
Belamcanda chinensis. Orange, summer, 3'	.15	.12
*Bellis perennis alba. White, April, May, 3"	.15	.12
*perennis rosea. Pink, April, May, 3"	.15	.12
*rotundifolia caerulescens. Blue, May, 2"	.20	.18
*Bellium bellidioeides. Blush, summer, 4"	.15	.12
Bocconia cordata. Creamy white, Aug., 6'	.15	.12
Boltonia asteroides. White, Sept., 5'	.15	.12
latisquama. Lavender, Aug., 5'	.15	.12
latisquama nana. Lavender, Aug., 2'	.20	.18
Boykinia rotundifolia. White, June, 2'	.18	.15
Buphthalmum speciosum. Yellow, June, 3'	.15	.12
salicifolium. Yellow, summer, 2'	.18	.15
*Calamintha alpina. Purple, summer, 6"	.18	.15
*Calandrinia umbellata. Crimson, summer, 6"	.20	.18

	5-24 each	25&up each
Calimeris incisa. Pink, summer, 2'	.25	000
*Callirhoe involucrata. Red, all summer, 6"	.15	.12
*Caltha palustris. Yellow, April, May, 12"	.15	.12
Camassia leichtlini. Blue, May, 2'	.15	.12
quamash. Blue, May, 2'	.15	.12
*Campanula alliariaefolia. White, June, July, 2'	.18	.15
*bononiensis. Blue, June, 2'	.18	.15
*carpatica. Blue, July, August, 9"	.18	.15
*carpatica alba. White, July, Aug., 9"	.18	.15
*collina. Blue, July, Aug., 1'	.25	
*cullinmore. Blue, summer, 9"	.40	.35
*elatinoides. Blue, summer, 6"	.20	
*fenestrellata. Pale blue, summer, 3"	.20	.18
*garganica. Light blue, June, 6"	.30	.25
*garganica hirsuta. Blue, June, 4"	.25	
*glomerata. Purple, June, July, 2'	.15	.12
*glomerata acaulis. Purple, June, 6"	.18	.15
*glomerata superba. Violet, June, July, 2'	.18	.15
*grosseki. Blue, summer, 2'	.15	.12
*istriaca. Pale blue, June, July, 3"	.20	
*kolenatiana. Blue, July, 9"	.25	.20
lactiflora. Light blue, Aug., 4'	.18	.15
latifolia alba. White, July, 3'	.20	.18
latifolia macrantha. Purplish blue, July, 3'	.18	.15
medium. Mixed, June, July, 3'	.15	.12
medium. Separate colors, June, July, 3'	.18	.15
medium calycanthema. Mixed, July, 3'	.15	.12
medium calycanthema. Separate colors,		
July, 3'	.18	.15
*muralis. Blue-purple, June, 6"	.30	.25
persicifolia. Blue, June, July, 2'	.18	.15
persicifolia alba. White, June, 2'	.20	.18
persicifolia alba. fl. pl. White, summer, 2'	.40	
*poscharskyana. Blue, summer, 5"	.35	
pyramidalis. Blue, July, 4-5'	.18	.15
pyramidalis alba. White, July, 4-5'	.18	.15
*raddeana. Purple, July, Aug., 1'	.25	.20
*raineri. Dark blue, July, 6"	.18	.15
*raineri alba. White, July, 6"	.20	.18
*rhomboidalis. Blue, July, 1'	.18	.15
*riverslea. Dark blue, July, 9"	.20	.18
*riverslea alba. White, July, 9"	.20	.18
*rotundifolia. Blue, June, July, 12"	.18	.15

	5-24	25&up
Campanula	each	each
*sarmatica. Pale blue, summer, 12"	.30	.25
*sibirica alba. White, summer, 10"	.25	.20
*turbinata. Blue, June, July, 6"	.18	.15
*turbinata alba. White, June, July, 6"		.15
	.18	
*trachelium. Blue, July, 2-3' *Carex morrowi. White-edged foliage, 1'	.15	.12
Cassia marilandica. Yellow, July, 3-4'		10
	.15	.12
Catananche caerulea. Blue, June, July, 18"	.15	.12
Callophyllum thalictroides	.15	.12
Cedronella cana. Pink, July, 3'	.25	.20
Centaurea babylonica. Yellow, July, 5'	.15	.12
*dealbata. Red, July, 1½'	.18	.15
macrocephala. Yellow, July, 3-4'	.18	.15
*montana .Blue, June, July, 2'	.15	.12
ruthenica. Straw color, July, 4'	.18	
Centranthus augustifolius. Rose, summer, 18"	.20	
ruber. Red, summer, 3'	.15	.12
ruber albus. White, all summer, 3'	.15	.12
Cephalaria alpina. Yellow, July, 5'	.15	.12
tatarica. Cream, summer, 6'	.15	.12
*Cerastium arvense compactum.		
White, July, 8"	.15	.12
*biebersteini. White, June, 6"	.18	.15
*tomentosum. White, June, 6"	.15	.12
*Ceratostigma plumbaginoides. Blue, fall, 6"	.18	.15
*Chieranthus allioni. Orange, July, 1'	.15	.12
*Golden Bedder. June, 1'	.20	
Chelone glabra. White, rose tinged, July, 2'	.18	.15
lyoni. Deep rose, August, 2'	.18	.15
Chrysanthemum anemone—flowered	.15	.12
Snow Queen—White.		
*arcticum. White, fall, 2'	.15	.12
*arcticum Astrid. Pink, fall, 18"	.20	.18
balsamita. Yellow, Aug., Sept., 2'	.25	.20
coreanum. Blush, fall, 3'	.18	.15
Cushion varieties. Fall, 1'	.20	.18
(white, yellow, pink, red, bronze)		
*erubescens. Pink, Aug., Sept., 18"	.25	

	5-24 each	25&up each
Chrysanthemum	cacii	Cacii
hardy button varieties	.15	.12
Baby Marguerite—pink.		
Bronze Button—bronze.		
Irene—blush white.		
Lillian Doty—pink.		
Mitzi—yellow.		
Mrs. H. Harrison—pink.		
Niza—delicate pink.		
Ouray—rich bronze.		
Pygmy Gold — golden yellow.		
White Doty—white.		
White Gull—white.		
hardy large flowering, double, fall, 4'	.15	.12
Algonquin—yellow.		
Angelo—pink.		
Barbara Cumming—yellow, bronze shad	ing.	
Boston—orange.		
Brune Poitevine—deep velvety reddish l	oronz	e.
Caliph—oxblood red.		
Canariense—yellow.		
Comoleta—yellow.		
Golden Queen—yellow.		
Harvest Home—yellow.		
Indian—coppery red.		
L'Argentuillais—deep chestnut.		
Lavender Lady—clear lavender.		
Marie Antoinette—deep pink.		
Mrs. F. H. Bergen—pale pink.		
Mrs. H. Craig—yellow, overlaid orange co	rimso	n.
Murillo—pink.		
Oconto—white.		
Ohio Gold—yellow.		
Old Homestead—pink.		
Pacific Supreme—pink.		
R. Marion Hatton—canary yellow.		
Snowclad—white.		
Vesuve—red.		
Aladdin. Coppery bronze, Aug., 2'		.18
Dazzler. Cardinal red, fall, 2'	.18	.15
Daybreak. Shell pink, fall, 2'	.25	
Eden. Bright rose, fall, 2'	.18	.15
Emma Marie. Lemon yellow, fall, 2'	.18	.15

	5-24 each	25&up each
Chrysanthemum		
Glory of Seven Oaks, Yellow,		
Sept., 2'	.18	.15
Granny Scovill. Coral Bronze, fall, 2'	.20	.18
Jean Cumming. White, fall, 2'	.18	.15
Judith Anderson. Yellow, fall, 18"	.20	.18
Mrs. Willis J. Martin, Strawberry, fall,		
2'	.18	.15
Pale Moon. Yellow, fall, 2'	.30	.25
Peggy Ann Hoover. Lilac pink, fall, 2'	.18	.15
Tassiva. White, Sept., 18"	.18	.15
White Spoon. White, Oct., 18"	.25	.20
Yellow Normandie. Yellow, early fall, 2'	.18	.15
Yellow Spoon. Yellow, Oct., 18"	.25	.20
hardy large flowering, single, fall, 4'	.18	.15
California—yellow.		
Excelsior—golden yellow.		
Gypsy Girl—crimson, shading chestnut.		
Lady Smith—bright pink.		
Mrs. Calvin Coolidge—cardinal red.		
Mrs. W. E. Buckingham—salmon pink.		
Korean hybrids. Oct. 2-2½'	.20	.15
Aphrodite—pale pink.		
Apollo—bronze, red and gold.		
Ceres—chamois yellow.		
Clara Curtis—salmon pink.		
Daphne—daphne pink.		
Diana—rose pink, blended lilac rose.		
Indian Summer—double orange.		
Kristina—deep rose pink.		
Mars—-amaranth red.		
Mercury—bronze red.		
Nancy Copeland—spectrum red.		
Profusion—rich coppery old gold.		
Saladin—oriental red, shading to coral.		
Sappho—pure yellow.		
Saturn—orange and bronze.		
Siegfried—rich yellow.		
The Moor—port wine red.		
Viking—burnt orange.		
maximum. White, all summer, 2'	.15	.12
maximum Alaska. White, July, Aug., 2'	.15	.12

	5-24 each	25&up each
Chrysanthemum		
maximum Chiffon. Dbl. White, summer, 18"	.30	
maximum Esther Reed. Dbl. white, sum-		
mer, 18"	.45	
maximum Giant Single. White, summer,		
30"	.30	.25
maximum Mrs. C. Lothian Bell. White,		
June, July, 2'	.18	.15
maximum White Swan. Dbl. White, sum-		
mer, 18"	.30	.25
*morifolium. Rose, fall, 18"	.20	.18
zawadsky. Pink, June, July, 2'	.20	
*Chrysoboltonia pulcherrima. Pink, Aug., 2"	.25	
Cimicifuga racemosa. White, July, 5'	.15	.12
Clematis davidiana. Blue, Aug., 3'	.18	.15
davidiana hybrida. Light blue, Aug., 18"	.50	.40
integrifolia. Blue, July, 2'	.18	.15
recta. White, July, 3'	.18	.15
recta mandschurica. White, July, 4'	.18	.15
Codonopsis clematidea. White, June, 3'	.20	
*Colchicum autumnale. Rosy lilac, Sept., 1'	.25	
autumnale roseum plenum. Rosy lilac,		
Sept., 1'	.35	
*Convallaria majalis. Clumps, white, May, 6"	18	.15
Coptis trifolia. White, summer, 6"	.18	.15
Coreopsis auriculata. Orange, summer, 18"	.25	.20
grandiflora. Yellow, summer, 3'	.15	.12
lanceolata. Yellow, summer, 2'	.15	.12
*rosea. Rose, Aug., Sept., 1'	.15	.12
*verticillata. Yellow, July, Aug., 2'	.18	.15
*Coronilla cappadocica. Yellow, June, 6"	.25	.20
*varia. Pink, summer, 18"	.15	.12
*Corydalis cheilanthifolia.		
Creamy white, July, 2'	.30	.25
*lutea. Yellow, July, 8"	.30	.25
*Cotula squalida. White, summer, 2"	.25	.20
*Crucianella stylosa. Crimson pink, July, 8"	.18	
*Cynanchum acuminatifolium.		
White, summer, 18"	.18	.15
Cypripedium acaule. Rose-purple, May, June, 1'	.45	
parviflorum. Yellow, May, June, 1'	.45	
spectabile. Rose, June, 2'	.45	
For less than five, add five cents per plant to the 5	-24 ra	te.

	5-24 each	25&up each
Delphinium belladonna .	eden	eden
Sky blue, all summer, 4'	.15	.12
bellamosum. Dark blue, all summer, 4'	.15	.12
*chinense. Blue, July, 2'	.18	.15
*chinense album. White, July, 2'	.18	.15
elatum. Blue, July, 4'	.15	.12
formosum. Indigo, July, 4'	.18	.15
formosum coelestinum.		
Light blue, July, 3'	.15	.12
grandiflorum. Shades of blue, July, 3'	.15	.12
hybridum Blackmore and Langdon.		
Various, July, 4'	.30	.25
hybridum Gold Medal.		
Shades of blue, July, 4'	.15	.12
hybridum Wrexham's. Various, June, 5'	.35	.30
Iceberg. White, summer, 3'	.25	.20
Pacific Hybrids. Various, summer, 4'	.35	
sibirica hybrids. Shades of blue, July, 3'	.15	.12
Dennstedtia punctilobula. H ay-scented Fern. .	.15	.12
Dianthus allwoodi. Pink, July, 1'	.18	.15
*alpinus. Rose, summer, 4"	.25	.20
*arenarius. White, July, 10"	.15	.12
*arvernensis. Pink, June, 4"	.20	
barbatus. (Single Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus alba. White, June, July, 1'	.15	.12
barbatus atrococcineus. Crimson, June, 1'	.15	.12
*barbatus Dwarf Giants. Various, June, 8"	.18	.15
barbatus fl. pl. (Double Sweet William).		
mixed colors, June, July, 1'	.15	.12
barbatus Giant White. June, 1'	.15	.12
barbatus nigricans.		
Dark velvety red, June, 1'	.15	.12
barbatus Pink Beauty. Pink, June, 1'	.15	.12
barbatus Salamoni. Salmon, June, 1'	.15	.12
barbatus Sutton's Scarlet.		
Crimson, June, 1'	.15	.12
*caesius. Rose pink, June, July, 9"	.15	.12
*chinensis heddewigi.		
Mixed, June, July, 8"	.15	.12
*deltoides. Pink, June, 9"	.15	.12
*deltoides albus. White, June, 9"	.15	.12

	5-24 each	25&up each
Dianthus	cacii	, cae
*deltoides Brilliant. Red, June, 9"	.15	.12
giganteus. Red, July, 2'	.18	.15
*grisebachi. Purple, June, 1'	.20	.18
hardy pinks.		
Single, mixed, all summer, 9"	.15	.12
knappi. Yellow, summer, 1'	.18	.15
*latifolius atrococcineus.		
Crimson, summer, 1'	.15	.12
*neglectus. Pink, May, June, 4"	.30	
*plumarius. Mixed, summer, 8"	.15	.12
*plumarius fl. pl. Mixed, summer, 8"	.15	.12
*plumarius semperflorens.		
Pink, June, 9"	.15	.12
*Abbotsford. Crimson, all summer, 9"	.18	.15
*Beatrix. Salmon pink, June, 18"	.25	
*Bristol Jewel. White and crimson, June,		
18"	.30	
*Bristol Purity. White, June, 18"	.25	
*Cyclops. Dark rose, June, July, 9"	.18	.15
*Elizabeth Peters. Pink, June, July, 9"	.20	
*Furst Bismark. Rose, summer, 1'	.20	.18
*Gladys Cranfield. Pink, summer, 1'	.25	
*Hardy Harvard. Red, summer, 1'	.35	
*Homer. Rosy red, June, July, 9"	.18	.15
*Her Majesty. Dbl. white, June, July, 9"	.18	.15
*Little Joe. Crimson, summer, 6"	.35	
*Pheasant's Eye. Pink, white eye, June, 1'	.18	.15
*Rose Cushion. Pink, June, 3"	.25	
*Silver Mine. White, summer, 1'	.35	
*Souv. de Sales. Dbl. pink, June, 9"	.20	.18
*Uncle Sam. White, red eye, June, 12"	.25	
*White Reserve. White, June, July, 9"	.18	.15
*seguieri. Carmine, summer, 1'	.20	4.6
*speciosa. Pink, July, 10"	.15	.12
*subacaulis. Purple, June, July, 4"	.30	.25
*Dicentra eximea. Rose, all summer, 1'	.18	.15
spectabilis. Rose, May, June, 2'	.30	.25
Dictamnus albus. White, June, 2'	.20	.18
albus ruber. Red, June, 2'	.20	.18
caucasicus. Red, June, 3'	.25	.20

	5-24 each	25&ur each
Digitalis ambigua. Yellow, June, July, 3'	.18	.15
gloxinaeflora. Mixed, June, July, 3'	.18	.15
Isabellina. Yellow, June, July, 3'	.18	.15
lanata. Creamy yellow, July, 3'	.18	.15
lutea. Yellow, June, July, 18"	.18	.15
purpurea. Mixed, June, July, 3'	.15	.12
purpurea maculata. Spotted, June, July,		
18"	.15	.12
purpurea monstrosa. Various, June, July,		
3'	.15	.12
purpurea, rose. June, July, 3'	.15	.12
purpurea, white. June, July, 3'	.15	.12
Shirley Hybrids, Mixed. June, July, 3'	.18	.15
*Dodecatheon meadia. Rose, May, 1'	.18	.15
*latilobum. White, May, June, 1'	.15	.12
Doronicum caucasicum. Yellow, April, May,		
18"	.30	.25
clusi. Yellow, May, 12"	.30	0
plantagineum excelsum. Yellow, April,		
May, 3'	.25	.20
Dorycnium hirsutum. Pink, summer, 2'	.25	.20
*Draba aizoides. Yellow, March, 4"	.30	
*altaica. White, April, 6"	.30	.25
*armata. Yellow, April, 2"	.35	.30
*bruniifolia. Orange, April, May, 4"	.35	
*dedeana. White, May, June, 2"	.40	
*fladnizensis. White, April, May, 3"	.30	.25
*hispanica. Yellow, April, 2"	.30	.25
*repens. Yellow, April, 6"	.20	.18
*Dracocephalum botryoides. Rose, July, 6"	.25	.20
*nutans. Blue, Aug., 1'	.20	.18
Ruyschianum japonicum. Blue, summer, 2'	.20	.18
Dryopteris spinulosum. Wood Fern	.15	.12
thelypteris. Shield Fern,	.15	.12
Echinacea purpurea. Purple, July, Aug., 3'	.15	.12
Echinops humilis. Blue, July, 2'	.18	.15
ritro. Deep steel blue, July, 3'	.15	.12
sphaerocephalus. Pale blue, July, 5'	.15	.12
*Edraianthus dinaricus. Lilac, July, 3"	.25	
*tenuifolius. Blue, summer, 5"	.25	.15

174 HENRY KOHANKIE & SOI	14		
		5-24 each	25&up each
Elymus glaucus. Blue Lime Grass, 3'.		.18	.15
*Epigaea repens. Pink, April, May, 4"		.45	
Epilobium angustifolium. Rose, Aug.,	4′	.18	.15
*Epimedium niveum. White, May, June	1'	.30	
macranthum lilacina. Lilac, May, J		.50	
sulphureum. Yellow, May, 1'		.35	.30
Eremurus himalaicus. White, June, 6'.		1.50	
Erianthus ravennae. Plume Grass, 10'		.30	.25
*Erigeron elatior. Purple, July, 2'		.25	.20
*glabellus. Violet, June, July, 1'		.15	.12
*glabratus roseus. Pink. June, 1'		.20	.18
macranthus. Violet, June, 2'		.20	.18
*speciosus. Rich purple, June, July,		.15	.12
*Erinus alpinus albus. White, May, 4"		.20	.18
*alpinus roseus. Rosy purple, May,		.20	.18
*Erodium corsicum. Pink, summer, 2".		.30	
Eryngium alpinum. Blue, July, 2'		.20	.18
amethystinum. Blue, summer, 18"		.18	.15
bourgati. Blue, summer, 18"		.20	10
*planum. Blue, July, Aug., 3'		.15	.12
*Erysimum kotschyanum. Orange, Ma	ay, June,	10	15
5"		.18	.15
*ochroleucum. Yellow, May, 1'		.25	.20 .15
*pulchellum. Lemon, May, June, 6'		.18	
Eulalia gracillima. Japan Rush, 4-6'		.15	.12
japonica variegata. 4-6'		.18	.15
zebrina. Zebra Grass, 4-6'		.15	.12
Eupatorium ageratoides. White, Aug.,	o	.15	.12
*coelestinum. Blue, Sept., Oct., 18' purpureum. Purple, Aug., Sept.,		.15	.12
Euphorbia corollata. White, July, Aug.		.18	.15
*cyparissias. Yellow, May, 10"	, 4	.15	.12
*epithymoides. Yellow, May, June,	1′	.25	
*myrsinites. Yellow, May, June, 6"		.20	.18
Festuca glauca. Fescue Grass, June, 10		.15	.12
Foeniculum atrosanguineum. Summer,		.18	.15
*Fragaria indica. White, May, 6"		.15	.12
Fuchsia magellanica. Red, summer, 3'		.30	
Funkia. (See Hosta).			

	5-24 each	25 & up each
Gaillardia grandiflora. Yellow and Crimson,	euch	euci
all summer, 2'	.15	.12
Burgundy. Red, summer, 2'	.30	.25
Goblin. Yellow and red, summer, 1'	.20	.18
Mr. Sherbrook. Yellow, summer, 2'	.25	
Sun God. Yellow, Aug., 2'	.30	
*Galax aphylla. White, June, 10"	.20	.18
Galega officinalis. Blue, June, July, 3' officinalis hartlandi. Bluish white, July,	.18	.15
3'	.18	.15
Galium boreale. White, July, 1½'	.18	.15
*purpureum. Dark brown, Aug., 1'	.20	.18
*verum. Yellow, June, July, 6"	.25	.20
*Gentiana acaulis. Dark blue, Aug., 4"	.35	.30
alba. White, Aug., 2'	.15	.12
andrewsi. Blue, Aug., 2'	.15	.12
*cruciata. Deep blue, June, July, 1'	.30	.25
*freyniana. Blue, Aug., Sept., 6"	.35	
*Purdomi. Blue, July, Aug., 6"	.30	.25
*septemfida. Deep blue, summer, 12"	.30	.25
*Geranium endressi. Rose, summer, 18"	.35	
*grandiflorum. Lilac, June, July, 15"	.15	
*grevilleanum. Mauve, June, July, 6"	.18	.15
*ibericum. Purple, May, June, 2'	.18	.15
*lancastriense. Mauve, May, June, 1'	.18	.15
*maculatum. Pink, May, June, 1'	.18	.15
*pratense album. White, July, Aug., 2'	.18	.15
*sanguineum. Red, June, July, 2'	.18	.15
*Geum atrosanguineum. Dark red, summer, 1½'	.18	.15
*Lady Strathedon. Orange, summer, 15"	.18	.15
*montana. Yellow, July, 1'	.18	.15
*Mrs. Bradshaw. Double red, summer, 1'	.18	.15
*Orange Queen. Orange, summer, 15"	.20	.18
*sibericum. Scarlet, June, July, 1'	.20	
*urbanum. Yellow, July, 15"	.25	.20
Gillenia trifoliata. White, July, 4'	.18	.15
*Globularia cordifolia. Pale blue, June, 4"	.20	.18
*nana. Pale blue, June, 2"	.25	.20
*trichosantha. Blue, May, June, 6"	.18	.15

	5-24 each	25&up each
Gypsophila acutifolia. Pink, July, 2-3'	.15	.12
*cerastoides. White, summer, 4"	.20	.18
paniculata. White, July, Aug., 2-3'	.15	.12
paniculata Bristol Fairy. Dbl. white, sum-		
mer, 3'	.30	.25
paniculata fl. pl. Dbl. white, July, Aug.,		
3'	.35	.30
*repens. Bluish white, all summer, 6"	.15	.12
*repens rosea. Pink. summer, 6"	.20	.18
Rosy Veil. Pink, summer, 2'	.30	.25
Helenium autumnale. Yellow, Aug., Sept., 5'	.18	.15
autumnale superbum. Yellow, Sept., 5'	.18	.15
bigelovi. Yellow, Sept., 4'	.20	.18
Chippersfield Orange. Copper and gold,		
Aug., 4'	.45	
Gartensonne. Yellow, Aug., Sept., 3'	.25	.20
hoopesi. Orange, June, July, 3'	.20	.18
*pumilum. Yellow, Aug., 15"	.20	.18
Riverton Beauty. Lemon, Aug., Sept., 5'	.20	.18
Riverton Gem. Old Gold, Sept., Oct., 4'	.20	.18
rubrum. Brick red, Sept., 4'	.18	.15
Helianthemum citrinum. Yellow, summer, 6"	.18	.15
*croceum. Saffron, June, July, 9"	.18	.15
*cupreum. Copper. June, July, 6"	.18	.15
*Fire Ball. Red, July, Aug., 12"	.18	.15
*mutabile. Flesh, May, June, 12"	.18	.15
*perfoliatum roseum. Salmon, summer, 6"	.18	.15
*purpureum. Bright pink, June, 6"	.25	
*The Bride. White, June, July, 6"	.25	
Helianthus atrorubens. Yellow, fall, 6'	.15	.12
maximiliana. Yellow, Sept., 6'	.15	.12
Miss Mellish. Yellow, Aug., Sept., 6'	.15	.12
mollis grandiflorus. Yellow, Aug., Sept., 4'	.15	.12
*multiflorus fl. pl. Yellow, summer, 4'	.18	.15
orgyalis. Bright yellow, Sept., 6-8'	.20	.18
rigidus. Yellow, Aug., 3'	.15	.12
Wolley Dod. Deep yellow, Sept., 7'	.15	.12
Heliopsis excelsa. Dbl. yellow, Aug., 3'	.18	.18
incomparabilis. Gold, summer, 30"	.50	
pitcheriana. Orange, July, Aug., 3'	.15	.12
Helleborus niger. White, Feb., Mar., 1'	.65	
*orientalis. Various, March, 12"	.50	

*Helxine soleiroli. Creeping herb, 1"	5-24 each .18	25&up each .15
Hemerocallis Apricot. Apricot color, June, 2'	.18	.15
aurantiaca. Orange, June, July, 2½′	.18	.15
Dr. Regal. Orange yellow, May, 18"	.18	.15
dumortieri. Orange, June, 2'	.15	.12
flava. Lemon yellow, June, 3'	.18	.15
florham. Golden yellow, June, 3'	.20	.18
fulva. Bronze, Aug., 3'	.15	.12
Gold Dust. Indian yellow, June, 2½'	.15	.12
gracilis. Yellow, June, 2'	.18	.15
Hyperion. Lemon, July, 4'	.60	
J. A. Crawford. Apricot yellow, July, 4'	.30	.25
kwanso. Reddish orange, June, 2½'	.20	
luteola. Orange, June, 2'	.15	.12
May Queen. Orange, May, 4'	.25	
middendorffi. Orange, June, 3'	.15	.12
minor. Yellow, June, 2'	.15	.12
Orange Man. Deep orange, June, 2'	.15	.12
Sovereign. Rich orange, June, 1½'	.15	.12
thunbergi. Lemon yellow, June, 2-3'	.15	.12
hybrids. Named varieties, 2-3'	.40	.35
Bay State. Deep yellow, Aug.		
Gypsy. Deep orange, July.		
Harvest Moon. Orange, July.		
Lemona. Pale lemon yellow, Aug.		
Mrs. W. H. Wyman. Pale lemon, Aug.		
The Gem. Deep orange, June, July.		
*Hepatica triloba. Light blue, March, April, 4"	.15	.12
*Herniaria glabra. Green, summer, 4"	.18	.15
*Hesperis matronalis. Purple, June, July, 3'	.15	.12
*matronalis alba. White, June, July, 3'	.18	.15
Heuchera americana. Greenish white, 3'	.20	.18
*brizoides. Pink, June, July 2'	.18	.15
*Fire King. Red, May, June, 15"	.35	
*Grenadier. Red, summer, 15"	.35	
*Pleu de Feu. Red, May, June, 2'	.25	.20
*Red Pimpernell. June 1'	.25	
*rosamundi. Coral, summer, 18"	.25	.20
*sanguinea. Coral red, June, 1'	.18	.15
*sanguinea alba. White, June, 1'	.30	.25
*sanguinea hybrids. Various, summer, 18".	.18	.15
*villosa. White, summer, 12"	.20	.18

	5-24 each	25&up each
Hibiscus Mallow Marvels. Mixed, July, Aug.	euch	each
5'	.15	.12
Mallow Marvels. Separate colors, Aug.,		
5'	.18	.15
Mallow Marvels. Giant Red, Aug., 5'	.18	.15
moscheutos. Rose, June, July, 5'	.15	.12
moscheutos crimson eye. White, red eye,		
Aug., 5'	.15	.12
*Hieracium aurantiacum. Orange, summer, 6"	.15	.12
*alpinum. Yellow, May, June, 9"	.20	.18
Hosta caerulea. Blue, July, 1½'	.15	.12
fortunei. Pale lilac, July, 2'	.15	.12
lancifolia. Blue, July, 2'	.15	.12
minor alba. White, fall, 10"	.35	
sieboldiana. Silvery foliage.	.20	.18
sub-cordata grandiflora. White, Aug., 18"	.30	.25
undulata variegata. White foliage, 2'	.15	.12
*Houstonia purpurea. Purple, May, June, 1'	.20	
serpyllifolia. Blue, April, 2"	.18	.15
*Hutchinsia alpina. White, May, June, 4"	.30	
Hyacinthus candicans. White, Aug., 3'	.18	.15
Hypericum ascyron. Yellow, Aug., 3'	.25	.20
*calycinum. Yellow, July, Aug., 1'	.18	.15
*Coris. Yellow, summer, 4"	.25	.20
*fragile. Yellow, July, Aug., 1'	.25	.20
moserianum. (See Shrubs).		
*polyphyllum. Yellow, summer, 8"	.18	.15
*repens. Yellow, July, 4"	.25	.20
*rhodopaeum. Yellow, July, 4"	.20	.18
*Hyssopus officinalis. Purple, Aug., 18"	.18	.15
*Iberis gibraltarica. Delicate lilac, May, 1½'	.15	.12
*jordani. Rose, May, June, 6"	.30	.25
*saxatilis. White, summer, 8"	.18	.15
*sempervirens. White, May, June, 8"	.15	.12
*sempervirens Climax. White, May, 6"	.18	.15
*sempervirens Little Gem. White, April, 6"	.18	.15
*sempervirens Snowflake. White, May, 9"	.25	.20
*tenoreana. Purplish white, June, 6"	.25	.20
*Incarvillea delavayi. Rosy purple, June, July,		
2'	.20	.18
*Inula ensifolia. Yellow, July, Aug., 8"	.18	.13
royleana. Yellow, July, Aug., 18"	.20	

ris cristata. Light blue, May, June, 6"	5-24 each .18	25&up each .15
dichotoma. Purple, Aug., 1'	.25	
*ensata. Lilac, June, 10"	.30	.25
*ensata alba. White, June, 10"	.30	
*flavissima. Yellow, May, 6"	.25	.20
fall blooming. Spring and fall, 1½-2'	.25	.20
Autumn King—blue-purple Autumn Queen—snow white		
Olive White—cream		
Ultra—utramarine-blue		
germanica. May, June 1½-2'.		
Afterglow. Soft lavender shading yellow	.15	.12
Ambassadeur. Smoky purple, purple	.10	
maroon falls	.18	.15
Aphrodite. Lilac pink	.18	.15
Archiveque. Purple	.15	
Asia. Smoky blue	.18	.15
Ballerine. Violet with deeper falls	.18	.15
Bruno. Bronze, red purple falls	.18	.15
Cecil Minturn. Pink	.15	.12
Chasseur. Yellow, red veining	.20	.18
Cinnabar. Violet, maroon falls	.20	.18
Cluny. Lilac blue	.18	.15
Coppersmith. Coppery red	.18	.15
Darius. Yellow, lilac and white falls	.15	.12
Dorothea. Pearl gray	.15	.12
Dream. Light pink	.18	
Fairy. White, bordered blue	.15	.12
Flavescens. Yellow	.15	.12
Florentina. Pale blue	.12	.10
Florentina alba. White	.15	.12
Germaine Perthius. Violet purple	.20	.18
Gold Imperial. Golden yellow	.12	.10
Her Majesty. Lilac pink	.12	.10
Isolene. Lilac pink, old rose falls	.15	.12
Jubilee . Cream, dotted brown	.18	.15
King of Iris. Yellow, brown falls	.18	.15 .12
King Edward. Red violet	.15	.12
Kochi. Rich deep claret purple	.18 .18	.13
Labor. Electric blue	.20	.18
Leonidas. Lavender, mauve falls	.40	.10

	5-24 each	25 & up each
Iris germanica.	Cucii	0401
Lent A. Williamson. Violet, rich purple		
falls with yellow beard	.15	.12
Lohengrin. Lilac rose	.12	.10
Lord of June. Lavender blue, violet		
falls	.15	.12
Loreley. Light yellow, blue falls	.12	.09
Mad. Henri Cayeau. Dark purple	.18	.15
Magnifica. Violet and reddish violet	.18	1.0
Mary Barnet. Lavender blue	.15	.12
Midnight. Dark blue	.15	.12
Mme. Chobaut. Buff and wine, dotted	.18	4.0
Moonlight. Silvery white	.15	.12
Monsignor. Violet purple, crimson falls	.15	.12
Mt. Royal. Pansy purple	.18	
Nuce d'Orage. Slate gray with bronze		
and purple falls	.12	.10
Opera. Violet red, purple falls	.20	.18
Pallida Dalmatica. Lavender	.18	.15
Pallida speciosa. Light blue	.12	.09
Pluie d'Or. Yellow	.18	
Pocahontas. White	.18	.15
Prairie Gold. Yellow	.15	.12
Princess Victoria Louise. Sulphur yel-		
low, rich violet falls	.12	.10
Prospero. Lavender and purple	.15	.12
Queen Caterina. Lavender violet,		
orange beard	.12	.10
Rhea. Violet	.15	.12
Rhein Nixe. White, violet falls	.15	.12
Robt. W. Wallace. Violet purple	.15	.12
Shekinah. Pale yellow, shading to buff	.18	.15
Sherwin-Wright. Golden yellow	.12	.10
Snow White. White	.15	
Souv. de Mad. Gaudichau. Deep velvety		
purple	.18	.15
Taj Mahal. White	.12	.10
Tamerlan. Light blue, darker falls	.12	.10
Thais. Soft rosy mauve	.18	.15
True Delight. Pure pink	.20	
Victorine. White, mottled blue	.15	.12
Wedgewood. Blue	.15	.12

	5-24 each	25 & up each
Iris	each	eden
intermedia hybrids. May, 18"	.15	.12
Gerda. Creamy yellow, darker falls.		
Halfdan. Creamy white.		
Ingeborg. Ivory white.		
Helge. Light citron.		
Walhalla. Light blue, purple falls.		
kaempferi. Japanese Iris. July, 2-3'	.25	.20
Awaji. Large white overlaid lavender blu-	e.	
Bandai-San. White standards and falls,	bor	dered
lavender.		
Blue Bird. Single dark blue.		
Eumee. Double lavender blue.		
Fascination. Double mauve pink, veined	whi	te.
Florence. Amaranth purple.		
Fukushima. Reddish purple, veined white	€.	
Gold Bound. White, yellow shadings.		
Iso-no-namie. Double soft blue.		
Kagaribi. Double pink lavender.		
Kumonoobi. Clear purple, white halo.		
Mahogany. Double rich dark red.		
Oyodo. Double wine red.		
Patrocle. Single reddish violet.		
Purple Emperor. Large deep violet purpl		
Purple & Gold. Violet purple, golden thr		
Pyramid. Double violet purple, veined when the purple is the purple in the purple is the purple in the purple in the purple in the purple is the purple in	nite.	
Seacrest. Foam white.		
Tacoma Beauty. Pure white.		
Thais. Rich royal purple, velvety sheen. Uchiu. Crimson purple, white veins.		
Warei-hotei. Lavender blue, light blue ha	10	
, –	.18	.15
	.15	.12
	.15	.12
,,,,,,, .	.15	.12
	.20	.18
P ,,	.25	.20
	.20	.18
*pumila Grande. Violet, blue falls, April,		
	.25	.20
1120,	.20	
	.15	.12
	.25	

	5-24 each	25 & up each
Iris	10	4.5
*pumila Schneecuppe. White, April, 6"	.18	.15
*pumila Sambo. Violet, April 9"	.15	.12
sibirica. Purplish blue, June, 3'	.15	.12
sibirica alba. White, June, 3'	.15	.12
sibirica Emperor. Clear blue, May, 2'	.20	.18
sibirica Snow Queen. White, May, 2'	.15	.12
*Stewart. Dwarf, yellow, April, 9"	.18	.15
*tectorum. Blue, June, 1'	.25	.20
*tectorum alba. White, June, 10"	.30	
*verna. Blue, May, June, 6"	.18	.15
versicolor. Blue, June, 2'	.15	.12
Isatis tinctoria. Yellow, May, June, 6'	.15	.12
*Jasione humilis. Blue, July, Aug., 6"	.18	.15
*perennis. Blue, June, July, 6"	.18	.15
*Jeffersonia diphylla. White, May, 8"	.18	.15
Kniphofia pfitzeri. Coral, Aug., Sept., 4'	.20	.18
Towers of Gold. Yellow, Aug., Sept., 30"	.25	
*Lactuca perennis. Blue, June, 15"	.20	.18
*Lamium maculatum. Purple, July, Aug., 8"	.20	.18
Lathyrus latifolius. Pink to Red, July, 6'	.15	.12
*Lavandula officinalis. (Sweet Lavender). July,		
2'	.18	.15
*nana. Lavender, Aug., 9"	.25	.20
*Leontopodium alpinum. Yellow, summer, 5"	.20	.18
*Lewisia redivivaPink, June, July, 3"	.40	.35
Liatris pycnostachya. Purple, Aug., Sept., 4'	.15	.12
spicata. Purple, Aug., 3'	.15	.12
Ligularia clivorum. Yellow, Aug., Sept., 3'	.18	.15
Lilium auratum. (Gold Band Lily). White with		
gold band, July, Aug., 3'	.50	
auratum platyphyllum. White, spotted yel-		
low, July, Aug., 3'	.60	
batemanniae. Salmon red, July, 3'	.30	.25
browni. White, July, 3'	.65	
canadense. Yellow to red, June, July, 3'	.15	.12
candidum. White, June, 3'	.35	.30
carolinianum. Orange, July, Aug., 3'	.35	
concolor. Scarlet, July, 1'	.30	.25
elegans. Shades yellow and red, July, 2'	.25	
elegans Alice Wilson. Lemon, June, July, 2'	.45	
elegans atrosanguineum. Dark crimson,		
June, July, 1'	.40	

	5-24 each	25&up each
Lilium		
elegans Orange Queen. Orange, June, July,		
18"	.35	
hansoni. Orange, June, July, 4'	.45	
henryi. Yellow, July, 2'	.35	
leichtlini. Red, July, Aug., 4'	.50	
longiflorum giganteum. Waxy white, 2'	.60	
pardalinum. Scarlet and yellow, 2'	.25	.20
phillippinense formosanum. White, June,		,=0
July, 2'	.35	
philadelphicum. Orange red, June, July, 3'	.18	.15
regale. White, July, 4'	.30	.25
speciosum album. White, Aug., 3'	.60	.20
speciosum longiflorum. White, Aug., 3'	.50	
speciosum melpomene. Crimson, Aug., 3'.	.50	
speciosum rubrum. Pinkish red, Aug., 3'	.50	
superbum. Orange, July, Aug., 5'	.15	.12
*tenuifolium. Scarlet, June, 18"	.20	.18
testaceum. Apricot, June, July, 5'	2.50	.10
tigrinum fl. pl. Orange, spotted, Aug. 4'	.25	
tigrinum. Orange, spotted, Aug. 4'	.20	
	.25	.20
umbellatum. Scarlet red, July, 2'	.23	.20
washingtonianum. White, dotted purple,	60	
June, July, 4'	.60	
willmottiae. Orange, July, 4'	.75	
*Limonium auriculaefolium. Blue, June, July, 6"	.20	.18
eximium. Lilac rose, Aug., 2'	.18	.15
*gmelini. Purplish blue, Aug., 18"	.20	.18
*latifolium. Blue, July, Aug., 2'	.15	.12
*Linaria aequitriloba. Pale mauve, June, 1"	.20	.18
*alpina. Blue, summer, 6"	.18	.15
*alpina rosea. Rose, summer, 6"	.20	.10
*cymbalaria. Lavender, summer, 4"	.18	.15
*origanifolia. Purple, June, 10"	.35	.10
*purpurea. Purple, summer, 3'	.25	.20
purpurea. Furpie, summer, 5	.20	.20
*Linum austriacum. Blue, summer,	.25	.20
*alpinum. Blue, June, 10"	.20	.18
*flavum. Yellow, June, July 1'	.18	.15
hirsutum. Lilac, summer, 2'	.18	
For less than five, add five cents per plant to the 5-	24 rate	

	each	each
Linum		
*narbonnense. Blue, June, July, 2'	.18	.15
*perenne. Blue, June, July, 1½'	.15	.12
*salsoloides. White, summer, 8"	.35	
*tenuifolium. Pink, summer, 1'	.25	
*Lithospermum graminifolium. Blue, June, 4"	.35	
*purpureo-caeruleum. Blue, May, 10"	.35	
Lobelia cardinalis. Scarlet, Aug., Sept., 3'	.15	.12
siphilitica. Blue, Sept., 3'	.15	
Lupinus polyphyllus. Blue, June, July, 3'	.18	.15
polyphyllus albus. White, June, July, 3'	.18	.15
polyphyllus roseus. Pink, June, July, 3'	.18	.15
*Lychnis alpina. Rose color, June, 1'	.18	.15
arkwrighti. Scarlet, summer, 15"	.18	.15
chalcedonica. Scarlet, July, 3'	.15	.12
coronaria. Crimson, July, 2'	.15	.12
coronaria alba. White, July, 2'	.15	.12
flos jovis. Pink, June, 18"	.15	.12
*haageana. Scarlet, June, July, 1'	.15	.12
*viscaria splendens fl. pl. Red, June, 1'	.20	.18
Lysimachia clethroides. White, July, Aug., 3'	.18	.15
*nummularia. Yellow, June, July, 6"	.15	.12
*nummularia aurea. Yellow leaves, 3"	.25	
punctata. Yellow, June, 3'	.25	.20
vulgaris. Yellow, July, Aug., 3'	.20	.18
Lythrum alatum. Magenta, July, Aug., 3'	.15	.12
salicaria roseum. Rose, July, 4'	.15	.12
virgatum. Deep rose, July, Aug., 1½'	.18	.15
Malva alcea. Rosy purple, July, Aug., 3'	.15	.12
moschata. Rose, July, Aug., 2'	.15	.12
moschata alba. White, July, Aug., 2'	.15	.12
Marrubium vulgare. White, summer, 3'	.25	
Matricaria Golden Ball. Yellow, summer, 1'	.15	.12
*parthenoides. White, May, 1'	.15	.12
Silver Ball. Dbl. white, summer, 1'	.18	
*Mazus reptans. Lilac, April, 4"	.20	.18
Melissa officinalis. White, Aug., 2'	.15	.12
Mentha anisatus. Anise-flavored. 15"	.25	
crispa. Curly mint. 12"	.25	4.0
piperita. Peppermint. Purple, 2'	.15	.12
*requieni. Mauve, July, Aug., 2"	.20	.18

	5-24 each	25 & ur each
*Mertensia virginica. Purplish blue, March,		
April, 2'	.15	.12
*Micromeria rupestris. White, fall, 10"	.18	.15
*Mimulus luteus. Yellow, summer, 1'	.25	.20
Mitchella repens. White shaded pink, March,		
4"	.18	.15
Monardi didyma. Red, July, Aug., 3'	.15	.12
didyma Cambridge. Scarlet, July, Aug., 3'	.15	.12
didyma Salmonea. Salmon, July, Aug., 3'	.20	.18
didyma Sunset. Mahogany, July, Aug., 3'	.18	.15
didyma splendens. Scarlet, July, Aug., 3'	.15	.12
didyma violacea. Violet, July, Aug., 3'	.15	.12
fistulosa. Lilac, July, 3'	.15	.12
Mulgedium Bourgaei. Lilac, summer, 5'	.25	.20
*Myosotis alpestris. Blue, April, May, 8"	.15	.12
*alpestris alba. White, May, June, 8"	.15	.12
*alpestris pink. May, June, 8"	.15	.12
*palustris. Blue, all summer, 6"	.15	.12
*palustris Pink Beauty. All summer, 6"	.18	.15
*Nepeta hederacea. Blue, May, 2"	.15	.12
macrantha. Lavender, summer, 2'	.18	.15
*mussini. Blue. June, July, 1'	.18	.15
nuda. Violet, Aug., 3'	.25	.20
*Six Hills Giant. Blue, summer, 1'	.30	.25
*Souv. de Andre Chaudron. Blue, summer,		
1'	.25	.20
*Nierembergia rivularis. Creamy white, summer,		
4"	.18	.15
Oenothera fraseri. Yellow, summer, 1'	.15	.12
fruticosa major. Yellow, summer, 2'	.15	.12
fruticosa youngi. Lemon, June, July, 2'	.18	.15
lamarckiana. Yellow, July, Aug., 4'	.15	.12
missouriensis. Yellow, July, Aug., 6"	.20	.18
rosea. Rose, summer, 15"	.25	.20
speciosa. White, July, Aug., 1½'	.18	.15
*taraxacifolia. Pink, summer, 6"	.30	
trichocalyx. White, summer, 1'	.25	.20
Onoclea sensibilis. Sensitive Fern	.15	.12
struthiopteris. Ostrich Fern	.15	.12
Onopordon bracteatum. Pink, July, 5'	.20	.18

	5-24 each	25&up each
*Opuntia fragilis. Yellow. June, 4"	.25	.20
*humifusa. Yellow, June, 10"	.25	.20
megacantha. Yellow, June, 3'	.25	.20
Origanum vulgare. Pink, summer, 2'	.25	
*Orobus vernus. Rose purple, May, 1'	.35	
Osmunda cinnamonea. Cinnamon Fern	.15	.12
regalis. Royal Fern	.15	.12
Pachysandra terminalis. White, May, 3"		
2 year from pots	.15	.12
Paeonia officinalis rosea. Rose pink	.50	.40
officinalis rubra. Red	.50	.40
sinensis. Strong plants, 3-5 eyes.		
Albert Crousse. Salmon pink	.50	
August Dessert. Velvety rose	.50	
Beauty of France. Pale rose	.50	.40
Claire Dubois. Satiny pink	.60	
Dr. Vandertak. Crimson	.50	
Duc de Wellington. White	.35	.30
Duchess de Nemours. Creamy white	.50	.40
Edulis. Deep rose	.30	.25
Felix Crousse. Brilliant red	.40	.35
Festiva maxima. Finest early white	.40	.35
Karl Rosenfield. Early red	.50	
Lady Alexander Duff. Pale pink	.75	
Longfellow. Red	.75	
Marie Crousse. Salmon pink	.60	
Marie Lemoine. Creamy white	.60	.50
Marquise of Lansdowne. Large, pink	.60	
Mons. Martin Cahuzac. Dark purple		
garnet	1.00	
Mons. Jules Elie. Pink with darker		
guard petals	.60	.50
Mrs. Van Leeuwen. Light crimson	.50	
Roem von Boskoop. Deep rose	.35	.30
Solange. White petals, golden brown		
center	.75	
Souv. de Louis Bigot. Bengal rose	.75	
Therese. Violet rose	.75	
Triumph de Paris. Light pink, yellow		
center	.35	.30
Virginie. Lilac rose	.35	.30

***************************************		101
	5-24 each	25&up each
Paeonia sinensis		
Walter Faxon. Pure pink	.75	
Wm. Mesman. White	.35	.30
	1.00	.00
Alba Grandiflora. White.		
Cleopatra, Red.		
Eva. Bright lilac-crimson.		
Jacqueline. Pure white.		
L'Etincelante. Bright light red.		
Mikado. Dark red.		
Oitmatsu. Light pink changing to white.		
Shi-pen-kue. Nearest to blue in Peonie	s.	
suffruticosa. Tree Peony. (See Page 91)		
*Papaver alpinum. Various, summer, 6"	.18	.15
*nudicaule. All colors, summer, 8"	.15	.12
orientale bracteatum. Red, June, 2'	.18	.15
orientale. Orange scarlet, June, 2'	.15	.12
Beauty of Livermore. Crimson, June, 3'	.25	
Enfield Beauty. Salmon, June, 2'	.18	
Fairy. Pale pink, June, 2'	.25	.20
Lulu A. Neeley. Ox-blood red, June,		
3'	.30	
May Sadler. Salmon, June, 2'	.25	
Mrs. Perry. Salmon pink, June, 3'	.20	.18
Olympia. Scarlet, June, 3'	.25	.20
Perry's White. White, June, 3'	.25	
Princess Victoria Louise. Salmon, June,	0.0	
2'	.20	.18
Wurtembergia. Rose-red, June, 2'	.25	.20
pilosum .Brick red, June, 3'	.20	.18
Pardanthus. (See Belamcanda).		
*Paronychia serpyllifolia. White, July, 2"	.20	.18
Pennisetum japonicum. Fountain Grass	.20	.18
*Pentstemon alpinus. Bluish purple, June, 1'	.25	.20
*arizonicus. Purple, June, July, 8"	.20	.18
barbatus. Scarlet, July, 3'	.15	.12
barbatus coccineus. Scarlet, July, Aug., 4'	.18	.15
barbatus Pink Beauty. Pink, summer, 2'	.20	.18
digitalis. White, Aug., 3'	.18	.15
Garnet. Red, summer, 18"	.30	.25

	each	each
Pentstemon		
glaber. Blue, summer, 2'	.20	
grandiflora. Blue, summer, 3'	.30	
hirsutus. Rosy purple, July, Aug., 2'	.18	.15
ovatus. Blue, July, Aug., 3'	.18	.15
*procerus. Blue, July, 1'	.20	
*pygmaeus. Purplish blue, summer, 6"	.20	.18
unilateralis. Blue, June, 2'	.18	.15
Phalaris arundinacea variegata. Ribbon Grass	.15	.12
*Phlox amoena. Pink, May, 4"	.15	.12
*arendsi Louise. Lilac, all summer, 1'	.30	
*divaricata. Lavender, May, June, 1'	.15	.12
*divaricata laphami. Violet, June, 1'	.25	.20
glaberrima. Pink, June, 18"	.18	.15
maculata. Purplish red, May, June, 4'	.15	.12
*ovata. Red, May, June, 1'	.18	
paniculata, 2-3'		
Africa. Carmine, red eye	.18	.15
Antonin Mercie. Lilac, white center	.18	.15
Athis. Salmon pink	.12	.10
B. Compte. Rich French purple	.18	.15
Baron von Dedem. Salmon red	.18	.15
Beacon. Cherry red	.18	.15
Border Queen. Dwarf pink	.20	
Capt. Koehl. Blood red	.25	
Caroline Vandenburg. Lavender blue	.25	
Champs Elysees. Rich purple crimson	.15	.12
Commander. Crimson	.18	.15
Count Zeppelin. White, red eye	.18	
Daily Sketch. Salmon pink, carmine eye	.25	.20
Enchantress. Salmon pink, dark eye	.18	.15
Elizabeth Campbell. Salmon pink	.18	.15
Evelyn. Salmon rose	.20	.18
Feuerbrand. Orange scarlet	.20	.18
Fiancee. White	.20	.18
George Stipp. Salmon, lighter eye	.25	.20
Gustave Lind. Deep salmon	.30	
Johnson's Favorite. Salmon rose	.15	.12
Jules Sandeau. Large pink	.18	.15
Karl Foerster. Orange scarlet	.25	
Le Mahdi. Deep purple	.15	.12
Leo Shlageter. Bright sarlet	.25	.20

	5-24 each	25&up each
Phlox paniculata	eden	eden
Lilian. Fine light pink	.25	
Mad. Paul Dutrie. Soft pink	.18	.15
Maid Marian. Soft lavender	.18	.15
Mary Louise. Pure waxy white	.25	.20
Mia Ruys. White	.25	
Mrs. Jenkins. Pure white	.15	.12
Mrs. Milly van Hoboken. Soft pink	.20	.18
Miss Lingard. White	.18	.15
Miss Verboom. Rose	.35	
Morgenrood. Bright rose, deeper eye	.25	.20
P. D. Williams. Apple blossom pink	.25	
Peachblossom. Shell pink	.15	.12
Prof. Virchow. Orange scarlet	.18	.15
Rheinlander. Salmon pink, claret eye	.15	.12
Rokoko. Soft pink	.20	.18
R. P. Struthers. Carmine, claret red eye	.15	.12
Salmon Glow. Salmon pink	.25	
Special French. Soft pink	.15	.12
Thor. Deep salmon pink	.18	.15
Widar. Light reddish violet, white eye	.18	.15
*pilosa. Lavender, May, 1'	.18	.15
*reptans. Lilac, May, 6-12"	.15	.12
*stellaria. Creeping, May, 4"	.15	.12
*subulata alba. White, April, May, 4"	.15	.12
*subulata atropurpurea. Purple, April, 4"	.20	.18
*subulata Blue Hills. Light blue, April, 4"	.20	
*subulata Fairy. Blue, purple eye, April, 4"	.18	.15
*subulata G. F. Wilson. Lilac, May, 6"	.15	.12
*subulata lilacina. Light blue, April, May,		
4"	.15	.12
*subulata Little Dot. Lilac, April, 4"	.15	.12
*subulata nelsoni. White, May, 4"	.15	.12
*subulata Perfection. Rose, pink eye, April,		
4"	.15	.12
*subulata rosea. Pink, May, 4"	.12	.10
*subulata The Bride. White, pink eye, May,		
5"	.15	.12
		.15
*subulata Vivid. Pink, red eye, April, 4"	.18	.19
Phygelius capensis. Red, Aug., Sept., 3'	.20	
Physalis francheti. Red pods, Oct., 2'	.15	.12
For less than five, add five cents per plant to the 5-	24 rat	e.

	5-24 each	25&up each
Physostegia virginiana. Rose, Aug., 3'	.15	.12
virginiana alba. White, Aug., 3'	.15	.12
virginiana Vivid. Deep pink, Aug., 2'	.18	.15
*Phyteuma orbiculare. Purple, June, July, 2'	.25	.20
*scheuchzeri. Violet, June, 1'	.18	.15
Platycoden grandiflorum. Blue, summer, 2'	.15	.12
grandiflorum album. White, summer, 2'	.15	.12
*mariesi. Deep blue, summer, 1'	.15	.12
*mariesi album. White, summer, 1'	.15	.12
Plumbago larpentae. (See Ceratostigma).		
Podophyllum peltatum. White, May, June, 1'	.15	.12
*Polemonium caeruleum. Deep blue, June, July,		
1½'	.15	.12
*caeruleum album. White, June, July, 11/2'	.15	
*confertum. Blue, June, July, 18"	.18	.15
*reptans. Blue, May, June, 6"	.18	.15
*richardsoni. Sky blue, May, June, 6"	.18	.15
*Polygonum compactum. White, Aug., Sept., 11/2'	.15	.12
cuspidatum. White, Aug., Sept., 5'	.15	.12
oxyphyllum. Creamy white, Sept., 3'	.18	.15
spaethi. Pink, Sept., 6'	.35	
Polystichum acrostichoides. Christmas Fern	.12	.10
*Potentilla atrosanguinea. Red, summer, 18"	.18	.15
*argentea. Yellow, summer, 18"	.20	.18
*crinita. Yellow, summer, 1'	.18	.15
*nepalensis. Showy red, May, June, 2'	.15	.12
*nepalensis Miss Willmott. Salmon pink,		
summer, 12"	.20	.18
*pyrenaica. Yellow, summer, 18"	.15	.12
*tridentata. White, summer, 1'	.18	.15
*Primula acaulis. Yellow, May, 9"	.18	.15
*auricula alpina. Various, May, 6"	.18	.15
*beesiana. Purple, May, 18"	.25	.20
*bulleyana. Apricot, June, 18"	.25	.20
*bulleyana hybrids. Various, May, 18"	.25	.20
*cashmiriana. Light lilac, May, 8"	.25	.20
*cortusoides. Deep rose, June, 10"	.20	.18
*denticulata. Purple, yellow eye, May, 6"	.25	.20
*denticulata alba. White, May, 6"	.25	.20
*elatior. Yellow, May, 8"	.25	
*elatior atrocoerulea. Dark blue, May, 8"	.35	

*Deducado	each	each
*Primula florindae. Yellow, May, 4'	25	20
*japonica atrosanguinea. Red, May, June, 1'	.35 .20	.30 .18
*japonica pink. May, June, 1'	.20	.18
*moerheim hybrids. Various, May, 12"	.25	.20
*polyanthus. White or yellow, May, 10"	.25	.20
*saxatilis. Rose, May, 10"	.25	.20
*veris. Yellow, April, May, 9"	.18	.15
*veris Giant Munstead. Various, May, 1'	.20	.18
*veris Gold Laced. Various, May, 9"	.25	.20
*veris lilacina fl. pl. Lilac, May, 4"	.50	.20
		10
*Pulmonaria angustifolia. Blue, April, May, 8"	.20	.18
*saccharata. Pink, spring, 12"	.25	.20
*Prunella grandiflora. Violet, summer, 8"	.18	.15
*incisa rubra. Red, summer, 6"	.18	.15
*webbiana. Purple, summer, 6"	.18	.15
Pyrethrum Dainty. Dbl. cherry red, summer, 1'	.35	
James Kelway. Sgl. red, June, 1'	.20	
Princess Margaret. Crested pink, June, 1'	.25	
Rose Glory. Dbl. rose, June, 1'	.25	
roseum. Various, May, June, 1'	.15	.12
roseum double. Various, May, June, 2'	.35	
roseum Rosy Morn. Pink, June, 2'	.20	.18
roseum single scarlet. Summer, 1'	.35	
uliginosum. White, Sept., 5'	.15	.12
Ranunculus acris fl. pl. Yellow, June, 3'	.18	.15
*repens. Yellow, June, 4"	.18	.15
repens fl. pl. Yellow, June, 1'	.18	.15
Rosmarinus officinalis. Light blue, April, 4"	.20	.18
		,
Rudbeckia Autumn Glory. Yellow, Aug., Sept.,	.15	.12
• • • • • • • • • • • • • • • • • • • •	.15	.12
hirta. Yellow, Aug., Sept., 3'	.15	.12
nitida. Single yellow, Aug., Sept., 6'	.15	.12
Rayon d'Or. Yellow, Aug., 5'	.15	.12
speciosa. Yellow, July, Aug., 2'	.15	.12
subtomentosa. Lemon yellow, Aug., Sept.,	.10	.12
4'	.15	.12
*Ruta graveolens. Yellow, summer, $2\frac{1}{2}$ '	.15	.12
*Sagina subulata. White, July, Aug., 3"	.18	.15

	5-24 each	25&up each
Salvia argentea. Pinkish white, June, 3'	.15	.12
azurea. Blue, Aug., 4'	.15	.12
azurea grandiflora. Blue, Aug., 4'	.18	.15
farinacea. Blue. July, 2-3'		.12
glutinosa. Yellow, June, July, 3'	.15	.12
officinalis. Blue, summer, 18"	.15	.12
pitcheri. (See azurea grandiflora).		
pratensis. Deep blue, June, 3'	.15	.12
pratensis rubicunda. Rose, June, July, 3'	.20	
viscosa. Pink, July, 3'	.18	.15
*Sanguinaria canadensis. White, April, 8"	.15	.12
*Santolina chamaecyparissus. Gray foliage, 1'	.18	.15
*Saponaria caespitosa. Rose, July, 3"	.20	.18
*ocymoides. Pink, summer, 9"	.15	.12
officinalis rosea pl. Pink, summer, 18"	.15	.12
*Saxifraga aizoides. Yellow, Aug., 4"	.25	
*altissima. White, May, June, 2'	.25	
*borisi. Yellow, May, June, 3"	.25	
*caespitosa. Various, June, July, 6"	.25	
*cochlearis. White, May, June, 9"	.18	.15
*cordifolia. Rose pink, May, June, 1'	.18	.15
*cotyledon. White, May, June, 18"	.25	.20
*crassifolia. Rosy pink, April, 1'	.18	.15
*decipiens. White, May, June, 4"	.20	.18
*granulata. White, May, June, 1'	.20	.18
*grisebachi. Purple, May, June, 8"	.40	.10
*haussmani. Yellow, May, June, 8"	.20	
*lantoscana. White, May, June, 1'	.25	.20
*lingulata rosea. Pink, April, 1'	.18	.15
*lingulata leichtlini. Rose, April, 1'	.18	.15
*longifolia. White, May, June, 2'	.35	.30
*marginata. White, May, June, 3'	.25	
*McNabiana. White, May, June, 12"	.20	.18
*purpurea. Rosy purple, April. 1'	.18	.15
*sarmentosa. White, summer, 2'	.30	.25
*umbrosa. Pink, May, June, 1'	.25	.20
Scabiosa caucasica. Lavender, all summer, 1'	.20	.20
caucasica alba. White, summer, 1'	.20	
caucasica House's Hybrids. Various, sum-	.20	
mer, 1'	.25	
fischeri. Blue purple, summer, 2'	.20	
japonica. Lavender, Aug., Sept., 18"		15
	.18	.15

444, 37110		193
	5-24 each	25 G up each
*Schivereckia bornmulleri. White, summer, 4"	20	.18
*Scutellaria alpina. Purple and white, summer		120
6"	10	.15
coelestina. Blue, summer, 1'	20	.18
Forientalis. Yellow, June, July, 8"	.20	.18
*Sedum acre. Yellow, June. July 4"	15	
aizoon, Yellow, July, Aug. 1'	15	.12
arbum. White, July, 4"	15	.12
atussimum. Yellow, July Aug q"	10	.12
anglicum. Pink, July, Aug., 3"	20	.10
douglasi. Yellow, July 2"	.15	.12
"ewersi. Pink, Aug., Sept., 6"	.15	.12
glaucum. Blue foliage, 2"	.15	.12
*kamtschaticum. Yellow. July 6"	.15	.12
*maximowiczi. Yellow, July, Aug. 1'	.15	.12
maximum .Pink. Sept., Oct., 18"	.15	.12
middendorffianum, Yellow, June July 4"	.18	.15
muraie. Pink. July 1'	.18	.15
obtusatum. Yellow, July, Aug. 3"	.20	.18
reflexum. Yellow, July Ang 8"	.15	.12
sarmentosum. Yellow, July, 3"	.15	.12
"sexangulare. Yellow, June, July 6"	.15	.12
siebolai. Pink, July, Aug., 1'	.18	.15
*spectabile. Pink, Aug., Sept., 1½'	.15	.12
spectabile Brilliant. Crimson, Sept., 1½'	.15	.12
*spurium album. White, July, Aug., 6"	.15	.12
*spurium splendens. Rosy crimson, Aug., 6"	.15	.12
*stoloniferum. Pink, July, Aug., 6"	.15	.12
*stoloniferum coccineum. Crimson, Aug., 6"	.15	.12
*ternatum. White, May, June, 4"	.15	.12
*Sempervivum arachnoideum. Red, June, 4"	.18	.15
"arenarium. Yellow, July, 6"	.18	15
"alberti. White, July, 8"	.20	.18
attoviolaceum. Reddish purple, 8"	.25	
*brauni. Bronze, July, 6"	.18	
*doellianum. Red, June, July, 6"	.18	.15
runcki. Brown, June, July, 6"	.13	.15
radeoffetti. Pink, June. 6"	.20	.18
*fimbriatum. Pink, July, 8"	.20	.18
*glaucum. Pink, July, Aug., 6"	.20	.18
*globiferum. Yellow, June, 12"	.15	.12
*tectorum violaceum. Violet red, June, 4"	.15	.12

5-24 25Gup

*Shortia galacifolia. White, June, 8"	.25	each
Sidalcea Rose Queen. Rose pink, July, Aug., 4'	.15	.12
*Silene alpestris. White, May, June, 6"	.18	.15
*maritima. White, summer, 1'	.18	.15
*maritima rosea. Pink, summer, 1'	.20	.18
*multicaulis. White, June, July, 1'	.25	.20
orientalis. Pink, July, 2'	.15	.12
*roemeri. White, July, Aug., 1'	.25	
*saxifraga. White, summer, 6"	.18	.15
*schafta. Bright pink, July, 6"	.15	.12
Silphium perfoliatum. Yellow, July, 6'	.18	.15
*Sisyrinchium angustifolium. Blue, June, July,		
6"	.18	.15
Smilacina racemosa. White, April, 2-3'	.15	.12
Solidago canadensis. Yellow, fall, 4-5'	.15	.12
rigida. Yellow, fall, 3-4'	.15	.12
shorti. Yellow, fall, 4'	.18	.15
Spigelia marilandica. Red, June, July, 2'	.25	
Spirea aruncus. White, June, July, 3-5'	.20	.18
camtschatica. White, July, 6'	.18	.15
chinensis. Silvery pink, June, July, 2'	.15	.12
eximea. Pink, June, July, 2'	.18	.15
filipendula. Single, white, June, July, 1'	.18	.15
filipendula fl. pl. White, summer, 15"	.25	
lobata. Pink, July, 4'	.18	.15
palmata. Rosy crimson, June, July, 2'	.15	.12
ulmaria fl. pl. White, June, 3-4'	.18	.15
venusta magnifica. Deep pink, July, 3'	.18	.15
Stachys lanata. Purple, June, July, 1½'	.15	.12
Statice. (See Limonium).		
*Stellaria holostea. White, May, June, 1½'	.18	.15
Stenanthium robustum. White, Aug., 3'	.25	
Stokesia laevis. Lavender, Aug., Sept., 1'	.15	.12
laevis alba. White, Aug., Sept., 1'	.15	.12
Tanacetum vulgare. Yellow, summer, 3'	.15	.12
Teucrium chamaedrys. Rose, Aug., 1'	.18	.15
orientale. Blue, Aug., 10"	.20	.18
For less than five, add five cents per plant to the 5-2	4 rate.	

	5-24 each	25&up each
Thalictrum adiantifolium. Yellow, June, 4'	.15	.12
aquilegifolium. White, June, 5'	.15	.12
aquilegifolium purpureum.		
Purple, June, 3'	.20	.18
baicalens. Yellow, June, 4'	.18	.15
dipterocarpum. Lilac, Aug., 3'	.25	.20
glaucum. Golden-yellow, June, 4'	.18	.15
minus. Greenish yellow, June, July, 2'	.18	.15
rochelbrunianum. Lavender, July, Aug., 3'	.30	.25
Thermopsis caroliniana. Yellow, June, 6'	.20	.18
mollis. Yellow, June, July, 2-3'	.20	.18
*Thymus odoratissimus. Lilac, summer, 6"	.18	.15
*nitidus. Rose, June, July, 3"	.20	.18
*serpyllum. White, June, 4"	.15	.12
*serpyllum citriodorus.		
Purple, June, July, 3-5"	.15	.12
*serpyllum coccineus. Scarlet, June, 4"	.18	.15
*serpyllum lanuginosus.		
Rosy purple, June, July, 5"	.18	.15
*serpyllum roseus. Rose, summer, 8"	.18	.15
*vulgaris. Lilac, June, July, 8"	.15	.12
*Tiarella cordifolia. Creamy white, June, 8"	.15	.12
Tradescantia virginiana. Blue, all summer, 2'	.15	.12
*Trientalis borealis. White, fall, 6"	.15	.12
*Trillium erectum. Purple, May, 1'	.15	.12
*grandiflorum. White, May, 1'	.15	.12
Tritoma. (See Kniphofia).		
Trollius asiaticus.		
Rich orange, July, Aug., 2'	.25	.20
*europeus. Citron yellow, July, Aug., 1'	.20	.18
*europeus Fire Globe. Orange, summer, 1'	.35	
europeus Orange Globe.		
Orange, summer, 18"	.25	.20
*ledebouri. Orange, summer, 18"	.35	
*ledebouri Golden Queen. Orange, summer,	0.5	
18"	.35	
*Tunica saxifraga. Light pink, June, July, 6"	.18	.15
*saxifraga alba. White, summer, 6"	.18	
*saxifraga alba fl. pl. Summer, 6"	.30	.25
*saxifraga rosea fl. pl. Pink, summer, 6"	.30	.25
Valeriana officinalis. Rose, June, July, 5'	.18	.15

	5-24 each	25 & u _l each
Verbascum chaixi. White, summer, 3'	.20	.18
densiflorum. Yellow, June, July, 6'	.15	.12
olympicum. Yellow, July, Aug., 5'	.15	.12
phoeniceum. Various, May, June, 3'	.18	.15
willmottiae. White, summer, 5'	.18	
		.15
*Verbena canadensis. Purple, Aug., 18"	.25	.20
hastata. Blue, Aug., Sept., 3'	.15	.12
Vernonia noveboracensis. Purple, Aug., Sept., 5^\prime	.15	.12
*Veronica allioni. Violet, June, 2"	.20	.18
*alpestris. Pale blue, June, 18"	.15	.12
*amethystina Royal Blue.		
June, July, 12"	.18	.15
*Blue Spires. Blue, summer, 18"	.20	.18
*caucasica. White, July, 6"	.20	.18
*chamaedrys. Blue, May, June, 18"	.18	.15
*elegantissima. Blue, July, Aug., 2'	.15	.12
*erica. Pink, summer, 10"	.15	.12
*filiformis. Blue, May, 2"	.18	.15
*gentianoides. Pale blue, June, July, 1'	.20	.18
*incana. Pale blue, July, Aug., 1½'	.15	.12
*longifolia subsessilis. Blue, Aug., Sept., 2'	.20	.18
*orchidea. Blue, July, 18"	.18	.15
*pectinata rosea. Pink, May, June, 6"	.15	.12
*peduncularis. White, June, 6"	.18	.15
*pulchella. Blue, May, 1'	.15	.12
*repens. Pale blue, May, June, 2"	.15	.12
*rupestris. Blue, June, 6"	.15	.12
*rupestris alba. White, June, 4"	.20	.18
*rupestris nana. Dark blue, June, 2"	.20	.18
*rupestris pink. June, 4"	.20	.18
*saxatilis. Pale blue, July, 6"	.20	.18
*spicata. Blue, July, Aug., 2'	.15	.12
*spicata alba. White, Aug., 18"	.18	
*spicata nana. Blue, June, 6"	.25	
*spuria. Blue, June, 18"	.15	.12
*teucrium prostrata. Blue, June 1'	15	.12
*True Blue. June, July, 12"	.18	.15
virginica. Pale blue, Aug., 4'	.18	.15
*Vesicaria utriculata. Yellow, April, May, 8"	.20	.18

	5-24 each	25 G up each
Vinca minor. Blue, all summer, 6"	.10	.08
minor alba. White, all summer, 6"	.25	.20
minor Bowles. Blue, summer, 6"	.25	.20
minor rubra plena. Red, all summer, 6"	.40	.30
*Viola alba. White, May, 6"	.12	.10
*bosniaca. Rosy mauve, June, July, 4"	.18	.15
*cornuta Admiration. Purple, all summer, 6"	.15	.12
*cornuta alba, type. White, all summer, 6"	.15	.12
*cornuta Apricot. Apricot, summer, 6"	.20	.18
*cornuta Arkwright Beauty. Red. summer. 6"	.25	110
*cornuta atropurpurea type. Purple. 6"	.15	.12
*cornuta Blue Perfection. Blue, all summer.		
6"	.15	.12
*cornuta florariensis. Pale blue, summer, 6"	.20	.18
cornuta G. Wermig. Violet, all summer. 6"	.15	.12
*cornuta Lord Nelson. Blue, summer, 6"	.20	.12
*cornuta Lutea Splendens. Yellow, all sum-	.20	
mer, 6"	.15	.12
*cornuta Mauve Queen. Mauve, all summer,	.10	. 1 4
6"	.15	.12
*cornuta Papilio. Violet, all summer, 6"	.15	.12
*cornuta Primrose Dame. Yellow, summer,	.10	.12
6" Saimier,	.20	.18
*cornuta White Perfection. White, all sum-	.20	.10
mer, 6"	.15	.12
*Dbl. Russian. Blue, June, 4"	.30	.25
*gracilis. Deep violet, summer, 1'	.15	.12
*Jersey Gem. Rich violet, summer, 6"	.18	.15
*odorata. Blue, April, May, 6"	.15	.12
*odorata Gov. Herrick. Blue, May, 6"	.18	.15
*odorata Princess of Wales. Violet, May, 6"	.18	.15
*edorata Rosina. Pink, May, 4"	.25	.20
*pedata. Violet, May, June, 6"	.18	.15
*primulifolia. Pale blue, summer, 6"	.20	.18
*Purple Glory. Purple, summer, 6"	.35	.10
*Rohrbach's Everblooming. Violet, 4"	.50	.45
*wellsiana. Various, all summer, 6"	.18	.15
*White Jersey Gem. Summer, 6"	.20	.10
Yucca filamentosa. White, June, July, 7'	.20	
2 year	.15	.12
3 year	.13	.15
glauca. White, June, July, 3'	.25	.20
	.40	.20

FRUIT GARDEN MATERIAL

We are able to supply all the leading varieties

	1-4 Each	5-24 25 & up Each Each
Apples, Crab, 5 to 7 ft	1.00	.90
Standard, 5 to 7 ft	1.00	.90
Cherry, Sour, 5 to 7 ft	1.00	.90
Sweet, 5 to 7 ft	1.00	.90
Peaches, 5 to 7 ft	.75	.60
Pears, Dwarf, 5 to 6 ft	1.00	.90
Standard, 5 to 7 ft	1.00	.90
Plums, 5 to 7 ft	1.00	.90
Quinces, 4 to 5 ft	1.00	.90
Asparagus		.05 .03
Blackberries		.08 .06
Currants	.30	.25 .20
Gooseberries	.30	.25 .20
Grapes, 3 yr. strong	.30	.25 .20
Raspberries		.08 .06
Rhubarb		.10 .08
Strawberries		.06 .05

CONIFEROUS EVERGREENS

Abies balsamea J. v. glauca A. concolor J. v. globosa J. v. keteleeri A. c. violacea A. firma
A. fraseri
A. homolepis J. v. kosteri J. v. pendula J. v. plumosa A. nobilis glauca A. nordmanniana J. v. schotti J. v. tripartita A. pectinata J. v. venusta A. pectinata pyramidalis Libocedrus decurrens A. veitchi Picea alba Cedrus deodara P. a. gloriosa P. alcockiana P. canadensis P. engelmanni C. libani Chamaecypar's lawson ana C. I. pendula C. I. Triomphe de Boskoop C. I. Triomphe C. nootkatensis P. excelsa P. e. aurea C. obtusa compacta P. e. clanbrasiliana P. e. maxwelli C. o. crippsi C. o. gracilis C. o. nana C. pisifera P. e. nana compacta P. e. nana pyramidalis P. e. pendula P. e. pygmaea P. e. remonti . p. aurea C. p. filifera C. p. filifera aurea C. p. filifera aurea nova P. glauca conica P. mariana C. p. plumosa P. m. doumeti P. omorika C. p. plumosa aurea
C. P. plumosa lutescens
C. P. plumosa sulphurea P. orientalis P. polita C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis P. pungens P. p. glauca P. p. kosteri P. p. moerheimi J. c. albovariegata J. c. columnaris P. rubra J. c. globosa J. c. mas Pinus banksiana P. cembra P. densiflora P. flexilis J. c. neaboriensis J. c. oblonga J. c. pfitzeriana J. c. sargenti J. c. smithi P. montana P. m. mughus P. nigra J. communis P. peuce P. ponderosa J. c. dayi J. c. depressa J. c. depressa aurea P. resinosa P. strobus J. c. depressa plumosa P. sylvestris J. c. hibernica P. thunbergi J. c. kraccovica Pseudotsuga douglasi J. c. suecica Sciadopitys verticillata J. c. suecica nana Taxus baccata J. conferta T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni J. excelso J. e. stricta J. horizontalis J. h. glauca T. canadensis J. japonica T. cuspidata J. j. aurea T. c. brevifolia T. c. brevifolia compacta J. recurva J. rigida T. c. capitata J. Sabina Thuja occidentalis J. s. tamariscifolia T. o. aurea douglasi J. s. von ehron T. o. columbia T. o. compacta J. scopulorum J. sphaerica J. squamata T. o. compacta Parson's T. o. elegantissima
T. o. ellwangeriana
T. o. ericoides
T. o. globosa
T. o. hoveyi J. s. meyeri J. virginiana J. v. cannarti

J. v. elegantissima

Coniferous Evergreens continued

T. o. lutea T. o. pumila

T. o. pyramidalis

T. o. douglasi pyramidalis T. o. Little Gem T. o. recurva nana

T. o. reevesi T. o. reidi

T. o. riversi T. o. rosenthali

T. o. spiralis T. o. umbraculifera

T. o. vervaeneana

T. o. wareana T. o. wareana lutescens T. o. woodwardi

T. orientalis

T. o. conspicua T. o. elegantissima T. o. nana aurea

T. o. sieboldi

T. plicata T. standishi Tsuga canadensis T. caroliniana

BROAD-LEAVED EVERGREENS

Arctostaphylos uva-ursi

Azalea amoena A. a. hinodegiri

A. ledifolia Berberis julianae

B. sargentiana B. triacanthophora

B. verruculosa Bruckenthalia spiculifolia

Buxus microphylla B. m. koreana

B. sempervirens handsworthi

Calluna vulgaris

C. v. alba
C. v. alporti
C. v. aurea
C. v. carnea
C. v. searlei

Chamaedaphne calyculata Crataegus pyracantha lalandi

C. p. coccinéa C. p. yunnanensis Daphné cneorum Erica carnea E. darleyensis E. vagans Euonymus patens

E. radicans

E. r. acutus

T. sieboldi

E. r. argenteo-marginatus

E. r. carrieri E. r. colorata E. r. kewensis

E. r. minima

E. r. vegetus Ilex cornuta I. crenata

l. c. bullata I. c. latifolia 1. c. microphylla

I. glabra

1. opaca Kalmia latifolia

Laurocerasus o. schipkaensis Leucothoe catesbaei

Lonicera nitida L. pileata

Mahonia aquifolium Pachistima canbyi Pieris floribunda P. japonica

Rhododendron carolinianum

R. catawbiense R. maximum

Stranvaesia davidiana Viburnum rhytiodophyllum

DECIDUOUS SHADE TREES

Acer campestre

A. cappadocicum A. dasycarpum

A. d. pyramidale A. d. wieri

A. mandshuricum

A. negundo A. nigrum A. platanoides

A. p. schwedleri A. pseudoplatanus

A. rubrum A. saccharum Aesculus carnea

A. glabra A. hippocastanum A. h. baumanni A. octandra A. turbinata

Ailanthus glandulosa A. vilmoriniana

Alnus cordata

A. glutinosa A. g. laciniata

A. incana A. japonica Betula alba

B. a. fastigiata B. a. laciniata

B. maximowicziana B. lenta

B. lutea B. nigra

B. papyrifera B. p. cordifolia

B. populifolia Carpinus betulus C. caroliniana

C. cordata C. japonica

C. yedoensis

Deciduous Shade Trees Continued

Catalpa bignonioides nana C. speciosa Cedrela sinensis Celtis occidentalis C. sinensis Cercidiphyllum japonicum C. j. sinense Davidia involucrata Eucommia ulmoides Fagus americana F. sylvatica F. s. fastigiata F. s. heterophylla F. s. pendula F. s. purpurea F. s. riversi Fraxinus americana F. chinensis F. excelsior F. lanceolata F. mandshurica F. nigra F. pennsylvanica F. quadranaulato quadrangulata Ginkgo biloba Gleditsia elegantissima G. japonica G. triacanthos G. t. inermis Gymnocladus dioica Hicoria ovata Julgans cineria J. nigra J. regia J. sieboldiana Larix europea L. laricina L. leptolepis Liquidambar formosana L. styraciflua Liriodendron chinense L. tulipifera L. t. pyramidale Magnolia acuminata M. conspicua M. fraseri M. hypoleuca M. tripetala Morus alba tatarica Ostrya virginica Paulownia tomentosa Phellodendron amurense P. lavallei sachalinense Platanus occidentalis P. orientalis Populus alba P. a. nivea P. berolinensis P. bolleana P. certinensis P. maximowiczi P. nigra italica

P. nigra betulifolia P. simoni P. suaveolens przewalski

P. tremuloides

b. trichocarpa

Prunus serotina Pseudolarix kaempferi Ptelia trifoliata Quercus alba Q. bicolor Q. coccinea Q. lyrata Q. macrocarpa Q. palustris Q. phellos Q. prinus Q. robur Q. rubra Q. texana Q. velutina Robinia pseudoacac.a R. p. bessoniana R. p. descaisneana Salix babylonica S. b. crispa S. b. dolorosa S. b. salamoni S. elegantissima S. fragilis S. mandshurica S. niobe S. pentandra S. sieboldiana S. vitellina S. v. britzensis S. v. pendula S. wentworthi Sassafras variifolium Sorbus aria latifolia S. aucuparia S. a. fastigiata S. quercifolia S. torminalis Taxodium distichum Tilia americana T. cordata T. euchlora T. henryana T. heterophylla T. oliveri T. platyphyllos T. p. pyramidalis T. tomentosa Т vulgaris Ulmus americana U. a. moline U. a. vase-shaped U. campestris U. c. klemmeri U. c. latifolia U. c. monumentalis U. c. purpurea U. c. vegeta U. c. wheatleyi U. fulva U. glabra U. g. camperdowni U. g. nana U. japonica U. parvifolia U. pumila U. racemosa Zelkova serrata

DECIDUOUS SMALL TREES

Acanthopanax ricinifolium

A. r. maximowiczi Acer buergerianum

 A. ginnala A. griseum

A. japonicum aureum

A. nikoense

A. palmatum A. p. atropurpureum

A. p. filicifolium A. p. roseo-marginata A. pennsylvanicum

A. platanoides globosum

A. spicatum A. tartaricum

Albizzia julibrissin rosea Alnus pendula

Amygdalus davidiana

A. d. alba

A. persica alboplena A. p. Clara Meyer A. p. rosea plena

A. p. rubroplena Aralia japonica A. spinosa

Asimina triloba

Broussonetia papyrifera Cercis canadensis

Cladrastis lutea Cornus florida

C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. k. chinensis
C. mas

C. officinalis Crataegus aprica C. arkansana

C. arnoldiana . carrieri C. coccineo C. coccinioides

C. cordata C. crusgalli C. cuneata C. hupehensis

C. macracantha
C. mollis
C. monogyna
C. m. stricta

C. nitida

C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea C. o. rosea plena

C. peregrina C. persistens C. pinnatifida major

C. pruinosa C. prunifolia C. punctata

C. succulenta C. tomentosa viridis

Diospyros virginiana Gordonia alatamaha Halesia tetraptera H. monticola

Idesia polycarpa

Koelreuteria paniculata

Laburnum alpinum

L. vulgare watereri

Maackia amurensis Magnolia glauca

M. kobus M. lennei M. salicifolia

M. soulangeana M. s. nigra

Malus angustifolia M. arnoldiana
M. adstringens
M. baccata
M. b. mandshurica

M. brevipes

M. coronaria M. c. Charlotte M. dolga

M. Elisa Rathke

M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca M. glaucescens M. halliana M. h. parkmani M. hopa

M. ioensis M. i. bechteli M. micromalus

M. niedzwetzkyana M. Oekonemurat Echtermeyer

M. purpurea

M. p. aldenhamensis M. p. eleyi M. prunifolia rinki M. robusta

M. r. fastigiata M. r. persicifolia M. sargenti M. scheideckeri M. sieboldi M. spectabilis

M. s. alba plena M. sublobata

M. theifera M. t. rosea M. toringoides M. tschonoski

M. yunnanensis veitchi M. zumi M. z. calocarpa

Morus alba pendula Nyssa aquatica

N. sylvatica Oxydendrum arboreum

Prumus americana

P. a. Newport
P. armeniaca sibirica
P. avium plena

P. cerasifera pissardi

P. cistena P. hortulana P. incisa P. lannesiana P. I. Amayadori P. I. Jonioi P. I. sirotae

Deciduous Small Trees Continued

P. maacki P. moseri fl. pl. P. mume P. mume fl. pl.
P. padus
P. pennsylvanicum
P. serrulata

P. s. Amanogawa

P. s. Gioiko P. s. Hata-zakura

P. s. Horaisan P. s. Hosokawanioi P. s. Higantakura P. s. Hisakura

P. s. Jas. H. Veitch P. s. Kuramayami P. s. Kwansan

P. s. Miyako P. s. sachalinensis P. s. Shirofugen
P. s. Shogetsu
P. s. Sumizome

P. sieboldi syn. Naden

P. spinosa P. subhirtella P. s. ascendens P. s. autumnalis P. s. pendula

P. virginiana

P. yedoensis P. y. taizanfukun Pterostyrax corymbosa

Pyrus calleryana P. betulaefolia P. salicifolia P. serrulata

Rhus cotinus R. javanica syn. osbecki

Robinia fertilis R. globosa R. hispida R. holdti

R. pseudoacacía Marguerite

Salix amygdaloides S. caprea S. matsudana

S. m. tortuosa S. regalis Sophora japonica Sorbus americana

S. commixta S. spuria Styrax japonica S. obassia Syringa japonica

B. t. minor

S. pekinensis

DECIDUOUS SHRUBS

Abelia grandiflora A. schumanni Acanthopanax pentaphyllum Aesculus parviflora Alnus rugosa A. viridis Amelanchier alnifolia A. asiatica

A. canadensisA. laevis A. I. rosea A. oblongifolia

A. rotundifolia syn. vulgaris A. sanguinea

A. stolonifera Amorpha brachycarpa A. canescens A. fruticosa

Amygdalus nana georgica Aronia arbutifolia

A. atropurpurea A. melanocarpa A. m. elata

Artemisia abrotanum Azalea calendulacea A. canescens

A. kaempferi A. lutea A. mollis A. nudiflora A. poukhanensis A. viscosa

A. yodogawa Baccharis halimifolia Benzoin aestivale Berberis koreana B. circumserrata

B. thunbergi B. t. atropurpurea

B. t. pluriflora B. t. p. erecta Berchemia racemosa Bischoffia trifoliata Buddleia Charming B. alternifolia B. davidi B. d. superba B. d. veitchi B. farquhari B. Ile de France B. intermedia B. lindleyana

B. paniculata Callicarpa americana

C. giraldiana C. japonica C. purpurea Calycanthus floridus

C. occidentalis Caragana arborescens

C. boisi C. frutex C. lorbergi C. sophoraefolia Caryopteris incana C. tangutica

Ceanothus americanus Cephalanthus occidentalis

Cercis chinensis Chionanthus virginica Clerodendron trichotomum

Clethra alnifolia C. barbinervisC. paniculata Colutea arborescens

C. media Comptonia asplenifolia

Cornus alba C. a. elegantissima C. a. sibirica C. a. spaethi C. alternifolia C. amomum syn. sericea C. baileyi C. paniculata C. paucinervis C. pubescens C. rugosa C. sanguinea C. s. viridissima C. stolonifera C. s. flaviramea Corylus americana C. avellana C. a. atropurpurea C. heterophylla setchuenensis C. rostrata Cotoneaster acutifolia C. a. villosula C. adpressa C. ambigua C. apiculata C. dammeri C. dielsiana C. dielsiana
C. divaricata
C. foveolata
C. francheti
C. himalaicus
C. horizontalis
C. h. perpusilla
C. hupehensis C. integerrima
C. lucida
C. melanocarpa
C. microphylla C. microphylla
C. moupinensis
C. multiflora
C. nitens
C. obscura
C. racemiflora soongarica
C. rotundifolia
C. rosea
C. si floccosa C. simonsi C. tenuipes C. wilsoni C. zabeli Cydonia cathayensis C. japonica C. j. alba C. j. alpina C. j. Columbia C. j. Falconet Charlet C. j. pygmaea
C. j. rosea plena
C. j. umbilicata
C. j. Vermilion
C. kermesiana semi-plena
C. maulei Cytisus nigricans C. scoparius C. s. andreanus C. supinus

Daphne mezereum D. m. alba

Deutzia gracilis

D. lemoinei

D. I. avalanche D. I. compacta D. myriantha Boule Rose D. ningpoense D. parviflora D. rosea D. rosea campanulata D. r. carminea D. r. eximea D. r. venusta D. scabra D. s. candidissima
D. s. Pride of Rochester
D. s. rosea plena D. s. watereri D. s. wellsi D. schneideriana laxiflora D. vilmoringe Diervilla sessilifolia D. trifida Dirca palustris Eleagnus angustifolia E. argentea E. longipes E. parvifolia E. umbellata Elsholtzia stauntoni Enkianthus campanulatus Euonymus alatus E. a. compacta E. americanus E. atropurpureus E. bungeanus E. europaeus E. e. fructu-coccineus E. latifolius E. maacki E. nanus E. obovatus E. oxyphyllus E. yedoensis Evodia hupehensis Exochorda arandiflora E. g. wilsoni Fontanesia fortunei Forsythia europea F. intermedia F. i. primulina F. i. spectabilis F. ovata F. suspensa F. s. atrocaulis F. s. fortunei F. s. sieboldi F. yiridissima Fothergilla gardeni Gaylussacia baccata Genista juncea G. pilosa G. sagittalis
G. tinctoria Hamamelis iaponica H. j. rubra H. mollis H. vernalis H. v. tomentella H. virginiana Helwingia japonica

Hibiscus syriacus

H. variegatus H. v. meehani Hippophae rhamnoides Holodiscus d. ariaefolius Hovenia dulcis Hydrangea arborescens H. a. grandiflora H. cineria sterilis H. o. Otaksa H. a. Thos. Hogg H. paniculata H. p. grandiflora H. p. praecox H. quercifolia H. radiata Hypericum arnoldiana H. aureum H. bucklei H. densiflorum H. kalmianum H. lobocarpum H. moserianum H. patulum H. p. henrvi H. prolificum Hex geniculata I. laevigata I. monticola I. serrata syn. sieboldi I. verticillata
I. v. chrysocarpa Indigofera amblyantha kirilowi 1. potanini Itea virginica Jamesia americana Jasminum nudiflorum J. stephanense Kerria japonica K. j. florepleno Kolkwitzia amabilis Lagerstroemia indica rubra Lespedeza bicolor L. formosa syn. penduliflorum L. f. albiflora Ligustrum acuminatum L. a. macrocarpum L. amurense L. ibolium L. ibota L. i. nanum L. i. regelianum L. lodense L. ovalifolium L. o. varigatum L. vulgare L. v. foliosum L. v. leucocarpum Lonicera bella albida L. bella rosea L. billardi L. chrysantha L. conjugialis L. dioica L. fragrantissima L. gracilipes L. Kesselringi

L. kohneana

L. ledebouri

L. korolkowi floribunda

L. maacki L. m. podocarpa L. morrowi L. muendeniensis L. quinquelocularis L. ruprechtiana L. saccata L. spinosa alberti L. standishi L. syringantha L. s. wolfi L. tatarica L. t. alba L. t. grandiflora L. t. lutea L. t. sibirica L. virginalis alba L. xylosteum Lycium chinense L. halimifolium Lvonia ligustrina Magnolia parviflora M. stellata M. s. rosea Myrica carolinensis M. cerifera M. gale Nandina domestica Neillia longeracemosa N. sinensis Nemopanthus mucronatus Neviusia alabamensis Paeonia suffruticosa Perowskia atriplicifolia Philadelphus Albatre P. Argentine P. Avalanche P. Banniere P. Bouquet Blanc P. coronarius P. c. aureus P. c. nanus P. c. multiflorus plenus P. Dame Blanche P. dianthiflorus plenus P. falconeri P. Favorite P. Gerbe de Neige P. Glacier P. gordonianus P. grandiflorus P. incanus P. lemoinei erectus P. lewisi P. Magdalene P. nepalensis P. nivalis P. Norma P. Ophelia P. Pavillon Blanc P. pyramidale P. sericanthus P. Sybille P. virginal P. Voie Lactee P. zeyheri Photinia villosa P. v. laevis Physocarpus intermedius parvifolius

P. monogynus P. opulifolius P. o. luteus P. o. nanus Pieris mariana Potentilla fruticosa Prinsepia sinensis Prunus besseyi P. demissa P. dunbari P. glandulosa
P. g. albiplena
P. g. sinensis
P. japonica
P. maritima P. pumila P. tomentosa P. triloba P. t. plena Rhamnus caroliniana R. cathartica R. dahurica R. frangula R. f. asplenifolia R. koraiensis R. purshiana R. spathulaefolia R. utilis R. wilsoni Rhodotypos kerrioides Rhus canadensis R. copallina R. glabra R. trilobata R. typhina R. t. laciniata Ribes alpinum R. aureum R. fasciculatum R. gordonianum R. sanguineum Robinia Ellioti R. kelseyi R. viscosa Rosa acicularis R. blanda R. b. willmottiae R. canina R. coriifolia froebeli R. davurica R. ecae R. foetida R. f. persiana R. fujisanensis R. helenae R. hugonis R. humilis R. laevigata R. lucida R. marreti R. maximowicziana jacki R. moyesi R. multiflora R. m. cathayensis R. nitida R. palustris

R. pendulina

R. r. hybrids

R. rouletti R. rubiginosa R. rubrifolia R. rugosa R. r. alba R. r. hybrids R. r. repens R. sericea R. setigera R. spinosissima altaica R. s. hispida R. s. hybrids R. watsoniana R. wichuraiana R. w. hybrids R. hybrid perpetuals R. hybrid tea R. climbing R. polyantha hybrids R. woodsi R. xanthina allard R. x. spontanea Rubus deliciosus R. dumetorum R. odoratus R. phoenicolasius Salix discolor S. doniana S. incana S. irrorata S. jessoensis S. lucida S. mutabilis S. myricoides rigida nigricans cotinifolia S. patula purpurea nana S. uralensis S. vitellina glauca Sambucus canadensis S. c. acutiloba S. nigra S. n. aurea S. n. variegata S. pubens S. p. leucocarpa S. racemosus Shepherdia argentea Smilax rotundifolia Sophora vicifolia Sorbaria aitchisoni S. arborea glabrata S. Iindleyana S. sorbifolia Spirea arguta S. billiardi S. bumalda S. b. Anthony Waterer S. b. walluffi S. chamaedryfolia ulmifolia S. dasyantha S. douglasi S. fortunei S. froebeli S. japonica S. j. ovalifolia S. j. ruberrima S. latifolia S. margaritae S. nipponica rotundifolia

S. prunifolia

S. pubescens

S. reevesiana S. r. lanceata S. salicifolia S. superba S. syringiflora
S. thunbergi
S. tomentosa
S. trichocarpa S. van houttei S. veitchi S. wilsoni Staphylea bumalda S. colchica S. pinnata S. trifolia Stephanandra flexuosa Stewartia pentagyna S. p. grandlifora S. pseudocamellia Symphoricarpos chenaulti S. mollis S. occidentalis S. o. heyeri S. racemosus S. vulgaris Symplocos paniculata Syringa affinis giraldi S. chinensis S. c. alba S. c. metensis S. c. saugeana S. emodi S. henryi eximea S. h. lutece S. josikea S. microphylla S. oblata S. o. dilatata S. palibiniana S. persica S. p. alba S. velutina S. villosa S. vulgaris S. vulgaris alba S. v. hybrids S. yunnanensis Tamarix africana T. gallica T. g. indica T. juniperina T, odessana

pentandra tetandra purpurea Ulex europeus Vaccinium corymbosum

V. vacillans Viburnum acerifolium V. americanum V. bitchuiense V. betulifolium V. burejaeticum V. burkwoodi V. carlesi V. cassinoides V. dentatum V. dilatatum
V. d. leucocarpum
V. fragrans
V. hupehense V. lantana V. l. rugosum V. lentago V. molle V. nudum V. opulus V. o. nanum
V. o. sterile
V. o. xanthocarpum V. ovatifolium V. prunifolium V. pubescens V. rufidulum V. sargenti V. sargenti
V. sieboldi
V. theiferum
V. tomentosum
V. t. plicatum
V. veitchi V. venosum canbyi V. wrighti Vitex agnus castus V. a. c. alba V. macrophylla V. negundo incisa

Weigela Abel Carriere
W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea
W. rosea nana variegata
W. sieboldi argenteomarginata
W. styriaca
W. Van Houtte
Zanthorhiza apiifolia Weigela Abel Carriere

Zanthorhiza apiifolia Zanthoxylum americanum

VINES

Akebia lobata A. quinata Ampelopsis aconitifolia A. henryana A. heterophylla A. h. amurensis A. h. elegans A. quinquefolia

Actinidia arguta

A. q. engelmanni A. q. murorum A. a. saintpauli A. tricuspidata veitchi A. t. lowi Aristolochia sipho A. tomentosa Bignonia grandiflora B. g. Mad. Gallen

Vines Continued

B. radicans

B. speciosa

Celastrus orbiculatus

C. scandens

Clematis apiifolia

C. chrysocoma sericea

C. crispa C. fargesi C. flammula

C. hybrids
C. ligusticifolia
C. montana rubens

C. montana rubens
C. m. undulata
C. m. wilsoni
C. orientalis
C. paniculata
C. serratifolia
C. tangutica
C. texensis syn. coccinea
C. veitchi
C. viorna
C. virginiana
C. viticella
C. recuments parhaga

Decumaria barbara

Hedera helix H. h. Albany H. h. baltica

H. h. conglomerata

H. h. gracilis Hydrangea petiolaris

Lonicera alseusmoides

L. browni plantierensis L. caprifolium

L. fuchsoides

L. heckrotti

L. henryi L. hirsuta

L. japonica

L. j. halleana

L. j. reticulata aurea L. periclymenum belgica L. prolifera syn. sullavanti

L. sempervirens

L. tellmanniana

L. thibetica

L. verna

Periploca graeca Polygonum auberti

Pueraria thunbergiana

Schizophraama hydrangoides

Solanum dulcamara Tripterygium regeli

Vinca minor

V. m. alba

V. m. rubra plena Vitis aestivalis

V. amurensis V. coignetae

V. cordifolia

V. labrusca V. rotundifolia

V. vulpina

Wistaria frutescens W. f. magnifica

W. multijuga

W. sinensis

W. s. alba W. venusta

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

Baccharis hallmifolia Bignonia grandiflora Buddleia in variety Clematis paniculata Elscholtzia stauntoni Hamamelis virginiana Hibiscus syriacus in variety

Hydrangea in variety Hypericum in variety Lonicera heckrotti Spirea tomentosa Tamarix aestivale Vitex agnus castus Vitex macrophylla

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter

Ampelopsis quinquefolia Ampelopsis tricuspidata veitchi Aronia arbutifolia Aronia atropurpurea Benzoin aestivale *Betula papyrifera *Betula populifolia *Betula lenta

*Betula lutea Cornus in variety *Crataegus in variety Euonymus in variety *Hypericum prolificum *Juniperus virginiana *Juniperus communis

*Liaustrum in variety Lonicera in variety Morus alba

*Myrica carolinensis

Nyssa sylvatica *Pinus in variety Photinia villosa

Prunus besseyi Prunus padus

Prunus pennsylvanicum

Prunus serotina *Rhamnus in variety

*Rhus copallina *Rhus glabra

*Rhus Typhina Ribes in variety Sambucus in variety

*Symphoricarpus in variety Vaccinium corymbosum Viburnum in variety

Vitis in variety *Weigela hybrida in variety

Low Woody Plants for Rock Gardens

Chamaecyparis obtusa compacta Chamaecyparis obtusa nana Cotoneaster adpressa Cotoneaster horizontalis Cotoneaster horizontalis perpusilla Cotoneaster rotundifolia Daphne cneorum Daphne mezereum

Euonymus radicans minima

Hypericum henryi Jasminum nudiflorum Juniperus horizontalis Juniperus horizontalis glauca Juniperus suecica nana Juniperus sabina tamariscifolia Lonicera spinosa alberti Lonicera syringantha Lonicera thibetica

Woody Plants Enduring Shade

For Dry Soil

Ailanthus glandulosa Celastrus scandens Gleditsia triacanthos Hamamelis virginiana Liqustrum amurense Ligustrum ibota

Ligustrum vulgare Rhus canadensis Ribes alpinum Rubus odoratus Symphoricarpus vulgaris Vinca minor

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

Acer pennsylvanicum Acer spicatum Alnus glutinosa Alnus incana Cornus florida Euonymus radicans and varieties Fagus americana Hedera helix Kalmia latifolia Amelanchier in variety

Benzoin aestivale Carpinus in variety Cercis canadensis Ostrya virginica Pachysandra terminalis Rhododendron in variety Tsuaa canadensis Viburnum acerifolium Zanthorhiza apiifolia

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus atloa
Cornus stolonifera
Eunonymus radicans acutus
*Lonicera halleana
*Lonicera igponica
Lonicera tatarica
Physocarpus opulifolius
*Rhus typhina

Robinia pseudacacia *Rosa setigera *Rosa wichuraiana *Rubus odoratus Salix caprea Salix discolor Salix incana *Symphoricarpus vulgaris Vinca minor Vitis vulpina

Plants for the Herb Garden

Achillea millefolium Allium schoenoprasum Anthemis nobilis Artemisia abrotanum Artemisia absinthium Artemisia dracunculus Artemisia pontica Artemisia stelleriana Asarum canadense Asperula odorata Calamintha alpina Cedronella cana Chrysanthemum balsamita Foeniculum atrosanguineum Hyssopus officinalis Lavandula officinalis Marrubium vulgare

Melissa officinalis Mentha piperita Mentha requieni Monardi didyma Monardi fistulosa Nepeta hederacea Origanum vulgare Rosmarinus officinalis Ruta graveolens Salvia officinalis Santolina chamaecyparissus Tanecetum vulgare Thymus serpyllum Thymus serpyllum citriodorus Thymus vulgaris Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

18-24"	\$.35
2- 3'	
3- 4'	
4- 5'	
5- 6'	1.20

			Diameter of Ball
6- 8'	Shrubs	\$ 165	16"
1"	Trees	} \$ 1.65	10
8-10'	Shrubs	2.50	18"
11/4"	Trees) 2.50	10
1½"	Trees		20"
1 3/4 "	"	4.50	22"
2"	"	5.50	24"
21/2"	66	8.50	30"
3"	44	11.00	36"
31/2"	66		42"
4"	44	22.00	48"
4 ½ "	"	30.00	54"
5"	"	42.00	60"

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

